

# Bring It<sup>®</sup>



## BALL MOUNTS

Scan for live  
digital version




One of our goals at CURT is to ensure that you are able to offer your customers options. We produce a full line of exceptional ball mounts that are as diverse as the interests of our consumers. The vast majority of the CURT ball mount line is CNC-formed and assembled using robotic welding. Our advanced manufacturing techniques ensure consistent cuts and clean weld lines. Once welded, our ball mounts undergo a cleaning process that creates a flawless surface for the application of our Aquence<sup>®</sup> and highly durable powder coat finishes.

One of the most exciting products shaking things up in the towing world is CURT's exclusive Euro Mount<sup>®</sup> ball mount. Each Euro Mount<sup>®</sup> is designed to replace an old-style ball mount, making trailer ball installation unnecessary. Euro Mounts<sup>®</sup> are sleek, simple and maintenance-free.


Along with our standard ball mounts and Euro Mounts<sup>®</sup>, we carry loaded, Fusion, multi-ball, channel-style, reversible ball mounts and many more, all to make sure your customers can Bring It<sup>®</sup>!

### Measuring a ball mount



# ADVANTAGES OF THE EURO MOUNT®

If your customer is looking for a simple, maintenance-free 1 1/4" ball mount option, the Euro Mount® is the perfect choice. With the Euro Mount®, there are fewer installation requirements, making it even easier to choose the correct 1 1/4" ball mount. Take a look below to find the Euro Mount® that works best for your customer's towing needs.



No tools and no torque specifications required



Includes 1 7/8" or 2" trailer ball; no need to purchase one separately



Easy installation: simply insert the pin & clip, and your customer is ready to tow



Sleek, modern look, similar to popular European designs

## Each Euro Mount® was designed to replace a common, old-style ball mount, making trailer ball installation unnecessary

The comparisons below illustrate which Euro Mount® replaces a common, old-style ball mount



45561 Euro Mount® and 45520 old-style



45591 Euro Mount® and 45522 old-style



45571 Euro Mount® and 45521 old-style




45581 Euro Mount® and 45521 old-style



45551 Euro Mount® and 45518 old-style

## Measuring a Euro Mount®

Required Ball Height = A-B



**1 1/4**  
INCH

## EURO MOUNT® BALL MOUNTS

- For trailer hitches with a 1 1/4" x 1 1/4" receiver tube opening
- Permanently attached 1 7/8" or 2" trailer ball
- Two-mount multi-packs include an attractive point-of-purchase tray
- This product is covered by one or more patents: D610,051 S; D610,492 S; D610,493 S; D610,494 S; D610,954 S
- Durable carbide powder coat finish



Multi-pack display



Bulk#	Multi-Pack#	Ball Diameter	Ball Height	Length	GTW / TW
45551	45551002	1 7/8"	2 3/4"	10"	3,500 / 350 lbs.
45571	45571002	1 7/8"	4 5/8"	7 1/4"	3,500 / 350 lbs.
45561	45561002	1 7/8"	5 1/8"	9 3/4"	3,500 / 350 lbs.
45591	45591002	1 7/8"	5 1/8"	11 1/4"	3,500 / 350 lbs.
45581	45581002	1 7/8"	- 3/4"	8 3/4"	3,500 / 350 lbs.
45552	45552002	2"	2 3/4"	10"	3,500 / 350 lbs.
45572	45572002	2"	4 5/8"	7 1/4"	3,500 / 350 lbs.
45562	45562002	2"	5 1/8"	9 3/4"	3,500 / 350 lbs.
45592	45592002	2"	5 1/8"	11 1/4"	3,500 / 350 lbs.
45582	45582002	2"	- 3/4"	8 3/4"	3,500 / 350 lbs.

**1 1/4**  
INCH

# CLASS 1 & 2 BALL MOUNTS

- For trailer hitches with a 1 1/4" x 1 1/4" receiver tube opening
- Durable powder coat finish



Bulk#	Drop	Rise	Length	GTW / TW	Hole
<b>Class 1</b>					
45018	1 1/4"	5/8"	6 3/4"	2,000 / 200 lbs.	3/4"
45019	1 1/4"	5/8"	9 3/4"	2,000 / 200 lbs.	3/4"
45027	3 1/4"	2 5/8"	6 1/4"	2,000 / 200 lbs.	3/4"
45022	3 1/4"	2 5/8"	7 1/4"	2,000 / 200 lbs.	3/4"
45026	3 1/4"	2 5/8"	9 3/8"	2,000 / 200 lbs.	3/4"
45028	6"	4 5/8"	5 9/16"	2,000 / 200 lbs.	3/4"
45021	--	3"	9 1/2"	2,000 / 200 lbs.	3/4"
45023	--	3 3/4"	11 1/2"	2,000 / 200 lbs.	3/4"
45024	--	5"	9 9/16"	2,000 / 200 lbs.	3/4"
<b>Class 2</b>					
45503	1"	3/8"	7 13/16"	3,500 / 350 lbs.	3/4"
45518	1 1/4"	3/4"	6 3/4"	3,500 / 350 lbs.	3/4"
45519	1 1/4"	3/4"	9 3/4"	3,500 / 350 lbs.	3/4"
45017	3 1/4"	2 5/8"	6 1/4"	3,500 / 350 lbs.	3/4"
45521	3 1/4"	2 5/8"	7 1/4"	3,500 / 350 lbs.	3/4"
45016	3 1/4"	2 5/8"	9 3/8"	3,500 / 350 lbs.	3/4"
45520	--	3 1/8"	9 3/4"	3,500 / 350 lbs.	3/4"
45510	--	3 1/8"	10 5/16"	3,500 / 350 lbs.	3/4"
45522	--	3 1/8"	11 1/4"	3,500 / 350 lbs.	3/4"
45000	--	3 7/8"	13 1/2"	3,500 / 350 lbs.	3/4"
45014	--	5"	9 5/8"	3,500 / 350 lbs.	3/4"
45025	--	5"	11 9/16"	2,000 / 200 lbs.	3/4"
45015	--	5"	11 5/8"	3,500 / 350 lbs.	3/4"



**2**  
INCH

# CLASS 3 BALL MOUNTS

- For trailer hitches with a 2" x 2" receiver tube opening
- White box kits include a pin & clip
- Durable chrome-plated or powder coat finish



Black Bulk#	Chrome Bulk#	Retail Pkg#	White Box Kit#	With Pin & Clip Poly Bag#	Drop	Rise	Length	GTW / TW	Hole Size
45030	45290	45031	45032	45033	2"	3/4"	8 1/4"	7,500 / 750 lbs.	1"
45010	--	45011	45012	--	2"	3/4"	8 1/4"	7,500 / 750 lbs.	1"
45040	--	--	--	--	2"	3/4"	10 1/4"	7,500 / 750 lbs.	1"
45020	--	--	--	--	2"	3/4"	10 1/4"	7,500 / 750 lbs.	1"
45260	--	--	--	--	2"	3/4"	12 1/4"	7,500 / 750 lbs.	1"
45250	--	--	--	--	2"	3/4"	12 1/4"	7,500 / 750 lbs.	1"
45050	45296	45051	45052	--	4"	2"	8 1/4"	7,500 / 750 lbs.	1"
45060	--	--	--	--	4"	2"	10 1/4"	7,500 / 750 lbs.	1"
45270	--	--	--	--	4"	2"	13"	7,500 / 750 lbs.	1"
45070	45297	--	--	--	6"	4"	9 1/4"	7,500 / 750 lbs. drop 6,000 / 600 lbs. rise	1"
45080	--	--	--	--	6"	4"	12 1/4"	7,500 / 750 lbs. drop 6,000 / 600 lbs. rise	1"
45280	--	--	--	--	6"	4"	14 1/4"	7,500 / 750 lbs. drop 6,000 / 600 lbs. rise	1"
45090	--	--	--	--	8"	6"	11 1/2"	5,000 / 500 lbs. drop 3,500 / 350 lbs. rise	1"
45100	--	--	--	--	8"	6"	13"	5,000 / 500 lbs. drop 3,500 / 350 lbs. rise	1"
45110	--	--	--	--	10"	8"	13"	5,000 / 500 lbs. drop 3,500 / 350 lbs. rise	1"
45112	--	--	--	--	10"	8"	14"	5,000 / 500 lbs. drop 3,500 / 350 lbs. rise	1"



## 2 LOADED BALL MOUNTS

INCH

- For trailer hitches with a 2" x 2" receiver tube opening
- Pin & clip included
- Complete with factory-torqued CURT trailer ball
- Three-mount multi-packs include an attractive point-of-purchase tray




Bulk#	White Box Kit#	Multi-Pack#	Drop	Length	GTW / TW	Ball Diameter	Finish
45034	--	45035	2"	8 1/4"	3,500 / 350 lbs.	1 7/8" (40002)	Gloss black
--	45293	--	2"	8 1/4"	3,500 / 350 lbs.	1 7/8" (40002)	Chrome
45036	--	45037	2"	8 1/4"	7,500 / 750 lbs.	2" (40037)	Gloss black
--	45295	--	2"	8 1/4"	7,500 / 750 lbs.	2" (40037)	Chrome
45041	--	45041003	2"	8 1/4"	7,500 / 750 lbs.	2 5/16" (40005)	Gloss black
45331	--	--	2"	8 1/2"	15,000 / 1,500 lbs.	2 5/16" (40030)	Carbide
45055	--	--	4"	8 1/4"	3,500 / 350 lbs.	1 7/8" (40002)	Gloss black
45056	--	45057	4"	8 1/4"	7,500 / 750 lbs.	2" (40037)	Gloss black
45042	--	45042003	4"	8 1/4"	7,500 / 750 lbs.	2 5/16" (40005)	Gloss black
45332	--	--	4"	8 1/2"	15,000 / 1,500 lbs.	2 5/16" (40030)	Carbide

## 2 RIGHT-ANGLE BALL MOUNTS

INCH

- For trailer hitches with a 2" x 2" receiver tube opening
- Angled shank for easier insertion into the trailer hitch receiver tube



Bulk#	Drop	Rise	Length	GTW / TW	Hole Size	Finish
45047	2"	3/4"	10 1/4"	7,500 / 750 lbs.	1"	Gloss black
45067	4"	2"	10 1/4"	7,500 / 750 lbs.	1"	Gloss black
45087	6"	4"	12 1/4"	7,500 / 750 lbs. drop 6,000 / 600 lbs. rise	1"	Gloss black



2

INCH

## FUSION BALL MOUNTS

- For trailer hitches with a 2" x 2" receiver tube opening
- Pin & clip included
- Permanently attached trailer ball cannot be loosened or stolen
- Two-mount multi-packs include an attractive point-of-purchase tray



Bulk#	Multi-Pack#	Drop	Rise	Length	GTW / TW	Ball Diameter	Finish
45131	45136	2"	--	7 1/2"	5,000 / 500 lbs.	1 7/8"	Gloss black
45134	45139	2"	--	7 1/2"	7,500 / 750 lbs.	2"	Gloss black
45151	45156	4"	--	8 1/8"	5,000 / 500 lbs.	1 7/8"	Gloss black
45154	45158	4"	--	8 1/8"	7,500 / 750 lbs.	2"	Gloss black
45152	45157	--	2"	8 1/8"	5,000 / 500 lbs.	1 7/8"	Gloss black
45155	45159	--	2"	8 1/8"	7,500 / 750 lbs.	2"	Gloss black

2

INCH

## DUAL-LENGTH BALL MOUNTS

- For trailer hitches with a 2" x 2" receiver tube opening
- Two pin holes for varying length




Bulk#	Drop	Rise	Length	GTW / TW	Hole Size	Finish
45220	2"	3/4"	7 1/2" or 10 1/2"	7,500 / 750 lbs.	1"	Gloss black
45230	4"	2"	8 1/8" or 11 1/8"	7,500 / 750 lbs.	1"	Gloss black
45240	6"	4"	9 1/4" or 12 1/4"	7,500 / 750 lbs. drop 6,000 / 600 lbs. rise	1"	Gloss black



Two pin holes  
for various lengths

## 2 CLASS 4 BALL MOUNTS

- For trailer hitches with a 2" x 2" receiver tube opening
- Durable powder coat finish



Bulk#	Drop	Rise	Length	GTW / TW	Hole Size	Shank Type
45336	6"	4 3/4"	9 3/8"	10,000 / 1,000 lbs.	1 1/4"	Hollow
45338	8"	6 3/4"	9 3/8"	10,000 / 1,000 lbs.	1 1/4"	Hollow
45446	6"	5"	9 3/8"	12,000 / 1,200 lbs.	1 1/4"	Solid
45448	8"	7"	9 3/8"	12,000 / 1,200 lbs.	1 1/4"	Solid

## 2 FORGED BALL MOUNTS

- For trailer hitches with a 2" x 2" receiver tube opening
- Solid, forged construction
- Durable carbide powder coat finish



Bulk#	Case-Pack#	Drop	Rise	Length	GTW / TW	Hole Size
45340	45340002*	2"	1"	8 1/2"	17,000 / 2,550 lbs.	1 1/4"
45341	45341002*	4"	3"	8 1/2"	17,000 / 2,550 lbs.	1 1/4"
45342	45342002*	6"	5"	9 1/2"	17,000 / 2,550 lbs.	1 1/4"

\* Case-packs are two ball mounts in non-display brown boxes

## 2 TOW HOOK MOUNTS

- For trailer hitches with a 2" x 2" receiver tube opening
- GTW and TW are limited to trailer hitch capacity



Bulk#	Length	Finish	Description
45824	7 1/2"	Gloss black	Use with tow straps, complete with shackle and solid shank
45825	7 1/2"	Gloss black	Use with 83066 vehicle recovery strap or similar
45500	10"	Carbide	Use with 83066 vehicle recovery strap or similar



2

INCH

## MULTI-BALL MOUNT WITH TOW HOOK

- For trailer hitches with a 2" x 2" receiver tube opening
- Permanently attached trailer balls cannot be loosened or stolen
- Tow hook limited to trailer hitch capacity



45675

Bulk#	Trailer Balls	Shank Type	Ball Finish	Length	Ball Diameter and Maximum GTW / TW			Finish
					1 7/8"	2"	2 5/16"	
45675 <b>NEW</b>	3	Solid	Black	7" and 8 1/2"	5,000 / 500 lbs.	7,500 / 750 lbs.	10,000 / 1,000 lbs.	Gloss black

2

INCH

## MULTI-BALL BALL MOUNTS

- For trailer hitches with a 2" x 2" receiver tube opening
- Permanently attached trailer balls cannot be loosened or stolen



45650



45655



45001



45660



45665



45002

Bulk#	Trailer Balls	Shank Type	Ball Finish	Length	Ball Diameter and Maximum GTW / TW			Finish
					1 7/8"	2"	2 5/16"	
45650	3	Solid	Black	7" and 8 1/2"	5,000 / 500 lbs.	7,500 / 750 lbs.	10,000 / 1,000 lbs.	Gloss black
45655	3	Solid	Chrome	7" and 8 1/2"	5,000 / 500 lbs.	7,500 / 750 lbs.	10,000 / 1,000 lbs.	Gloss black
45001	3	Hollow	Chrome	7" and 8 1/2"	5,000 / 500 lbs.	7,500 / 750 lbs.	10,000 / 1,000 lbs.	Gloss black
45660	2	Solid	Black	8 1/2"	--	7,500 / 750 lbs.	10,000 / 1,000 lbs.	Gloss black
45665	2	Solid	Chrome	8 1/2"	--	7,500 / 750 lbs.	10,000 / 1,000 lbs.	Gloss black
45002	2	Hollow	Chrome	8 1/2"	--	7,500 / 750 lbs.	10,000 / 1,000 lbs.	Gloss black

1 1/4

INCH

&amp;

2

INCH

## TOWING STARTER KITS

- For trailer hitches with a 1 1/4" x 1 1/4" and 2" x 2" receiver tube openings



45148



45141



45142



45534



45554

Pkg#	Drop	Rise	Length	GTW / TW	Ball Diameter	Included Parts
45141 <b>NEW</b>	2"	--	7 1/2"	7,500 / 750 lbs.	2"	45134 Fusion ball mount and 23021 hitch lock
45142 <b>NEW</b>	4"	--	8 1/8"	7,500 / 750 lbs.	2"	45154 Fusion ball mount and 23021 hitch lock
45148 <b>NEW</b>	3 1/4"	--	7 1/4"	3,500 / 350 lbs.	2"	45521 ball mount, 40003 trailer ball and 21403 pin & clip
45534*	2"	3/4"	8 1/4"	7,500 / 750 lbs.	2"	45030 ball mount, 40037 trailer ball, 23579 hitch lock, 22272 hitch tube cover, 21500 pin & clip and reusable case
45554*	4"	2"	8 1/4"	7,500 / 750 lbs.	2"	45050 ball mount, 40037 trailer ball, 23579 hitch lock, 22272 hitch tube cover, 21500 pin & clip and reusable case

\* Sturdy, reusable case included

2

INCH

## REVERSIBLE BALL MOUNTS

- For trailer hitches with a 2" x 2" receiver tube opening
- Permanently attached trailer balls cannot be loosened or stolen

45643  
drop45643  
rise45644  
drop45644  
rise

Bulk#	Shank Type	Drop	Rise	Length	Ball Diameter and Maximum GTW / TW			Finish
					1 7/8"	2"	2 5/16"	
45643	Hollow	4" (1 7/8" ball)	2" (2" ball)	10 1/2"	6,000 / 600 lbs.	7,500 / 750 lbs.	--	Gloss black
45644	Hollow	4" (2" ball)	2" (2 5/16" ball)	10 1/2"	--	7,500 / 750 lbs.	7,500 / 750 lbs.	Gloss black

2

INCH

## ADJUSTABLE BALL MOUNT

- For trailer hitches with a 2" x 2" receiver tube opening
- Adjusts in 1 1/2" increments

45812  
Rise45812  
Drop


Bulk#	Max Drop	Max Rise	Length	GTW / TW	Hole Size	Finish
45812	7 1/2"	6 1/4"	12 1/2"	5,000 / 500 lbs.	1"	Gloss black

2

INCH

## ADJUSTABLE TRI-BALL MOUNT

- Strong, welded trailer balls
- Includes three 5/8" diameter pins & clips
- Durable powder coat finish



45799



45800



45059



45802

Bulk#	Pkg#	Max Drop	Max Rise	Length	GTW	Ball Diameter	Description
--	45799	5 3/4"	5 3/4"	16"	6,000 / 7,500 / 10,000 lbs.	1 7/8", 2", 2 5/16"	Complete tri-ball assembly
45800	--	--	--	--	6,000 / 7,500 / 10,000 lbs.	1 7/8", 2", 2 5/16"	Replacement head for the 45799
45059	--	5 3/4"	5 3/4"	16"	10,000 lbs.	--	Adjustable shank for the 45799 or 45008
45802	--	--	--	--	10,000 lbs.	--	Replacement tube mount for 45799

2

INCH

## ADJUSTABLE MULTI-PURPOSE MOUNT & SHANK

- Features welded 2" and 2 5/16" trailer balls and removable clevis bar for lunette eyes
- Includes three 5/8" diameter pins & clips
- Patent# 8,534,695



45049



45008



45059



Great for a wide variety of trailer attachments

Bulk#	Pkg#	Max Drop	Max Rise	Length	Ball Diameter and Maximum GTW / TW		Description
					2"	2 5/16"	
--	45049	6 1/2"	6 11/16"	14 3/16"	7,500 / 750 lbs.	10,000 / 1,000 lbs.	Complete mount and shank assembly
45008	--	--	--	--	7,500 / 750 lbs.	10,000 / 1,000 lbs.	Replacement head for 45049
45059	--	--	--	--	10,000 / 1,000 lbs. - no ball included		Adjustable shank for 45008 or 45799

2

INCH

## ADJUSTABLE CHANNEL-MOUNT

- Built-in anti-rattle
- Durable carbide powder coat finish
- Patent# US8,033,563



45900



45901



45919



45920



45910



45911



45916



45915



23556

Bulk#	Pkg#	Max Drop	Max Rise	Length	GTW / TW	Ball Diam.	Hole Size
Channel-Mounts and Locks							
--	45900	6"	5 1/4"	11" and 12"	14,000 / 1,400 lbs.	2", 2 5/16"	--
--	45901	6 3/4"	5 1/4"	11" and 12"	6,000 / 600 lbs.	--	1"
--	45919	--	--	--	10,000 lbs.	2"	1 1/4"
--	45920	--	--	--	13,000 lbs.	2 5/16"	1 1/4"
--	23556	--	--	--	Channel-mount lock set		
Channel-Mount Replacement Parts							
--	45915	--	--	--	Channel-mount replacement pins		
--	45916 <b>NEW</b>	--	--	--	Channel-mount anti-rattle replacement kit		
45910	--	--	--	11" and 12"	Replacement shank for the 45900		
45911	--	--	--	11" and 12"	Replacement shank for the 45901		
* See page 249 for pintle replacement balls							

\* See page 249 for pintle replacement balls



Locks secure mount



Built-in anti-rattle



2

INCH

## SPECIALTY MOUNTS

- Increases ground clearance for cargo carriers or hitch-mounted bike racks (45794)
- Not for towing use (45794)
- Provides two receiver tubes for multiple accessories, such as cargo carriers and bike racks (45792)
- Ideal for carrying a bike rack while towing with a trailer (45810)
- Top receiver not for towing use (45792, 45810)



45794



45792



45810



45810 provides a ball mount and receiver tube to tow a trailer and an additional accessory



45792 provides two receiver tubes



45794 gives added ground clearance

Bulk#	Drop	Rise	Length	GTW / TW	Hole Size	Finish	Description
45794	--	4 1/4"	5 1/4"	Not for towing use / 350 lbs.	--	Gloss black	Raised receiver adapter
45792	--	5 13/16"	8"	3,500 / 350 lbs.	--	Gloss black	Dual receiver extender
45810	2"	5 13/16"	12 1/4"	7,500 / 750 lbs.	1"	Gloss black	Multi-use ball mount



## ANTI-RATTLE KITS & LOCKS

- Use with CURT cargo carriers and hollow-shank accessories
- Stops rattling and prevents swaying of load when using hollow-shank towing accessories
- Attractive, full-color retail packaging



22315



22321




23530




23590


Pkg#	Fits Receiver Tube Opening	Lock Diameter	Finish
<b>Anti-Rattle Kits</b>			
22315	1 1/4" x 1 1/4"	--	Yellow zinc-plated
22321	2" x 2"	--	Yellow zinc-plated
<b>Anti-Rattle Hitch Locks</b>			
23530 <b>NEW</b>	2" x 2"	5/8"	Chrome-plated
23590*	2" x 2"	5/8"	Stainless
* Continued while supplies last			



22315 in use in a 1 1/4" receiver tube



22321 in use in a 2" receiver tube



23530 in use in a 2" receiver tube

**2**

INCH

## WELDED D-RING MOUNT

- Welded D-ring for straps and hooks
- Durable powder coat finish
- Patent# 8,226,107

Bulk#	Drop	Rise	Length	GTW / TW	Hole Size
45004	6"	4"	10"	7,500 / 750 lbs. drop 6,000 / 600 lbs. rise	1"

45004  
drop45004  
rise**2**

INCH

## CLEVIS-PIN MOUNT

- For trailer hitches with a 2" x 2" receiver tube opening
- Can be used as standard ball mount
- Trailer ball sold separately
- Clevis pin & clip included

Bulk#	Length	GTW / TW	Finish	Hole Size
45821	8 3/4"	6,000 / 600 lbs.	Gloss black	1"



45821

45821 shown  
with 40004 ball**2**

INCH

## SWAY TAB BALL MOUNT

- For trailer hitches with a 2" x 2" receiver tube opening
- Provides mounting tab for sway control trailer ball
- Trailer ball sold separately
- Durable powder coat finish

Bulk#	Drop	Rise	Length	GTW / TW	Hole Size
45820	2"	3/4"	7 1/2"	7,500 / 750 lbs.	1"



45820

45820 shown  
with 40093 ball**1 1/4**

INCH

&amp;

**2**

INCH

## VERTICAL RECEIVER TUBE BALL MOUNTS

- For vehicles equipped with vertical receiver tube openings
- Durable powder coat finish

Bulk#	Shank Size	GTW / TW	Hole Size
45507	1 1/4"	3,500 / 300 lbs.	3/4"
45003	2"	4,000 / 400 lbs.	1"



45507




45003

**2 1/2**

INCH

## COMMERCIAL DUTY FORGED BALL MOUNTS

- For trailer hitches with a 2 1/2" x 2 1/2" receiver tube opening
- Solid, forged construction
- Durable carbide powder coat finish

45456  
drop45456  
rise45458  
drop45458  
rise

Bulk#	Drop	Rise	Length	GTW / TW	Hole Size	Finish
45456	2"	1/2"	8 1/2"	20,000 / 2,700 lbs.	1 1/4"	Carbide
45458	4"	2 1/2"	8 1/2"	20,000 / 2,700 lbs.	1 1/4"	Carbide

**2 1/2**

INCH

## HEAVY-DUTY BALL MOUNTS

- For trailer hitches with a 2 1/2" x 2 1/2" receiver tube opening
- Durable carbide powder coat finish

45425  
drop45425  
rise45426  
drop45426  
rise45427  
drop

Bulk#	Drop	Rise	Length	GTW / TW	Hole Size	Finish
45425	3"	1 1/2"	9 1/2"	15,000 / 1,500 lbs.	1 1/4"	Carbide
45426	5"	3 1/2"	10"	15,000 / 1,500 lbs.	1 1/4"	Carbide
45427	8"	6 1/4"	10 1/2"	15,000 / 1,500 lbs.	1 1/4"	Carbide

**2 1/2**

INCH

**2**

INCH

## REDUCER SLEEVE

- Reduces a 2 1/2" x 2 1/2" receiver tube opening to a 2" x 2" opening
- Durable carbide powder coat finish



45405



2" Ball Mount

2 1/2" Rec. Tube

Bulk#	Length	Reduces From	Reduces To	Finish
45405	5 1/2"	2 1/2"	2"	Carbide



**1 1/4**  
INCH

&

**2**  
INCH

## TRAILER HITCH RECEIVER TUBE EXTENDERS

- Extends receiver tube, providing additional clearance
- Durable powder coat finish



Bulk#	Shank Size	Extends	GTW / TW
45789	1 1/4"	7"	Not for towing use / 350 lbs.
45791	2"	8"	3,500 / 350 lbs.
45795	2"	14"	3,500 / 350 lbs.
45796	2"	18"	3,500 / 350 lbs.

### Measuring extenders and adapters

Length is measured between pin-holes, from center to center



**1 1/4**  
INCH

→

**2**  
INCH

←

**2 1/2**  
INCH

## TRAILER HITCH RECEIVER TUBE ADAPTERS

- Adapts receiver tube opening to a different size
- 45048 can be cut down from 34" to 24"; has integrated safety chain loops and an electrical bracket
- Durable powder coat finish



Bulk#	Adapts From	Adapts To	Length	GTW / TW	Weight Dist. GTW / TW	Finish
45785	1 1/4"	2"	6 1/4"	Not for towing use / 350 lbs.	--	Gloss black
45790	1 1/4"	2"	10"	Not for towing use / 350 lbs.	--	Gloss black
45770	2"	1 1/4"	4"	3,500 / 350 lbs.	--	Gloss black
45775	2"	1 1/4"	9 1/2"	3,500 / 350 lbs.	--	Gloss black
45780	2"	1 1/4"	15"	3,500 / 350 lbs.	--	Gloss black
45013	Vertical 2"	Standard 2"	4 1/4"	5,000 / 500 lbs.	--	Gloss black
45048	2 1/2"	2"	24"	6,000 / 600 lbs.	8,000 / 800 lbs.	Gloss black
			34"	4,500 / 450 lbs.	6,000 / 600 lbs.	

ATV

2  
INCH

## 3-IN-1 ATV BALL MOUNT

- For ATVs equipped with 2" x 2" receiver tube openings or a 45006 adapter (shown below)
- Never exceed the ATV's maximum tow rating
- Patent# 8,276,932



Quickly installs on ATV and allows for a variety of common attachments

Pkg#	Rise	Ball Diameter	Length	Hole Size	Finish
45005	1/4"	1 7/8"	6"	5/8"	Gloss black
45009	1/4"	2"	6"	5/8"	Gloss black



45005

ATV

2  
INCH

## BOLT-ON ATV ADAPTER

- Bolts on to ATV tongue to provide a 2" x 2" receiver tube opening
- Features no-swivel design
- Welded strap-ring included
- Patent pending



No-swivel design



Quickly converts a standard ATV platform into a 2" x 2" receiver tube

Pkg#	Finish	Description
45006	Gloss black	Bolt-on ATV ball mount adapter



45006

ATV

2  
INCH

## ATV TOWING STARTER KITS

- Converts an ATV platform into a complete towing system
- Kit complete with 3-in-1 2" ATV ball mount and bolt-on ATV adapter
- Adapter bolts on to ATV tongue to provide a 2" receiver tube opening
- Pin & clip included



Quick installation



45029

Pkg#	Rise	Ball Diameter	Length	Hole Size	Finish
45029	1/4"	1 7/8"	6"	5/8"	Gloss black
45038	1/4"	2"	6"	5/8"	Gloss black



## UNIVERSAL ATV CARGO CARRIER

- For hauling more cargo on your ATV
- Lightweight for easy use and installation
- Mesh base for easy clean up from spills
- Heavy-duty, tubular steel construction
- 6" tall sides for added security
- Includes mounting hardware
- Attractive, full-color retail packaging



18101

Pkg#	Capacity	Finish	Dimensions
18101	Limited to ATV	Carbide	41" x 26" x 6 1/4"



Easy installation




Easily carries a wide variety of common cargo



## REDUCER BUSHINGS

- Reduces ball mount hole size, allowing use of trailer balls with smaller shank diameters



Bulk#	Pkg#	Reduces From	Reduces To	Finish
21100	21101	1"	3/4"	Yellow zinc
21200	21201	1 1/4"	1"	Yellow zinc
21300	21301	1 3/8"	1 1/4"	Yellow zinc



## BALL MOUNT TONGUE SLEEVE

- Allows for one-wrench tightening of trailer balls
- For use with CURT and other 'wrench flat' trailer balls
- See our trailer ball wrench on page 165



Pkg#	Fits
45007	Ball mounts with a 2 1/2" tongue width



## HITCH LOCKS AND PINS & CLIPS

- See page 176 for additional towing security products, including locks for hitches, trailers and couplers

Hitch Locks					
Lock Pkg#		For Receiver Tube Diameter	Pin Size	Finish	Description
23572 <b>NEW</b>		1 1/4" x 1 1/4"	1/2"	Chrome-plated	Barbell hitch lock
23024		1 1/4" x 1 1/4"	1/2"	Chrome-plated	Dead bolt hitch lock with adapter sleeve
		2" x 2"	5/8"		
23517 <b>NEW</b>		1 1/4" x 1 1/4"	1/2"	Stainless	Barbell hitch lock with adapter sleeve
		2" x 2"	5/8"		
23515 <b>NEW</b>		2" x 2"	5/8"	Chrome-plated	Barbell hitch lock
23510 <b>NEW</b>		2" x 2"	5/8"	Chrome-plated	Right angle hitch lock
23519 <b>NEW</b>		2" x 2"	5/8"	Stainless	Barbell hitch lock
		2 1/2" x 2 1/2"			
Hitch Pins & Clips					
Pin Pkg#	Grooved Pin Pkg#	For Receiver Tube Diameter	Pin Size	Finish	Description
21401	21404	1 1/4" x 1 1/4"	1/2"	Zinc-plated	Hitch pin & clip
21501	21505	2" x 2"	5/8"	Zinc-plated	Hitch pin & clip
21502	--	1 1/4" x 1 1/4"	1/2"	Zinc-plated	Hitch pin & clip with adapter sleeve
		2" x 2"	5/8"		
21581	21583	2 1/2" x 2 1/2"	5/8"	Zinc-plated	Hitch pin & clip





# BALL MOUNTS SORTED BY DROP

• Multi-ball and multi-packs not listed



45080

Part#	Note	Drop	Rise	Length	GTW / TW
<b>1 1/4" Shank for 1 1/4" x 1 1/4" Receiver Tube Openings</b>					
45021	Bulk black	--	3"	9 1/2"	2,000/200 lbs.
45520	Bulk black	--	3 1/8"	9 3/4"	3,500/350 lbs.
45510	Bulk black	--	3 1/8"	10 5/16"	3,500/350 lbs.
45522	Bulk black	--	3 1/8"	11 1/4"	3,500/350 lbs.
45023	Bulk black	--	3 3/4"	11 1/2"	2,000/200 lbs.
45000	Bulk black	--	3 7/8"	13 1/2"	3,500/350 lbs.
45024	Bulk black	--	5"	9 9/16"	2,000/200 lbs.
45014	Bulk black	--	5"	9 5/8"	3,500/350 lbs.
45025	Bulk black	--	5"	11 9/16"	2,000/200 lbs.
45015	Bulk black	--	5"	11 5/8"	3,500/350 lbs.
45503	Bulk black	1"	3/8"	7 13/16"	3,500/350 lbs.
45018	Bulk black	1 1/4"	5/8"	6 3/4"	2,000/200 lbs.
45019	Bulk black	1 1/4"	5/8"	9 3/4"	2,000/200 lbs.
45518	Bulk black	1 1/4"	3/4"	6 3/4"	3,500/350 lbs.
45519	Bulk black	1 1/4"	3/4"	9 3/4"	3,500/350 lbs.
45027	Bulk black	3 1/4"	2 5/8"	6 1/4"	2,000/200 lbs.
45017	Bulk black	3 1/4"	2 5/8"	6 1/4"	3,500/350 lbs.
45022	Bulk black	3 1/4"	2 5/8"	7 1/4"	2,000/200 lbs.
45521	Bulk black	3 1/4"	2 5/8"	7 1/4"	3,500/350 lbs.
45026	Bulk black	3 1/4"	2 5/8"	9 3/8"	2,000/200 lbs.
45016	Bulk black	3 1/4"	2 5/8"	9 3/8"	3,500/350 lbs.
45028	Bulk black	6"	4 5/8"	5 9/16"	2,000/200 lbs.
<b>2" Shank for 2" x 2" Receiver Tube Openings</b>					
45152	Fusion 1 7/8"	--	2"	8 1/8"	5,000/500 lbs.
45155	Fusion 2"	--	2"	8 1/8"	7,500/750 lbs.
45131	Fusion 1 7/8"	2"	--	7 1/2"	5,000/500 lbs.
45134	Fusion 2"	2"	--	7 1/2"	7,500/750 lbs.
45034	Loaded 1 7/8"	2"	--	8 1/4"	3,500/350 lbs.
45293	Loaded 1 7/8"	2"	--	8 1/4"	3,500/350 lbs.
45041	Loaded 2 5/16"	2"	--	8 1/4"	7,500/750 lbs.
45036	Loaded 2"	2"	--	8 1/4"	7,500/750 lbs.
45295	Loaded 2"	2"	--	8 1/4"	7,500/750 lbs.
45331	Loaded 2 5/16"	2"	--	8 1/2"	15,000/1,500 lbs.
45810	Multi-use	2"	--	12 1/4"	7,500/750 lbs.
45820	Sway tab	2"	3/4"	7 1/2"	7,500/750 lbs.
45220	Dual-length	2"	3/4"	7 1/2" & 10 1/2"	7,500/750 lbs.
45030	Bulk black	2"	3/4"	8 1/4"	7,500/750 lbs.
45010	Bulk black	2"	3/4"	8 1/4"	7,500/750 lbs.
45290	Bulk chrome	2"	3/4"	8 1/4"	7,500/750 lbs.
45031	Retail pkg	2"	3/4"	8 1/4"	7,500/750 lbs.
45011	Retail pkg	2"	3/4"	8 1/4"	7,500/750 lbs.
45032	White box	2"	3/4"	8 1/4"	7,500/750 lbs.
45012	White box	2"	3/4"	8 1/4"	7,500/750 lbs.
45033	Poly with P&C	2"	3/4"	8 1/4"	7,500/750 lbs.
45040	Bulk black	2"	3/4"	10 1/4"	7,500/750 lbs.
45020	Bulk black	2"	3/4"	10 1/4"	7,500/750 lbs.
45296	Bulk chrome	2"	3/4"	10 1/4"	7,500/750 lbs.
45047	Right-angle	2"	3/4"	10 1/4"	7,500/750 lbs.

Part#	Note	Drop	Rise	Length	GTW / TW
<b>2" Shank for 2" x 2" Receiver Tube Openings (Continued)</b>					
45260	Bulk black	2"	3/4"	12 1/4"	7,500/750 lbs.
45250	Bulk black	2"	3/4"	12 1/4"	7,500/750 lbs.
45340	Forged	2"	1"	8 1/2"	17,000/2,550 lbs.
45151	Fusion 1 7/8"	4"	--	8 1/8"	5,000/500 lbs.
45154	Fusion 2"	4"	--	8 1/8"	7,500/750 lbs.
45055	Loaded 1 7/8"	4"	--	8 1/4"	3,500/350 lbs.
45056	Loaded 2"	4"	--	8 1/4"	7,500/750 lbs.
45042	Loaded 2 5/16"	4"	--	8 1/4"	7,500/750 lbs.
45332	Loaded 2 5/16"	4"	--	8 1/2"	15,000/1,500 lbs.
45230	Dual-length	4"	2"	8 1/8" & 11 1/8"	7,500/750 lbs.
45050	Bulk black	4"	2"	8 1/4"	7,500/750 lbs.
45051	Retail pkg	4"	2"	8 1/4"	7,500/750 lbs.
45052	White box	4"	2"	8 1/4"	7,500/750 lbs.
45060	Bulk black	4"	2"	10 1/4"	7,500/750 lbs.
45067	Right-angle	4"	2"	10 1/4"	7,500/750 lbs.
45644	Reversible	4"	2"	10 1/2"	7,500/750 lbs.
45643	Reversible	4"	2"	10 1/2"	7,500/750 lbs. drop 6,000/600 lbs. rise
45270	Bulk black	4"	2"	13"	7,500/750 lbs.
45341	Forged	4"	3"	8 1/2"	17,000/2,550 lbs.
45070	Bulk black	6"	4"	9 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45297	Bulk chrome	6"	4"	9 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45240	Dual-length	6"	4"	9 1/4" & 12 1/4"	7,500/750 lbs. drop
45004	D-ring	6"	4"	10"	7,500/750 lbs. drop 6,000/600 lbs. rise
45080	Bulk black	6"	4"	12 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45087	Right-angle	6"	4"	12 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45280	Bulk black	6"	4"	14 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45336	Heavy-Duty	6"	4 3/4"	9 3/8"	10,000/1,000 lbs.
45446	Heavy-Duty	6"	5"	9 3/8"	12,000/1,200 lbs.
45342	Forged	6"	5"	9 1/2"	17,000/2,550 lbs.
45090	Bulk black	8"	6"	11 1/2"	5,000/500 lbs. drop 3,500/350 lbs. rise
45100	Bulk black	8"	6"	13"	5,000/500 lbs. drop 3,500/350 lbs. rise
45338	Heavy-Duty	8"	6 3/4"	9 3/8"	10,000/1,000 lbs.
45448	Heavy-Duty	8"	7"	9 3/8"	12,000/1,200 lbs.
45110	Bulk black	10"	8"	13"	5,000/500 lbs. drop 3,500/350 lbs. rise
45112	Bulk black	10"	8"	14"	5,000/500 lbs. drop 3,500/350 lbs. rise
<b>2 1/2" Shank for 2 1/2" x 2 1/2" Receiver Tube Openings</b>					
45456	Forged	2"	1/2"	8 1/2"	20,000/2,700 lbs.
45425	Xtra Duty	3"	1 1/2"	9 1/2"	15,000/1,500 lbs.
45458	Forged	4"	2 1/2"	8 1/2"	20,000/2,700 lbs.
45426	Xtra Duty	5"	3 1/2"	10"	15,000/1,500 lbs.
45427	Xtra Duty	8"	6 1/4"	10 1/2"	15,000/1,500 lbs.

# BALL MOUNTS SORTED BY RISE

• Multi-ball and multi-packs not listed



45155

Part#	Note	Drop	Rise	Length	GTW / TW
<b>1 1/4" Shank for 1 1/4" x 1 1/4" Receiver Tube Openings</b>					
45503	Bulk black	1"	3/8"	7 13/16"	3,500/350 lbs.
45018	Bulk black	1 1/4"	5/8"	6 3/4"	2,000/200 lbs.
45019	Bulk black	1 1/4"	5/8"	9 3/4"	2,000/200 lbs.
45518	Bulk black	1 1/4"	3/4"	6 3/4"	3,500/350 lbs.
45519	Bulk black	1 1/4"	3/4"	9 3/4"	3,500/350 lbs.
45027	Bulk black	3 1/4"	2 5/8"	6 1/4"	2,000/200 lbs.
45017	Bulk black	3 1/4"	2 5/8"	6 1/4"	3,500/350 lbs.
45022	Bulk black	3 1/4"	2 5/8"	7 1/4"	2,000/200 lbs.
45521	Bulk black	3 1/4"	2 5/8"	7 1/4"	3,500/350 lbs.
45026	Bulk black	3 1/4"	2 5/8"	9 3/8"	2,000/200 lbs.
45016	Bulk black	3 1/4"	2 5/8"	9 3/8"	3,500/350 lbs.
45021	Bulk black	--	3"	9 1/2"	2,000/200 lbs.
45510	Bulk black	--	3 1/8"	10 5/16"	3,500/350 lbs.
45522	Bulk black	--	3 1/8"	11 1/4"	3,500/350 lbs.
45520	Bulk black	--	3 1/8"	9 3/4"	3,500/350 lbs.
45023	Bulk black	--	3 3/4"	11 1/2"	2,000/200 lbs.
45000	Bulk black	--	3 7/8"	13 1/2"	3,500/350 lbs.
45028	Bulk black	6"	4 5/8"	5 9/16"	2,000/200 lbs.
45024	Bulk black	--	5"	9 9/16"	2,000/200 lbs.
45014	Bulk black	--	5"	9 5/8"	3,500/350 lbs.
45025	Bulk black	--	5"	11 9/16"	2,000/200 lbs.
45015	Bulk black	--	5"	11 5/8"	3,500/350 lbs.
<b>2" Shank for 2" x 2" Receiver Tube Openings</b>					
45131	Fusion 1 7/8"	2"	--	7 1/2"	5,000/500 lbs.
45134	Fusion 2"	2"	--	7 1/2"	7,500/750 lbs.
45034	Loaded 1 7/8"	2"	--	8 1/4"	3,500/350 lbs.
45293	Loaded 1 7/8"	2"	--	8 1/4"	3,500/350 lbs.
45041	Loaded 2 5/16"	2"	--	8 1/4"	7,500/750 lbs.
45036	Loaded 2"	2"	--	8 1/4"	7,500/750 lbs.
45295	Loaded 2"	2"	--	8 1/4"	7,500/750 lbs.
45331	Loaded 2 5/16"	2"	--	8 1/2"	15,000/1,500 lbs.
45810	Multi-use	2"	--	12 1/4"	7,500/750 lbs.
45151	Fusion 1 7/8"	4"	--	8 1/8"	5,000/500 lbs.
45154	Fusion 2"	4"	--	8 1/8"	7,500/750 lbs.
45055	Loaded 1 7/8"	4"	--	8 1/4"	3,500/350 lbs.
45056	Loaded 2"	4"	--	8 1/4"	7,500/750 lbs.
45042	Loaded 2 5/16"	4"	--	8 1/4"	7,500/750 lbs.
45332	Loaded 2 5/16"	4"	--	8 1/2"	15,000/1,500 lbs.
45820	Sway tab	2"	3/4"	7 1/2"	7,500/750 lbs.
45220	Dual-length	2"	3/4"	7 1/2" & 10 1/2"	7,500/750 lbs.
45030	Bulk black	2"	3/4"	8 1/4"	7,500/750 lbs.
45010	Bulk black	2"	3/4"	8 1/4"	7,500/750 lbs.
45290	Bulk chrome	2"	3/4"	8 1/4"	7,500/750 lbs.
45031	Retail pkg	2"	3/4"	8 1/4"	7,500/750 lbs.
45011	Retail pkg	2"	3/4"	8 1/4"	7,500/750 lbs.
45032	White box	2"	3/4"	8 1/4"	7,500/750 lbs.
45012	White box	2"	3/4"	8 1/4"	7,500/750 lbs.
45033	Poly with P&C	2"	3/4"	8 1/4"	7,500/750 lbs.

Part#	Note	Drop	Rise	Length	GTW / TW
<b>2" Shank for 2" x 2" Receiver Tube Openings (Continued)</b>					
45040	Bulk black	2"	3/4"	10 1/4"	7,500/750 lbs.
45020	Bulk black	2"	3/4"	10 1/4"	7,500/750 lbs.
45296	Bulk chrome	2"	3/4"	10 1/4"	7,500/750 lbs.
45047	Right-angle	2"	3/4"	10 1/4"	7,500/750 lbs.
45260	Bulk black	2"	3/4"	12 1/4"	7,500/750 lbs.
45250	Bulk black	2"	3/4"	12 1/4"	7,500/750 lbs.
45340	Forged	2"	1"	8 1/2"	17,000/2,550 lbs.
45152	Fusion 1 7/8"	--	2"	8 1/8"	5,000/500 lbs.
45155	Fusion 2"	--	2"	8 1/8"	7,500/750 lbs.
45230	Dual-length	4"	2"	8 1/8" & 11 1/8"	7,500/750 lbs.
45050	Bulk black	4"	2"	8 1/4"	7,500/750 lbs.
45051	Retail pkg	4"	2"	8 1/4"	7,500/750 lbs.
45052	White box	4"	2"	8 1/4"	7,500/750 lbs.
45060	Bulk black	4"	2"	10 1/4"	7,500/750 lbs.
45067	Right-angle	4"	2"	10 1/4"	7,500/750 lbs.
45644	Reversible	4"	2"	10 1/2"	7,500/750 lbs.
45643	Reversible	4"	2"	10 1/2"	7,500/750 lbs. drop 6,000/600 lbs. rise
45270	Bulk black	4"	2"	13"	7,500/750 lbs.
45341	Forged	4"	3"	8 1/2"	17,000/2,550 lbs.
45070	Bulk black	6"	4"	9 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45297	Bulk chrome	6"	4"	9 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45240	Dual-length	6"	4"	9 1/4" & 12 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45004	D-ring	6"	4"	10"	7,500/750 lbs. drop 6,000/600 lbs. rise
45080	Bulk black	6"	4"	12 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45087	Right-angle	6"	4"	12 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45280	Bulk black	6"	4"	14 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45336	Heavy-Duty	6"	4 3/4"	9 3/8"	10,000/1,000 lbs.
45446	Heavy-Duty	6"	5"	9 3/8"	12,000/1,200 lbs.
45342	Forged	6"	5"	9 1/2"	17,000/2,550 lbs.
45090	Bulk black	8"	6"	11 1/2"	5,000/500 lbs. drop 3,500/350 lbs. rise
45100	Bulk black	8"	6"	13"	5,000/500 lbs. drop 3,500/350 lbs. rise
45338	Heavy-Duty	8"	6 3/4"	9 3/8"	10,000/1,000 lbs.
45448	Heavy-Duty	8"	7"	9 3/8"	12,000/1,200 lbs.
45110	Bulk black	10"	8"	13"	5,000/500 lbs. drop 3,500/350 lbs. rise
45112	Bulk black	10"	8"	14"	5,000/500 lbs. drop 3,500/350 lbs. rise
<b>2 1/2" Shank for 2 1/2" x 2 1/2" Receiver Tube Openings</b>					
45456	Forged	2"	1/2"	8 1/2"	20,000/2,700 lbs.
45425	Xtra Duty	3"	1 1/2"	9 1/2"	15,000/1,500 lbs.
45458	Forged	4"	2 1/2"	8 1/2"	20,000/2,700 lbs.
45426	Xtra Duty	5"	3 1/2"	10"	15,000/1,500 lbs.
45427	Xtra Duty	8"	6 1/4"	10 1/2"	15,000/1,500 lbs.

# BALL MOUNTS SORTED BY LENGTH

• Multi-ball and multi-packs not listed



45230

Part#	Note	Drop	Rise	Length	GTW / TW
<b>1 1/4" Shank for 1 1/4" x 1 1/4" Receiver Tube Openings</b>					
45028	Bulk black	6"	4 5/8"	5 9/16"	2,000/200 lbs.
45018	Bulk black	1 1/4"	5/8"	6 3/4"	2,000/200 lbs.
45518	Bulk black	1 1/4"	3/4"	6 3/4"	3,500/350 lbs.
45027	Bulk black	3 1/4"	2 5/8"	6 1/4"	2,000/200 lbs.
45017	Bulk black	3 1/4"	2 5/8"	6 1/4"	3,500/350 lbs.
45022	Bulk black	3 1/4"	2 5/8"	7 1/4"	2,000/200 lbs.
45521	Bulk black	3 1/4"	2 5/8"	7 1/4"	3,500/350 lbs.
45503	Bulk black	1"	3/8"	7 13/16"	3,500/350 lbs.
45026	Bulk black	3 1/4"	2 5/8"	9 3/8"	2,000/200 lbs.
45016	Bulk black	3 1/4"	2 5/8"	9 3/8"	3,500/350 lbs.
45021	Bulk black	--	3"	9 1/2"	2,000/200 lbs.
45024	Bulk black	--	5"	9 9/16"	2,000/200 lbs.
45014	Bulk black	--	5"	9 5/8"	3,500/350 lbs.
45520	Bulk black	--	3 1/8"	9 3/4"	3,500/350 lbs.
45019	Bulk black	1 1/4"	5/8"	9 3/4"	2,000/200 lbs.
45519	Bulk black	1 1/4"	3/4"	9 3/4"	3,500/350 lbs.
45510	Bulk black	--	3 1/8"	10 5/16"	3,500/350 lbs.
45522	Bulk black	--	3 1/8"	11 1/4"	3,500/350 lbs.
45023	Bulk black	--	3 3/4"	11 1/2"	2,000/200 lbs.
45025	Bulk black	--	5"	11 9/16"	2,000/200 lbs.
45015	Bulk black	--	5"	11 5/8"	3,500/350 lbs.
45000	Bulk black	--	3 7/8"	13 1/2"	3,500/350 lbs.
<b>2" Shank for 2" x 2" Receiver Tube Openings</b>					
45131	Fusion 1 7/8"	2"	--	7 1/2"	5,000/500 lbs.
45134	Fusion 2"	2"	--	7 1/2"	7,500/750 lbs.
45820	Sway tab	2"	3/4"	7 1/2"	7,500/750 lbs.
45220	Dual-length	2"	3/4"	7 1/2" & 10 1/2"	7,500/750 lbs.
45152	Fusion 1 7/8"	--	2"	8 1/8"	5,000/500 lbs.
45155	Fusion 2"	--	2"	8 1/8"	7,500/750 lbs.
45151	Fusion 1 7/8"	4"	--	8 1/8"	5,000/500 lbs.
45154	Fusion 2"	4"	--	8 1/8"	7,500/750 lbs.
45230	Dual-length	4"	2"	8 1/8" & 11 1/8"	7,500/750 lbs.
45034	Loaded 1 7/8"	2"	--	8 1/4"	3,500/350 lbs.
45293	Loaded 1 7/8"	2"	--	8 1/4"	3,500/350 lbs.
45041	Loaded 2 5/16"	2"	--	8 1/4"	7,500/750 lbs.
45036	Loaded 2"	2"	--	8 1/4"	7,500/750 lbs.
45295	Loaded 2"	2"	--	8 1/4"	7,500/750 lbs.
45055	Loaded 1 7/8"	4"	--	8 1/4"	3,500/350 lbs.
45056	Loaded 2"	4"	--	8 1/4"	7,500/750 lbs.
45042	Loaded 2 5/16"	4"	--	8 1/4"	7,500/750 lbs.
45030	Bulk black	2"	3/4"	8 1/4"	7,500/750 lbs.
45010	Bulk black	2"	3/4"	8 1/4"	7,500/750 lbs.
45290	Bulk chrome	2"	3/4"	8 1/4"	7,500/750 lbs.
45031	Retail pkg	2"	3/4"	8 1/4"	7,500/750 lbs.
45011	Retail pkg	2"	3/4"	8 1/4"	7,500/750 lbs.
45032	White box	2"	3/4"	8 1/4"	7,500/750 lbs.
45012	White box	2"	3/4"	8 1/4"	7,500/750 lbs.
45033	Poly with P&C	2"	3/4"	8 1/4"	7,500/750 lbs.

Part#	Note	Drop	Rise	Length	GTW / TW
<b>2" Shank for 2" x 2" Receiver Tube Openings (Continued)</b>					
45050	Bulk black	4"	2"	8 1/4"	7,500/750 lbs.
45051	Retail pkg	4"	2"	8 1/4"	7,500/750 lbs.
45052	White box	4"	2"	8 1/4"	7,500/750 lbs.
45331	Loaded 2 5/16"	2"	--	8 1/2"	15,000/1,500 lbs.
45332	Loaded 2 5/16"	4"	--	8 1/2"	15,000/1,500 lbs.
45340	Forged	2"	1"	8 1/2"	17,000/2,550 lbs.
45341	Forged	4"	3"	8 1/2"	17,000/2,550 lbs.
45070	Bulk black	6"	4"	9 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45297	Bulk chrome	6"	4"	9 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45240	Dual-length	6"	4"	9 1/4" & 12 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45336	Heavy-Duty	6"	4 3/4"	9 3/8"	10,000/1,000 lbs.
45446	Heavy-Duty	6"	5"	9 3/8"	12,000/1,200 lbs.
45338	Heavy-Duty	8"	6 3/4"	9 3/8"	10,000/1,000 lbs.
45448	Heavy-Duty	8"	7"	9 3/8"	12,000/1,200 lbs.
45342	Forged	6"	5"	9 1/2"	17,000/2,550 lbs.
45004	D-ring	6"	4"	10"	7,500/750 lbs. drop 6,000/600 lbs. rise
45040	Bulk black	2"	3/4"	10 1/4"	7,500/750 lbs.
45020	Bulk black	2"	3/4"	10 1/4"	7,500/750 lbs.
45296	Bulk chrome	2"	3/4"	10 1/4"	7,500/750 lbs.
45047	Right-angle	2"	3/4"	10 1/4"	7,500/750 lbs.
45060	Bulk black	4"	2"	10 1/4"	7,500/750 lbs.
45067	Right-angle	4"	2"	10 1/4"	7,500/750 lbs.
45644	Reversible	4"	2"	10 1/2"	7,500/750 lbs.
45643	Reversible	4"	2"	10 1/2"	7,500/750 lbs. drop 6,000/600 lbs. rise
45090	Bulk black	8"	6"	11 1/2"	5,000/500 lbs. drop 3,500/350 lbs. rise
45810	Multi-use	2"	--	12 1/4"	7,500/750 lbs.
45260	Bulk black	2"	3/4"	12 1/4"	7,500/750 lbs.
45250	Bulk black	2"	3/4"	12 1/4"	7,500/750 lbs.
45080	Bulk black	6"	4"	12 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45087	Right-angle	6"	4"	12 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45270	Bulk black	4"	2"	13"	7,500/750 lbs.
45100	Bulk black	8"	6"	13"	5,000/500 lbs. drop 3,500/350 lbs. rise
45110	Bulk black	10"	8"	13"	5,000/500 lbs. drop 3,500/350 lbs. rise
45112	Bulk black	10"	8"	14"	5,000/500 lbs. drop 3,500/350 lbs. rise
45280	Bulk black	6"	4"	14 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
<b>2 1/2" Shank for 2 1/2" x 2 1/2" Receiver Tube Openings</b>					
45456	Forged	2"	1/2"	8 1/2"	20,000/2,700 lbs.
45458	Forged	4"	2 1/2"	8 1/2"	20,000/2,700 lbs.
45425	Xtra Duty	3"	1 1/2"	9 1/2"	15,000/1,500 lbs.
45426	Xtra Duty	5"	3 1/2"	10"	15,000/1,500 lbs.
45427	Xtra Duty	8"	6 1/4"	10 1/2"	15,000/1,500 lbs.

# BALL MOUNTS SORTED BY GTW



45340

- Multi-ball and multi-packs not listed

Part#	Note	Drop	Rise	Length	GTW / TW
<b>1 1/4" Shank for 1 1/4" x 1 1/4" Receiver Tube Openings</b>					
45021	Bulk black	--	3"	9 1/2"	2,000/200 lbs.
45023	Bulk black	--	3 3/4"	11 1/2"	2,000/200 lbs.
45024	Bulk black	--	5"	9 9/16"	2,000/200 lbs.
45025	Bulk black	--	5"	11 9/16"	2,000/200 lbs.
45018	Bulk black	1 1/4"	5/8"	6 3/4"	2,000/200 lbs.
45019	Bulk black	1 1/4"	5/8"	9 3/4"	2,000/200 lbs.
45027	Bulk black	3 1/4"	2 5/8"	6 1/4"	2,000/200 lbs.
45022	Bulk black	3 1/4"	2 5/8"	7 1/4"	2,000/200 lbs.
45026	Bulk black	3 1/4"	2 5/8"	9 3/8"	2,000/200 lbs.
45028	Bulk black	6"	4 5/8"	5 9/16"	2,000/200 lbs.
45520	Bulk black	--	3 1/8"	9 3/4"	3,500/350 lbs.
45510	Bulk black	--	3 1/8"	10 5/16"	3,500/350 lbs.
45522	Bulk black	--	3 1/8"	11 1/4"	3,500/350 lbs.
45000	Bulk black	--	3 7/8"	13 1/2"	3,500/350 lbs.
45014	Bulk black	--	5"	9 5/8"	3,500/350 lbs.
45015	Bulk black	--	5"	11 5/8"	3,500/350 lbs.
45503	Bulk black	1"	3/8"	7 13/16"	3,500/350 lbs.
45518	Bulk black	1 1/4"	3/4"	6 3/4"	3,500/350 lbs.
45519	Bulk black	1 1/4"	3/4"	9 3/4"	3,500/350 lbs.
45017	Bulk black	3 1/4"	2 5/8"	6 1/4"	3,500/350 lbs.
45521	Bulk black	3 1/4"	2 5/8"	7 1/4"	3,500/350 lbs.
45016	Bulk black	3 1/4"	2 5/8"	9 3/8"	3,500/350 lbs.
<b>2" Shank for 2" x 2" Receiver Tube Openings</b>					
45034	Loaded 1 7/8"	2"	--	8 1/4"	3,500/350 lbs.
45293	Loaded 1 7/8"	2"	--	8 1/4"	3,500/350 lbs.
45055	Loaded 1 7/8"	4"	--	8 1/4"	3,500/350 lbs.
45090	Bulk black	8"	6"	11 1/2"	5,000/500 lbs. drop 3,500/350 lbs. rise
45100	Bulk black	8"	6"	13"	5,000/500 lbs. drop 3,500/350 lbs. rise
45110	Bulk black	10"	8"	13"	5,000/500 lbs. drop 3,500/350 lbs. rise
45112	Bulk black	10"	8"	14"	5,000/500 lbs. drop 3,500/350 lbs. rise
45152	Fusion 1 7/8"	--	2"	8 1/8"	5,000/500 lbs.
45131	Fusion 1 7/8"	2"	--	7 1/2"	5,000/500 lbs.
45151	Fusion 1 7/8"	4"	--	8 1/8"	5,000/500 lbs.
45155	Fusion 2"	--	2"	8 1/8"	7,500/750 lbs.
45134	Fusion 2"	2"	--	7 1/2"	7,500/750 lbs.
45041	Loaded 2 5/16"	2"	--	8 1/4"	7,500/750 lbs.
45036	Loaded 2"	2"	--	8 1/4"	7,500/750 lbs.
45295	Loaded 2"	2"	--	8 1/4"	7,500/750 lbs.
45810	Multi-use	2"	--	12 1/4"	7,500/750 lbs.
45820	Sway tab	2"	3/4"	7 1/2"	7,500/750 lbs.
45220	Dual-length	2"	3/4"	7 1/2" & 10 1/2"	7,500/750 lbs.
45030	Bulk black	2"	3/4"	8 1/4"	7,500/750 lbs.
45010	Bulk black	2"	3/4"	8 1/4"	7,500/750 lbs.
45290	Bulk chrome	2"	3/4"	8 1/4"	7,500/750 lbs.

Part#	Note	Drop	Rise	Length	GTW / TW
<b>2" Shank for 2" x 2" Receiver Tube Openings (Continued)</b>					
45031	Retail pkg	2"	3/4"	8 1/4"	7,500/750 lbs.
45011	Retail pkg	2"	3/4"	8 1/4"	7,500/750 lbs.
45032	White box	2"	3/4"	8 1/4"	7,500/750 lbs.
45012	White box	2"	3/4"	8 1/4"	7,500/750 lbs.
45033	Poly with P&C	2"	3/4"	8 1/4"	7,500/750 lbs.
45040	Bulk black	2"	3/4"	10 1/4"	7,500/750 lbs.
45020	Bulk black	2"	3/4"	10 1/4"	7,500/750 lbs.
45296	Bulk chrome	2"	3/4"	10 1/4"	7,500/750 lbs.
45047	Right-angle	2"	3/4"	10 1/4"	7,500/750 lbs.
45260	Bulk black	2"	3/4"	12 1/4"	7,500/750 lbs.
45250	Bulk black	2"	3/4"	12 1/4"	7,500/750 lbs.
45154	Fusion 2"	4"	--	8 1/8"	7,500/750 lbs.
45056	Loaded 2"	4"	--	8 1/4"	7,500/750 lbs.
45042	Loaded 2 5/16"	4"	--	8 1/4"	7,500/750 lbs.
45230	Dual-length	4"	2"	8 1/8" & 11 1/8"	7,500/750 lbs.
45050	Bulk black	4"	2"	8 1/4"	7,500/750 lbs.
45051	Retail pkg	4"	2"	8 1/4"	7,500/750 lbs.
45052	White box	4"	2"	8 1/4"	7,500/750 lbs.
45060	Bulk black	4"	2"	10 1/4"	7,500/750 lbs.
45067	Right-angle	4"	2"	10 1/4"	7,500/750 lbs.
45644	Reversible	4"	2"	10 1/2"	7,500/750 lbs.
45270	Bulk black	4"	2"	13"	7,500/750 lbs.
45643	Reversible	4"	2"	10 1/2"	7,500/750 lbs. drop 6,000/600 lbs. rise
45070	Bulk black	6"	4"	9 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45297	Bulk chrome	6"	4"	9 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45240	Dual-length	6"	4"	9 1/4" & 12 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45004	D-ring	6"	4"	10"	7,500/750 lbs. drop 6,000/600 lbs. rise
45080	Bulk black	6"	4"	12 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45087	Right-angle	6"	4"	12 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45280	Bulk black	6"	4"	14 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45336	Heavy-Duty	6"	4 3/4"	9 3/8"	10,000/1,000 lbs.
45338	Heavy-Duty	8"	6 3/4"	9 3/8"	10,000/1,000 lbs.
45446	Heavy-Duty	6"	5"	9 3/8"	12,000/1,200 lbs.
45448	Heavy-Duty	8"	7"	9 3/8"	12,000/1,200 lbs.
45331	Loaded 2 5/16"	2"	--	8 1/2"	15,000/1,500 lbs.
45332	Loaded 2 5/16"	4"	--	8 1/2"	15,000/1,500 lbs.
45340	Forged	2"	1"	8 1/2"	17,000/2,550 lbs.
45341	Forged	4"	3"	8 1/2"	17,000/2,550 lbs.
45342	Forged	6"	5"	9 1/2"	17,000/2,550 lbs.
<b>2 1/2" Shank for 2 1/2" x 2 1/2" Receiver Tube Openings</b>					
45425	Xtra Duty	3"	1 1/2"	9 1/2"	15,000/1,500 lbs.
45426	Xtra Duty	5"	3 1/2"	10"	15,000/1,500 lbs.
45427	Xtra Duty	8"	6 1/4"	10 1/2"	15,000/1,500 lbs.
45456	Forged	2"	1/2"	8 1/2"	20,000/2,700 lbs.
45458	Forged	4"	2 1/2"	8 1/2"	20,000/2,700 lbs.