

# CUSTOM-FIT HITCHES CLASS 1 - 5 HITCHES BUMPER HITCHES RV TRAILER HITCHES MULTI-FIT TRAILER HITCHES FRONT MOUNT HITCHES




## TRAILER HITCHES

CURT Manufacturing continues to be the First Name in Towing Products™. Year after year, we are first-to-market with more custom-fit hitch designs. We produce over 1,000 different hitch models to provide a match for nearly every vehicle on the road today. We engineer and rigorously test each one to SAE J684 protocols for safety. We protect each hitch, inside and out with an industry-leading, highly durable co-cured finish of liquid Bonderite® and black powder coat, providing maximum rust resistance. Finally, we continue to manufacture our custom hitches right here in the United States, ensuring the utmost quality from start to finish.

CURT hitches are available in five classes with a range of weight capacities and receiver tube sizes. We also offer front mount hitches and RV hitches, as well as a number of multi-fit hitches for a convenient retail option.

Backed with our limited lifetime warranty, outstanding customer service and unparalleled order-fill rate, CURT remains the First Name in Towing Products™ for you and your customers.



**Bring It<sup>®</sup>**

# 1 1/4 INCH CLASS 1 & 2 TRAILER HITCHES

For trailer hitch application guide go to page 46

## Finding adventure

Class 1 and 2 trailer hitches are generally designed for passenger cars, crossovers and minivans. They are equipped with a 1 1/4" x 1 1/4" receiver tube opening or sometimes a fixed tongue to directly mount a trailer ball instead of a ball mount. Most class 1 hitches are rated to tow up to 2,000 lbs., and most class 2 hitches are rated up to 3,500 lbs. However, it is important to remember that not all hitches are rated at the same capacity and that a hitch never increases the maximum weight a vehicle can tow.

## Class 1 weight ratings

GTW Up to 2,000 lbs. TW Up to 200 lbs.

## Class 2 weight ratings

GTW Up to 3,500 lbs. TW Up to 350 lbs.

Trailer hitch weight ratings vary by part number and are limited to vehicle manufacturer's stated capacities.

## Key features

- 1 1/4" x 1 1/4" receiver tube opening
- Pin & clip included with all class 1 and 2 trailer hitches
- Made with a vehicle-specific design for a custom fit
- Strengthened with a forged, welded, seamless collar
- Equipped with an open-back receiver for easy cleaning
- Tested for safety in accordance with SAE J684
- Protected by a durable high-gloss black powder coat finish
- [Limited lifetime warranty](#)



# 2 INCH CLASS 3 & 4 TRAILER HITCHES

## Finishing the task

Class 3 and 4 trailer hitches feature a 2" x 2" receiver tube opening and are commonly mounted on pickup trucks, SUVs and full-size vans. Class 3 hitches may have a maximum weight carrying capacity anywhere from 3,500 lbs. up to 8,000 lbs., while class 4 hitches are generally rated up to 10,000 lbs. Many class 3 and 4 trailer hitches can also be used with a weight distribution hitch to maximize the overall towing capacity and better distribute the tongue weight.

## Class 3 weight ratings

GTW Up to 8,000 lbs. TW Up to 800 lbs.  
WD Up to 12,000 lbs. WD/TW Up to 1,200 lbs.

## Class 4 weight ratings

GTW Up to 10,000 lbs. TW Up to 1,000 lbs.  
WD Up to 12,000 lbs. WD/TW Up to 1,200 lbs.

Trailer hitch weight ratings vary by part number and are limited to vehicle manufacturer's stated capacities.

## Key features

- 2" x 2" receiver tube opening
- Made with a vehicle-specific design for a custom fit
- Strengthened with a forged, welded, seamless collar
- Equipped with an open-back receiver for easy cleaning
- Tested for safety in accordance with SAE J684
- Protected by a durable high-gloss black powder coat finish
- [Limited lifetime warranty](#)



**2**  
INCH

## CLASS 5 XTRA DUTY

For trailer hitch application  
guide go to page 46

### Going beyond

When we came to the limits of towing capacity, we wanted to know what else was out there. What could we discover off the beaten path? So we kept going. CURT Xtra Duty (XD) hitches begin a class of their own, offering as much as 17,000 lbs. GTW and 2,550 lbs. TW. Each XD hitch is built with a powerful main body and has a highly durable carbide powder coat finish. Launch your customers into the next level of towing with the CURT class 5 Xtra Duty hitch line.

### Xtra Duty weight ratings

<b>GTW</b> 16,000 lbs.	<b>TW</b> 2,400 lbs.
<b>WD</b> 17,000 lbs.	<b>WD TW</b> 2,400 lbs.

### Xtra Duty + weight ratings

<b>GTW</b> 17,000 lbs.	<b>TW</b> 2,550 lbs.
<b>WD</b> 17,000 lbs.	<b>WD TW</b> 2,550 lbs.

Trailer hitch weight ratings are limited to vehicle manufacturer's stated capacities.

### Key features

- 2" x 2" receiver tube opening
- Constructed with large, powerful main bodies
- Made with a vehicle-specific design for a custom fit
- Includes strong, grade 8 mounting hardware
- Features wide safety chain openings for heavy-duty hooks
- Tested for safety in accordance with SAE J684
- Protected by a highly durable carbide powder coat finish
- [Limited lifetime warranty](#)

**XD XD+**



**2 1/2**  
INCH

## CLASS 5 COMMERCIAL DUTY

### Mastering the job

While XD blazes a trail into the world of heavy-duty towing, Commercial Duty (CD) finds it all but commonplace. CURT class 5 CD trailer hitches are the ultimate in receiver towing power, giving your customers the strength they need for commercial and industrial-level jobs. They offer a GTW capacity ranging up to 20,000 lbs. and 2,700 lbs. TW. Our CD hitches are also equipped with 2 1/2" receiver tubes, making them the perfect complement to your customer's full-size truck.

### Commercial Duty weight ratings

<b>GTW</b> 18,000 lbs.	<b>TW</b> 2,700 lbs.
<b>WD</b> 18,000 lbs.	<b>WD TW</b> 2,700 lbs.

### Commercial Duty + weight ratings

<b>GTW</b> 20,000 lbs.	<b>TW</b> 2,700 lbs.
<b>WD</b> 20,000 lbs.	<b>WD TW</b> 2,700 lbs.

Trailer hitch weight ratings are limited to vehicle manufacturer's stated capacities.

### Key features

- 2 1/2" x 2 1/2" receiver tube opening
- Constructed with large, powerful main bodies
- Made with a vehicle-specific design for a custom fit
- Includes strong, grade 8 mounting hardware
- Features wide safety chain openings for heavy-duty hooks
- Tested for safety in accordance with SAE J684
- Protected by a highly durable carbide powder coat finish
- [Limited lifetime warranty](#)

**CD CD+**



## 2 FRONT MOUNT HITCHES

INCH

For front mount hitch applications go to page 41

### Accomplishing more

A front mount hitch can be a useful addition to larger vehicles such as full-size pickup trucks and SUVs. A front mount hitch allows a cargo carrier to be attached at the front of the vehicle, freeing up the rear mount hitch for other types of towing. It can also be used for launching a boat or parking a trailer in a tight spot, allowing for close control over the trailer. Front mount hitches can also be used to attach a snow plow, winch, spare tire mount or skid shield (see page 40 for front mount accessories).

### Front mount weight ratings

GTW	Up to 5,000 lbs.	TW	Up to 500 lbs.
SLP	9,000 lbs. straight line pull	WD	Not available

Trailer hitch weight ratings vary by part number and are limited to vehicle manufacturer's stated capacities.

### Key features

- 2" x 2" receiver tube opening
- Made with a vehicle-specific design for a custom fit
- Ideal for attaching a snow plow, cargo carrier or other accessories
- Allows for easy maneuvering of a trailer into a tight spot
- Tested for safety in accordance with SAE J684
- Protected by a durable black powder coat finish
- Limited lifetime warranty



## 2 RV TRAILER HITCHES

INCH

### Enjoying the destination

A CURT RV hitch is a trailer hitch designed to mount on a recreational vehicle to tow along a trailer, or allow a vehicle to be dinghy-towed behind the RV. These hitches feature an adjustable frame to fit multiple applications, and they are equipped with a 2" x 2" receiver tube opening to accept a ball mount or other hitch-mounted accessory.

### RV hitch weight ratings

GTW	3,500 to 5,000 lbs.	TW	350 to 500 lbs.
WD	6,000 lbs.	WD TW	600 lbs.

Trailer hitch weight ratings vary by part number and are limited to vehicle manufacturer's stated capacities.

### Key features

- Built with a three-piece, adjustable design
- Designed for towing a trailer or small vehicle behind an RV
- Strengthened with a forged, welded, seamless collar
- Protected by a durable gloss black powder coat finish




## 2 INCH ADJUSTABLE RV TRAILER HITCHES

- Three-piece, adjustable design fits multiple frame sizes
- Designed for towing a trailer or small vehicle behind an RV



Part#	GTW / TW	WD / WDTW	Fits Frames	Drop
13701	5,000 / 500 lbs.	6,000 / 600 lbs.	Up to 51" wide	2"
13702	5,000 / 500 lbs.	6,000 / 600 lbs.	Up to 51" wide	--
13703	3,500 / 350 lbs.	--	Up to 72" wide	--



## 2 INCH RV BUMPER HITCHES

- Includes safety chain hookups and mounting hardware
- Informative, full-color retail packaging

Pkg#	GTW / TW	Fits
19100	3,500 / 350 lbs.	4" x 4" channel bumpers
19101	3,500 / 350 lbs.	2" x 4" channel bumpers



19100




19101

## 2 INCH UNIVERSAL WELD-ON TRAILER HITCHES

- Adjustable frame fits a variety of vehicles (side plates do not come pre-welded)
- Great for use with utility boxes
- Protected by a highly durable carbide powder coat finish



Part#	GTW / TW	Drop	Maximum Width	Minimum Width
15901	15,000 / 1,500 lbs.	3 1/8"	43"	18"
15902	15,000 / 1,500 lbs.	11 1/2"	43"	18"
15903	15,000 / 1,500 lbs.	11 1/2"	60"	18"



Side plates come unattached to allow for easy adjustment

## 2 INCH BUMPER HITCHES

- Bolts onto the bottom of the truck's step bumper
- Includes safety chain hookups and mounting hardware
- Informative, full-color retail packaging



Pkg#	GTW / TW	Bolt Pattern	Fits	Description
19030	5,000 / 500 lbs.	8 1/2" width on center	Most factory steel bumpers	Bumper hitch and spacer kit
19031	5,000 / 500 lbs.	10 1/2" width on center	Westin and DMI bumpers	Bumper hitch and spacer kit

## 2 INCH BUMPER HITCH FOR DODGE


- Fits flush to factory bumpers on 1994 - 2002 Dodge trucks
- Includes safety chain hookups and mounting hardware
- Informative, full-color retail packaging




Pkg#	GTW / TW	Years	Fits	Description
19050	4,000 / 400 lbs.	94 - 02	Dodge pickups with one-piece factory-formed steel step bumper	Bumper hitch and spacer kit

## EASY-MOUNT ELECTRICAL BRACKETS


- Allows connectors to be hitch-mounted with no drilling or clamping required
- Two threaded stainless steel bolts provide secure attachment to the hitch
- Notched design allows convenient access to pin & clip
- Steel body will not break like competitive plastic products
- Informative, full-color retail packaging
- Patent# 9,016,707



Pkg#	Bulk Retail 10-Pack#	Receiver Tube Opening	Fits
58002	58002010	1 1/4" x 1 1/4"	4- or 5-way flat sockets
58001	58001010	2" x 2"	4- or 5-way flat sockets
58000	58000010	2" x 2"	4- or 5-way flat and 6- or 7-way sockets
58003	--	2 1/2" x 2 1/2"	4- or 5-way flat and 6- or 7-way sockets



For 4- or 5-flat



For 4- or 5-flat and 6- or 7-way socket

## 1 1/4 INCH 12923 CLASS 2 - REAR MULTI-FIT TRAILER HITCH

- 1 1/4" x 1 1/4" receiver tube opening
- 3,500 lbs. GTW and 350 lbs. TW
- Features an adjustable frame to fit a variety of vehicles
- Requires no drilling on most models
- Robotically welded for superior strength and fit
- Includes mounting hardware
- Informative, full-color retail packaging
- Limited lifetime warranty



12923

Make / Model	Style	Years
<b>Chevrolet / GMC</b>		
1500 / 2500 pickups,	Excluding step-sides and king cab	88 - 98
Astro	Extended chassis	85 - 05
Pickup	Full-size, excluding step-side and 1-ton	62 - 87
S-10 Blazer	--	83 - 94
S-10 pickup	8' bed, excluding Baja	83 - 03
S-15 Jimmy	--	83 - 94
S-15 / Sonoma Pickups	8' bed	88 - 04
Safari	Standard chassis	85 - 05
Suburban	--	92 - 05
Venture	--	97 - 04
<b>Chrysler</b>		
Town & Country	Excluding Stow-n-go	88 - 07
<b>Dodge</b>		
Caravan	Excluding Stow-n-go	88 - 07
Dakota	--	86 - 04
Pickups	Full-size, excluding 1-ton	67 - 02
Ramcharger	--	78 - 93

Make / Model	Style	Years
<b>Ford</b>		
Bronco	Full-size	78 - 97
Bronco II	--	85 - 90
Pickups	Excluding step-sides and 1-ton	74 - 97
Ranger	--	83 - 11
E-series vans	Excluding 1-ton	80 - 98
<b>Jeep</b>		
Wagoneer	--	87 - 90
<b>Nissan</b>		
Pickup	6' bed	87 - 94
<b>Oldsmobile</b>		
Bravada	--	91 - 94
Silhouette	--	97 - 05
<b>Plymouth</b>		
Trail Duster	--	74 - 91
Voyager	--	88 - 98
<b>Pontiac</b>		
6000	--	82 - 84
Transport / Montana	--	97 - 05
<b>Toyota</b>		
Pickup	6' bed, excluding T100	87 - 95

## 2 INCH 13903 CLASS 3 - REAR MULTI-FIT TRAILER HITCH


- 2" x 2" receiver tube opening
- 8,000 lbs. GTW and 800 lbs. TW  
12,000 lbs. WD and 1,200 lbs. WDTW
- Features two sets of mounting brackets (only one set will be used, depending on the application)
- Robotically welded for superior strength and fit
- Includes mounting hardware
- Informative, full-color retail packaging
- Limited lifetime warranty

**NEW**



13903

Make / Model	Years
<b>Ford</b>	
F-150	06 - 16



Application-specific side plates included



**2**

INCH

## 13902 CLASS 3 - REAR MULTI-FIT TRAILER HITCH

- 2" x 2" receiver tube opening
- 8,000 lbs. GTW and 800 lbs. TW  
12,000 lbs. WD and 1,200 lbs. WDTW
- Fits most full-size pickups from Ford, GM and Ram, including the latest models
- Robotically welded for superior strength and fit
- Includes mounting hardware
- Informative, full-color retail packaging
- **Limited lifetime warranty**

Make / Model	Years
<b>Chevrolet / GMC</b>	
Silverado / Sierra 1500	99 - 17
Silverado / Sierra 2500	99 - 16
Silverado / Sierra 3500	01 - 16
<b>Dodge</b>	
Ram 1500	02 - 10
Ram 2500 / 3500	03 - 10



13902

**NEW**

Make / Model	Years
<b>Ford</b>	
F-150	98 - 05
F-150 Heritage	2004
F-250 / F-350 Super Duty	00 - 16
F-450 Super Duty	99 - 16
<b>Ram</b>	
1500	11 - 17
2500 / 3500	11 - 17

**2**

INCH

## 13901 CLASS 3 - REAR MULTI-FIT TRAILER HITCH

- 2" x 2" receiver tube opening
- 5,000 lbs. GTW and 500 lbs. TW  
7,500 lbs. WD and 750 lbs. WDTW
- Features multiple mounting holes to fit a variety of vehicles
- Requires no drilling on most models
- Robotically welded for superior strength and fit
- Includes mounting hardware
- Informative, full-color retail packaging
- **Limited lifetime warranty**

Make / Model	Years
<b>Chevrolet / GMC</b>	
C1500 / K1500	1999
C2500 / K2500	99 - 00
C3500HD	01 - 02
Silverado / Sierra 1500	99 - 16
Silverado / Sierra 1500 Classic	2007
Silverado / Sierra 1500HD	05 - 06
	01 - 03
Silverado / Sierra 1500HD Classic	2007
Silverado / Sierra 2500	99 - 04
Silverado / Sierra 2500HD	01 - 14
Silverado / Sierra 3500	01 - 06
Silverado / Sierra 2500HD / 3500HD Classic	2007
Silverado / Sierra 3500HD	07 - 14



13901

Make / Model	Years
<b>Ford</b>	
F-150	97 - 05
F150 Heritage	2004
F-250	97 - 99
F-250 / F-350 / F-450 Super Duty	99 - 16

2

INCH

## 13900 CLASS 3 - REAR MULTI-FIT TRAILER HITCH

- 2" x 2" receiver tube opening
- 5,000 lbs. GTW and 500 lbs. TW
- Features an adjustable frame to fit a variety of vehicles
- Requires no drilling on most models
- Robotically welded for superior strength and fit
- Includes mounting hardware
- Informative, full-color retail packaging
- Limited lifetime warranty



13900

Make / Model	Style	Years
<b>Chevrolet / GMC</b>		
Astro	Extended chassis	85 - 05
Blazer	--	92 - 94
Blazer / Jimmy	Full-size	80 - 91
Pickup	Full-size, 8' bed, excluding step-side and 1-ton	87 - 98
Pickup	Full-size, excluding step-side and 1-ton	62 - 87
S-10	Short bed 4x4	98 - 04
S-10	Long bed	83 - 04
S-10	Crew cab	01 - 04
S-15	Short bed 4x4	98 - 00
S-15	Long bed	88 - 04
S-15	Crew cab	01 - 04
Safari	Spare tire may need relocating	85 - 05
Safari	Extended cab	85 - 99
Silverado / Sierra 1500	Classic body, 8' bed	99 - 07
Silverado / Sierra 2500HD / 3500	Full-size, 8' bed, excluding step-side	01 - 07
Silverado / Sierra 2500LD	8' bed	99 - 07
Suburban	--	92 - 06
Tahoe	--	95 - 06
G-Series	Full-size van	78 - 96
Express / Savana	Full-size van	96 - 14
Venture	--	97 - 04
Yukon / Yukon XL	--	92 - 06
<b>Chrysler</b>		
Town & Country	Excluding Stow-n-go	88 - 07
<b>Dodge</b>		
Caravan	Excluding Stow-n-go	84 - 07
Dakota	--	86 - 04
Dakota	Quad cab	00 - 01
Pickup	Full-size, excluding 1-ton	62 - 87
Ramcharger	--	78 - 93

Make / Model	Style	Years
<b>Ford</b>		
Aerostar	Extended cab	86 - 97
Bronco	Full-size	78 - 97
Bronco II	--	84 - 90
Escape	--	01 - 04
F-150	Step-sides with 6' bed, spare tire may need relocating	97 - 03
F-150	8' bed	99 - 03
F-250	6' bed	99 - 16
F-250 / F-350	8' bed, excluding 20" spare tire	99 - 16
Pickup	6' and 8' beds, excluding step-sides and 1-ton	74 - 97
Ranger	Excluding 98 - 06 flare side	83 - 06
Ranger	8' bed only, spare tire needs relocating	83 - 11
E-series vans	Excluding 1-ton	80 - 15
Windstar	--	99 - 03
<b>Isuzu</b>		
Hombre	Short bed 4x4	98 - 00
<b>Jeep</b>		
Cherokee XJ	--	84 - 01
Grand Cherokee	--	93 - 98
Liberty	--	02 - 06
<b>Mazda</b>		
Pickup	Excluding 98 - 06 flare side	90 - 06
Tribute	--	01 - 04
<b>Nissan</b>		
Pickup and Frontier	56" bed	87 - 04
Pickup and Frontier	75" bed	87 - 04
<b>Plymouth</b>		
Trail Duster	--	74 - 91
Voyager	--	01 - 03
Voyager	--	84 - 03
<b>Toyota</b>		
Pickup	8' bed, excluding T100	87 - 94
Tundra	--	00 - 06

## 2 INCH 15510 CLASS 5 - REAR MULTI-FIT TRAILER HITCH

- 2" x 2" receiver tube opening with 5 1/2" drop
- 15,000 lbs. GTW and 1,500 lbs. TW  
16,000 lbs. WD and 1,600 lbs. WDTW
- Features multiple mounting holes to fit a variety of vehicles
- Robotically welded for superior strength and fit
- Includes strong, grade 8 mounting hardware
- Protected by a highly durable carbide powder coat finish
- Limited lifetime warranty



## 2 INCH 15511 CLASS 5 - REAR MULTI-FIT TRAILER HITCH

- 2" x 2" receiver tube opening with 7 1/2" drop
- 15,000 lbs. GTW and 1,500 lbs. TW  
16,000 lbs. WD and 1,600 lbs. WDTW
- Features multiple mounting holes to fit a variety of vehicles
- Robotically welded for superior strength and fit
- Includes strong, grade 8 mounting hardware
- Protected by a highly durable carbide powder coat finish
- Limited lifetime warranty



Make / Model	Style	Years
<b>Chevrolet / GMC</b>		
Cab & Chassis	34" frame (O.D.)	88 - 99
Pickup	Full-size, excluding short bed	62 - 87
<b>Dodge</b>		
Pickup	Full-size	72 - 93
<b>Ford</b>		
F-450 Cab & Chassis	2WD only	99 - 07
Pickup	Full-size, old body	67 - 99

Make / Model	Style	Years
<b>Chevrolet / GMC</b>		
Cab & Chassis	34" frame (O.D.)	88 - 99
Pickup	Full-size, excluding short bed	62 - 87
<b>Dodge</b>		
Pickup	Full-size	72 - 96
<b>Ford</b>		
F-450 Cab & Chassis	2WD only	99 - 07
Pickup	Full-size, old body	67 - 99

## 2 INCH FRONT MOUNT ACCESSORIES

- Fits any 2" x 2" trailer hitch receiver tube opening
- Designed for use with front mount hitches
- Can also be used with rear mount hitches when not towing a trailer
- See cargo carriers on page 336



Step provides easier access for working under the hood



Skid shield protects front end and hitch from damage

Part#	Description
31006	Spare tire mount
31001	Step pad with anti-skid surface
31002	License plate holder
31007	Skid shield
31010	Winch mount
31005	Winch mount handles
31009	Winch mount with handles



## 2

INCH

FRONT MOUNT  
HITCHES

- 2" x 2" receiver tube opening
- Up to 5,000 lbs. GTW and 500 lbs. TW / 9,000 lbs. straight line pull
- Provides a convenient mount for a snowplow or hitch accessory
- Allows for easy maneuvering of a trailer into a tight spot
- Tested for safety in accordance with SAE J684
- Limited lifetime warranty



Make / Model	Style	Years	Bulk#	Notes	GTW / TW (lbs.)	Price Code	Install Time	Main Body
<b>Buick</b>								
Enclave	--	08 - 12	31045	D, <del>Ø</del>	3500 / 350	36	30	Exposed
Ranier	--	04 - 07	31055	D, <del>Ø</del>	3500 / 350	71	45	Exposed
<b>Cadillac</b>								
Escalade	Excluding Hybrid	07 - 14	31012	D	5000 / 500	37	45	Concealed
	--	00 - 06	31302	D, <del>Ø</del>	5000 / 500	55	60	Concealed
<b>Chevrolet / GMC</b>								
Acadia	--	09 - 12	31045	D, <del>Ø</del>	3500 / 350	36	30	Exposed
Aspen	--	06 - 09	31297	D, <del>Ø</del>	5000 / 500	69	30	Exposed
Avalanche	Excluding Z71	07 - 13	31012	D	5000 / 500	37	45	Concealed
	--	02 - 06	31302	D, <del>Ø</del>	5000 / 500	55	60	Concealed
Blazer	4WD, excluding ZR2	95 - 05	31021	<del>Ø</del>	3500 / 350	29	30	Exposed
	Full-size SUV	92 - 94	31042	<del>Ø</del>	5000 / 500	41	30	Concealed
Canyon / Colorado	All	15 - 16	31074	D, <del>Ø</del>	5000 / 500	41	45	Concealed
	Z71 with front stabilizer bar	10 - 12	31030	D, <del>Ø</del>	5000 / 500	29	20	Exposed
	Excluding Z71 with front stabilizer bar	10 - 12	31221	D, <del>Ø</del>	5000 / 500	45	20	Concealed
	--	04 - 09	31221	<del>Ø</del>	5000 / 500	45	20	Concealed
Envoy	--	02 - 09	31055	D, <del>Ø</del>	3500 / 350	71	45	Exposed
Equinox	--	10 - 13	31032	D	3500 / 350	55	45	Concealed
Express	RV cutaway	2003	31016	--	5000 / 500	25	35	Exposed
	--	96 - 02	31016	--	5000 / 500	25	35	Exposed
Jimmy	4WD, excluding ZR2	94 - 01	31021	<del>Ø</del>	3500 / 350	29	30	Exposed
C/K Series 1500	Old body	88 - 99	31042	<del>Ø</del>	5000 / 500	41	30	Concealed
Silverado / Sierra 1500	New body	14 - 16	31069	D	5000 / 500	37	45	Concealed
		14 - 16	31012	D	5000 / 500	37	45	Concealed
		07 - 13	31322	D, <del>Ø</del>	5000 / 500	47	30	Concealed
	Classic body	99 - 07	31302	D, <del>Ø</del>	5000 / 500	55	60	Concealed
Silverado / Sierra 1500HD	Classic body	01 - 07	31108	D, <del>Ø</del>	5000 / 500	47	30	Concealed
C Series 2500 / 3500	2WD, old body	88 - 00	31043	--	5000 / 500	47	30	Exposed
K Series 2500 / 3500	4WD, old body	88 - 00	31042	<del>Ø</del>	5000 / 500	41	30	Concealed
Silverado / Sierra 2500HD / 3500	--	15 - 16	31071	<del>Ø</del>	5000 / 500	37	25	Concealed
		11 - 14	31023	D, <del>Ø</del>	5000 / 500	17	30	Concealed
	New body	07 - 10	31109	<del>Ø</del>	5000 / 500	41	20	Concealed
	Classic body	00 - 07	31108	D, <del>Ø</del>	5000 / 500	47	30	Concealed
S-10	4WD, excluding ZR2	94 - 04	31021	<del>Ø</del>	3500 / 350	29	30	Exposed
Savana	RV cutaway	2003	31016	--	5000 / 500	25	35	Exposed
	--	96 - 02	31016	--	5000 / 500	25	35	Exposed
Sonoma	4WD, excluding ZR2	94 - 04	31021	<del>Ø</del>	3500 / 350	29	30	Exposed
D = Minor fascia trim		N = Continued while supplies last						
<del>Ø</del> = No drilling required		Applications continued on the following page						

# 2 FRONT MOUNT HITCHES

INCH

Make / Model	Style	Years	Bulk#	Notes	GTW / TW (lbs.)	Price Code	Install Time	Main Body
<b>Chevrolet / GMC (continued)</b>								
Suburban	Excluding 2500	15 - 16	31073	D	5000 / 500	37	45	Concealed
		07 - 14	31012	D	5000 / 500	37	45	Concealed
	--	00 - 06	31302	D, <del>Ø</del>	5000 / 500	55	60	Concealed
	2WD, old body	92 - 99	31043	--	5000 / 500	47	30	Exposed
	4WD, old body	92 - 99	31042	<del>Ø</del>	5000 / 500	41	30	Concealed
Suburban 2500 Series		01 - 06	31108	D, <del>Ø</del>	5000 / 500	47	30	Concealed
Tahoe	Excluding Hybrid	15 - 16	31073	D	5000 / 500	37	45	Concealed
	--	07 - 14	31012	D	5000 / 500	37	45	Concealed
		00 - 06	31302	D, <del>Ø</del>	5000 / 500	55	60	Concealed
	Old body	95 - 99	31042	<del>Ø</del>	5000 / 500	41	30	Concealed
Terrain	--	10 - 13	31032	D	3500 / 350	55	45	Concealed
Trailblazer	--	02 - 09	31055	D, <del>Ø</del>	3500 / 350	71	45	Exposed
Traverse	--	09 - 12	31045	D, <del>Ø</del>	3500 / 350	36	30	Exposed
Yukon	Excluding Hybrid	15 - 16	31073	D	5000 / 500	37	45	Concealed
		07 - 14	31012	D	5000 / 500	37	45	Concealed
	New body	00 - 06	31302	D, <del>Ø</del>	5000 / 500	55	60	Concealed
	Old body	92 - 00	31042	<del>Ø</del>	5000 / 500	41	30	Concealed
Yukon XL 1500	Excluding Hybrid	15 - 16	31073	D	5000 / 500	37	45	Concealed
		07 - 14	31012	D	5000 / 500	37	45	Concealed
	--	00 - 06	31302	D, <del>Ø</del>	5000 / 500	55	60	Concealed
Yukon XL 2500	--	01 - 06	31108	D, <del>Ø</del>	5000 / 500	47	30	Concealed
<b>Dodge</b>								
Dakota	--	08 - 10	31230	D, <del>Ø</del>	3500 / 350	75	20	Exposed
		05 - 07	31228	D, <del>Ø</del>	5000 / 500	91	30	Exposed
	4WD	00 - 04	31080	<del>Ø</del>	3500 / 350	63	40	Concealed
	--	98 - 99	31097	D, <del>Ø</del>	3500 / 350	55	20	Exposed
Durango	Excluding R/T, heat and models with factory tow hooks	11 - 13	31033	D	3000 / 300	57	35	Concealed
	--	07 - 09	31297	D, <del>Ø</del>	5000 / 500	69	30	Exposed
		04 - 06	31297	<del>Ø</del>	5000 / 500	69	30	Exposed
		00 - 03	31080	<del>Ø</del>	3500 / 350	63	40	Concealed
		98 - 99	31097	D, <del>Ø</del>	3500 / 350	55	20	Exposed
Ram 1500	4WD	09 - 10	31374	D	5000 / 500	41	30	Concealed
	Excluding Mega Cab	06 - 08	31320	D	5000 / 500	47	30	Concealed
	Sport	06 - 07	31321	--	5000 / 500	47	30	Concealed
	--	02 - 05	31320	D, <del>Ø</del>	5000 / 500	47	30	Concealed
		2002	31604	--	5000 / 500	63	45	Concealed
		97 - 96	31604	--	5000 / 500	63	45	Concealed
	Laramie	97 - 01	31604	--	5000 / 500	63	45	Concealed
	SS / T 5.9L	97 - 98	31604	--	5000 / 500	63	45	Concealed
	ST	97 - 01	31604	--	5000 / 500	63	45	Concealed
WS	97 - 01	31604	--	5000 / 500	63	45	Concealed	
Ram 1500	Mega Cab	06 - 08	31017	D	3500 / 350	53	30	Exposed
Ram 2500	4WD, including 2012 with factory winch	2010	31015	D, <del>Ø</del>	5000 / 500	49	30	Concealed
	Including Mega Cab	03 - 09	31017	D	3500 / 350	53	30	Exposed
D = Minor fascia trim <del>Ø</del> = No drilling required		N = Continued while supplies last Applications continued on the following page						

# 2 FRONT MOUNT HITCHES

2 INCH

Make / Model	Style	Years	Bulk#	Notes	GTW / TW (lbs.)	Price Code	Install Time	Main Body
<b>Dodge (continued)</b>								
Ram 3500	--	2010	31065	D	3500 / 350	45	45	Exposed
	Excluding Laramie	03 - 09	31017	D	3500 / 350	53	30	Exposed
Ram Pickup	--	94 - 02	31604	D, <del>Ø</del>	5000 / 500	63	45	Exposed
<b>Ford</b>								
E-150	--	08 - 14	31053	D	5000 / 500	35	30	Exposed
	Including RV cutaway	91 - 07	33055	--	5000 / 500	35	20	Concealed
E-250	--	08 - 14	31053	D	5000 / 500	35	30	Exposed
	Including RV cutaway	91 - 07	33055	--	5000 / 500	35	20	Concealed
E-350 Super Duty	--	08 - 14	31053	D	5000 / 500	35	30	Exposed
	Including RV cutaway	91 - 07	33055	--	5000 / 500	35	20	Concealed
Edge	--	11 - 12	31050	D	3500 / 350	53	30	Concealed
Escape	--	11 - 12	31025	D	3500 / 350	41	40	Exposed
		05 - 10	31650	D	3500 / 350	55	90	Exposed
Excursion	Fog light removal required	00 - 05	31114	<del>Ø</del>	5000 / 500	75	45	Concealed
Expedition	--	09 - 17	31068	D, <del>Ø</del>	5000 / 500	45	30	Exposed
	4WD	07 - 08	31368	D, <del>Ø</del>	5000 / 500	45	30	Concealed
	4WD with factory tow hooks	03 - 08	31352	D, <del>Ø</del>	5000 / 500	45	30	Concealed
		99 - 02	31038	<del>Ø</del>	5000 / 500	49	45	Concealed
		97 - 98	31049	<del>Ø</del>	5000 / 500	47	30	Concealed
Explorer	Excluding 2.0L EcoBoost	11 - 16	31052	D	3500 / 350	55	30	Exposed
	--	07 - 10	31545	<del>Ø</del>	5000 / 500	59	30	Concealed
	Excluding Sport	02 - 06	31540	D	5000 / 500	37	30	Concealed
	--	97 - 01	31051	--	3500 / 350	53	30	Concealed
Explorer Sport Trac	--	07 - 10	31545	<del>Ø</del>	5000 / 500	59	30	Concealed
		01 - 06	31029	--	5000 / 500	41	30	Exposed
		01 - 06	31407	<del>Ø</del>	3500 / 350	33	20	Exposed
F-150	King Ranch	15 - 17	31070	D, <del>Ø</del>	5000 / 500	45	45	Concealed
	Lariat	15 - 17	31070	D, <del>Ø</del>	5000 / 500	45	45	Concealed
	Limited	16 - 17	31070	D, <del>Ø</del>	5000 / 500	45	45	Concealed
	Platinum	15 - 17	31070	D, <del>Ø</del>	5000 / 500	45	45	Concealed
	SSV	16 - 17	31070	D, <del>Ø</del>	5000 / 500	45	45	Concealed
	XL	15 - 17	31070	D, <del>Ø</del>	5000 / 500	45	45	Concealed
	XLT	15 - 17	31070	D, <del>Ø</del>	5000 / 500	45	45	Concealed
	--	09 - 14	31068	D, <del>Ø</del>	5000 / 500	45	30	Exposed
	4WD EcoBoost only	11 - 13	31057	S, <del>Ø</del>	5000 / 500	33	20	Exposed
	Excluding Heritage Edition	04 - 08	31352	D, <del>Ø</del>	5000 / 500	45	30	Concealed
	4WD with factory tow hooks	99 - 03	31038	<del>Ø</del>	5000 / 500	49	45	Concealed
	--	97 - 98	31049	<del>Ø</del>	5000 / 500	47	30	Concealed
	--	92 - 96	31026	--	5000 / 500	53	30	Concealed
F-150 Heritage Edition	4WD	2004	31038	<del>Ø</del>	5000 / 500	49	45	Concealed
F-250	New body	99 - 03	31038	<del>Ø</del>	5000 / 500	49	45	Concealed
		97 - 98	31049	<del>Ø</del>	5000 / 500	47	30	Concealed
	Old body, 4WD	1997	31310	<del>Ø</del>	5000 / 500	41	30	Concealed
	Old body, 2WD	1997	31311	<del>Ø</del>	5000 / 500	45	25	Exposed
	4WD	92 - 96	31310	<del>Ø</del>	5000 / 500	41	30	Concealed
	2WD	92 - 96	31311	<del>Ø</del>	5000 / 500	45	25	Exposed
D = Minor fascia trim		N = Continued while supplies last						
<del>Ø</del> = No drilling required		Applications continued on the following page						

# 2 FRONT MOUNT HITCHES

INCH

Make / Model	Style	Years	Bulk#	Notes	GTW / TW (lbs.)	Price Code	Install Time	Main Body
<b>Ford (continued)</b>								
F-250 Super Duty	--	2017	31078	D, <del>Ø</del>	5000 / 500	53	30	Concealed
	4WD	11 - 16	31018	D, <del>Ø</del>	5000 / 500	57	45	Concealed
	--	08 - 10	31008	D, <del>Ø</del>	5000 / 500	37	20	Concealed
	Without blocker beam, fog light removal required	99 - 07	31114	--	5000 / 500	75	60	Concealed
	With blocker beam only	99 - 03	31014	--	5000 / 500	75	45	Concealed
F-350	F-350HD, 4WD	1997	31310	<del>Ø</del>	5000 / 500	41	30	Concealed
	2WD diesel	1997	31311	<del>Ø</del>	5000 / 500	45	25	Exposed
	4WD	92 - 96	31310	<del>Ø</del>	5000 / 500	41	30	Concealed
	2WD	92 - 96	31311	<del>Ø</del>	5000 / 500	45	25	Exposed
F-350 Super Duty	--	2017	31078	D, <del>Ø</del>	5000 / 500	53	30	Concealed
	4WD	11 - 16	31018	D, <del>Ø</del>	5000 / 500	57	45	Concealed
	--	08 - 10	31008	D, <del>Ø</del>	5000 / 500	37	20	Concealed
	Without blocker beam, fog light removal required	99 - 07	31114	--	5000 / 500	75	60	Concealed
	With blocker beam only	99 - 03	31014	--	5000 / 500	75	45	Concealed
F-350 Super Duty Cab & Chassis	With 34" Frame (O.D.)	08 - 10	31008	D, <del>Ø</del>	5000 / 500	37	20	Concealed
		99 - 07	31114	--	5000 / 500	75	60	Concealed
F-450 Super Duty	--	2017	31078	D, <del>Ø</del>	5000 / 500	53	30	Concealed
		08 - 10	31008	D, <del>Ø</del>	5000 / 500	37	20	Concealed
F-450 Super Duty Cab & Chassis	With 34" Frame (O.D.)	08 - 10	31008	D, <del>Ø</del>	5000 / 500	37	20	Concealed
		99 - 07	31114	--	5000 / 500	75	60	Concealed
F-550 Super Duty Cab & Chassis	With 34" Frame (O.D.)	08 - 10	31008	D, <del>Ø</del>	5000 / 500	37	20	Concealed
		99 - 07	31114	--	5000 / 500	75	60	Concealed
Ranger	Will not fit models with front cross member or Canadian built 2WD models	92 - 11	31063	D	3500 / 350	53	30	Concealed
<b>Honda</b>								
Pilot	--	12 - 15	31064	--	3500 / 350	37	60	Exposed
		09 - 11	31024	D	3500 / 350	33	60	Exposed
		03 - 08	33328	D, <del>Ø</del>	3500 / 350	55	35	Exposed
Ridgeline	--	05 - 14	33328	D, <del>Ø</del>	3500 / 350	55	35	Exposed
<b>Hummer</b>								
H3	--	06 - 10	31270	<del>Ø</del>	3000 / 300	45	30	Exposed
<b>Hyundai</b>								
Santa Fe	--	10 - 11	31034	D, N	3500 / 350	47	45	Exposed
		07 - 09	31035	N	3500 / 350	49	45	Exposed
<b>Jeep</b>								
Cherokee	Excluding Grand Cherokee	84 - 01	31084	D	3000 / 300	25	30	Exposed
Comanche	--	86 - 92	31084	D	3000 / 300	25	30	Exposed
Commander	4WD	06 - 10	31056	--	3500 / 350	53	45	Exposed
Grand Cherokee	Excluding Summit or with factory tow hooks	11 - 15	31033	D	3000 / 300	57	35	Concealed
	--	05 - 10	31047	D	3000 / 300	49	90	Exposed
		02 - 04	31048	--	3500 / 350	49	45	Concealed
Liberty	4WD	08 - 13	31020	D	3000 / 300	57	20	Concealed
		02 - 07	31022	--	3500 / 350	35	30	Exposed
Wagoneer	Excluding Grand Wagoneer	84 - 90	31084	D	3000 / 300	25	30	Exposed
D = Minor fascia trim <del>Ø</del> = No drilling required		N = Continued while supplies last Applications continued on the following page						

# FRONT MOUNT HITCHES

Make / Model	Style	Years	Bulk#	Notes	GTW / TW (lbs.)	Price Code	Install Time	Main Body
<b>Jeep (continued)</b>								
Wrangler	Excluding Hard Rock and 75th anniversary bumpers	07 - 17	31432	D, <del>Ø</del>	3500 / 350	47	45	Concealed
	--	97 - 06	31028	--	3500 / 350	45	30	Exposed
	--	87 - 06	31408	D, <del>Ø</del>	3500 / 350	25	30	Exposed
<b>Lincoln</b>								
Mark LT	--	06 - 08	31352	D, <del>Ø</del>	5000 / 500	45	30	Concealed
Navigator	--	09 - 17	31068	D, <del>Ø</del>	5000 / 500	45	30	Exposed
	4WD	07 - 08	31368	D, <del>Ø</del>	5000 / 500	45	30	Concealed
<b>Mazda</b>								
Tribute	--	05 - 11	31650	D	3500 / 350	55	90	Exposed
<b>Mercury</b>								
Mariner	--	2011	31025	D	3500 / 350	41	40	Exposed
		05 - 10	31650	D	3500 / 350	55	90	Exposed
Mountaineer	--	07 - 10	31545	<del>Ø</del>	5000 / 500	59	30	Concealed
<b>Mitsubishi</b>								
Raider	--	08 - 09	31230	D, <del>Ø</del>	3500 / 350	75	20	Exposed
<b>Nissan</b>								
Frontier	--	05 - 16	31241	<del>Ø</del>	3500 / 350	37	35	Exposed
Pathfinder	--	05 - 12	31241	<del>Ø</del>	3500 / 350	37	35	Exposed
Titan	4WD	09 - 15	31061	--	5000 / 500	69	45	Exposed
	--	04 - 08	31199	--	5000 / 500	49	45	Exposed
Titan XD	--	2016	31077	<del>Ø</del>	5000 / 500	45	20	Exposed
Xterra	--	05 - 15	31514	<del>Ø</del>	3500 / 350	59	35	Exposed
<b>Ram</b>								
1500	4WD	11 - 17	31374	D	5000 / 500	41	30	Concealed
2500	4WD, Including 2012 with factory winch	11 - 16	31015	D, <del>Ø</del>	5000 / 500	49	30	Concealed
3500	--	13 - 16	31067	D, <del>Ø</del>	5000 / 500	61	30	Both
		11 - 12	31065	D	3500 / 350	45	45	Exposed
<b>Suzuki</b>								
Equator	4WD	09 - 12	31241	<del>Ø</del>	3500 / 350	37	35	Exposed
<b>Toyota</b>								
4Runner	Limited	10 - 16	31054	<del>Ø</del>	3500 / 350	61	30	Exposed
	SR5	10 - 13	31054	<del>Ø</del>	3500 / 350	61	30	Exposed
		14 - 16	31076	<del>Ø</del>	3500 / 350	63	20	Exposed
		14 - 16	31076	<del>Ø</del>	3500 / 350	63	20	Exposed
	Trail	07 - 09	31367	<del>Ø</del>	3500 / 350	61	30	Exposed
		10 - 13	31367	<del>Ø</del>	3500 / 350	61	30	Exposed
FJ Cruiser	--	07 - 14	31367	<del>Ø</del>	3500 / 350	61	30	Exposed
Sequoia	--	08 - 16	31198	<del>Ø</del>	5000 / 500	17	20	Exposed
		01 - 07	31180	--	5000 / 500	49	40	Exposed
Tacoma	--	16 - 17	31075	D, <del>Ø</del>	3500 / 350	47	30	Exposed
		05 - 15	31313	<del>Ø</del>	3500 / 350	75	35	Exposed
		01 - 04	31013	--	5000 / 500	45	45	Exposed
Tundra	--	07 - 16	31198	<del>Ø</del>	5000 / 500	17	20	Exposed
		00 - 06	31180	--	5000 / 500	49	40	Exposed
D = Minor fascia trim <del>Ø</del> = No drilling required		N = Continued while supplies last						