



# TRAILER HITCHES

**TESTED. PROVEN. SAFE.**

CURT manufactures over 1,000 unique hitch models to provide a custom fit for nearly every vehicle on the road today. We engineer and rigorously test each one to SAE J684 protocols for safety. We protect each hitch, inside and out, with an industry-leading, rust-resistant finish, and we do all of this in the USA. CURT hitches are available in five classes with a range of weight capacities and receiver tube sizes. We also offer front mount, RV and multi-fit hitches for a complete range of towing options.

# FEATURED PRODUCTS



## Rear mount hitches

CURT is the industry leader in first-to-market hitch designs, and each one is engineered and tested to the highest safety standards.



## Multi-fit hitches

Perfect for the retail setting, multi-fit hitches fit a wide range of applications and are available in several different weight capacities.



## Front mount hitches

CURT front mount hitches are vehicle-specific and provide a useful receiver for a cargo carrier, snow plow or even for parking a trailer.

# PRODUCT INDEX



**14**

Class 1 & 2  
Trailer Hitches

**Made in USA**



**15**

Class 3 & 4  
Trailer Hitches

**Made in USA**



**15**

Class 5  
Trailer Hitches

**Made in USA**



**17**

Multi-Fit  
Trailer Hitches



**20**

Weld-On  
Trailer Hitches

**Made in USA**



**21**

Bumper  
Hitches

**Made in USA**



**21**

Adjustable  
RV Hitches

**Made in USA**



**22**

RV Towing  
Products



**23**

Front Mount  
Hitches

**Made in USA**



Trailer hitch weight ratings vary by part number and are limited to vehicle manufacturer's stated capacities.

For trailer hitch application guide go to page 32



## CUSTOM-FIT TRAILER HITCHES

CURT custom hitches are broken out into five distinct classes, based on their receiver tube size and weight ratings. Despite these classes, weight ratings may vary by part number. Each hitch is made for vehicle-specific application and is always limited by the lowest rated towing component.

### Product Details

- Made with a vehicle-specific design for a custom fit
- Tested for safety in accordance with SAE J684
- Precisely welded for superior strength and fit
- Co-cured in a rust-resistant liquid Bonderite® coating
- Strengthened with a cast, welded, seamless collar
- Open-back receiver for easy cleaning
- [Limited lifetime warranty](#)



### Advantages of CURT trailer hitches




Proud to manufacture all of our custom hitches in the USA



Precision robotic welding for superior strength and fit



Liquid Bonderite® applied inside and out for max rust resistance



Industry-leading safety and performance testing



1 1/4  
INCH

## CLASS 1 & 2 TRAILER HITCHES

- 1 1/4" X 1 1/4" receiver tube opening
- Pin & clip included
- Protected by a durable high-gloss black powder coat finish
- Available with included ball mount (see page 30 for ordering options)

### Class 1 weight ratings

GTW Up to 2,000 lbs.

TW Up to 200 lbs.

### Class 2 weight ratings

GTW Up to 3,500 lbs.

TW Up to 350 lbs.





Trailer hitch weight ratings vary by part number and are limited to vehicle manufacturer's stated capacities.

For trailer hitch application guide go to page 32



**2**

INCH

## CLASS 3 & 4 TRAILER HITCHES

- 2" x 2" receiver tube opening
- Protected by a durable high-gloss black powder coat finish

### Class 3 weight ratings

GTW

Up to 8,000 lbs.

TW

Up to 800 lbs.

WD

Up to 12,000 lbs.

WD TW

Up to 1,200 lbs.

### Class 4 weight ratings

GTW

Up to 10,000 lbs.

TW

Up to 1,000 lbs.

WD

Up to 12,000 lbs.

WD TW

Up to 1,200 lbs.



**2**

INCH

**&**

**2 1/2**

INCH

## CLASS 5 TRAILER HITCHES

- 2" x 2" receiver tube opening on Xtra Duty and 2 1/2" x 2 1/2" on Commercial Duty
- Constructed with a large, powerful main body
- Protected by a highly durable carbide powder coat finish
- Features wide safety chain openings for heavy-duty hooks
- Includes strong, grade 8 installation hardware

### Xtra Duty weight ratings

GTW

16,000 to 17,000 lbs.

TW

2,400 to 2,550 lbs.

WD

17,000 lbs.

WD TW

2,400 to 2,550 lbs.

### Commercial Duty weight ratings

GTW

18,000 to 20,000 lbs.

TW

2,700 lbs.

WD

18,000 to 20,000 lbs.

WD TW

2,700 lbs.





Trailer hitch weight ratings vary by part number and are limited to vehicle manufacturer's stated capacities.



**2**  
INCH

## FRONT MOUNT HITCHES

For front mount hitch applications go to page 23

- 2" x 2" receiver tube opening
- Made with a vehicle-specific design for a custom fit
- Ideal for attaching a snow plow, cargo carrier or other accessory
- Allows for easy maneuvering of a trailer into a tight spot
- Tested for safety in accordance with SAE J684
- Durable black powder coat finish
- [Limited lifetime warranty](#)

### Front mount weight ratings

<b>GTW</b>	Up to 5,000 lbs.	<b>TW</b>	Up to 500 lbs.
<b>SLP</b>	9,000 lbs. straight line pull	<b>WD</b>	Not available



**2**  
INCH

## ADJUSTABLE RV HITCHES

See page 21 for part number listing

- Built with a three-piece, adjustable design
- Designed for towing a trailer or small vehicle behind an RV
- Strengthened with a cast, welded, seamless collar
- Durable gloss black powder coat finish
- [Limited lifetime warranty](#)

### RV hitch weight ratings

<b>GTW</b>	3,500 to 5,000 lbs.	<b>TW</b>	350 to 500 lbs.
<b>WD</b>	6,000 lbs.	<b>WD TW</b>	600 lbs.





1 1/4  
INCH

## 12923 CLASS 2 MULTI-FIT HITCH

- Provides a 1 1/4" x 1 1/4" receiver tube opening on the rear of the vehicle
- 3,500 lbs. GTW and 350 lbs. TW
- Adjustable frame to fit a variety of vehicles
- Requires no drilling on most models
- Robotically welded for superior strength and fit
- Includes mounting hardware
- Limited lifetime warranty



12923

Make / Model	Style	Years
<b>Chevrolet / GMC</b>		
1500 / 2500 pickups,	Excl. step-sides and King cab	88 - 98
Astro	Extended chassis	85 - 05
Pickup	Full-size, excl. step-side and 1-ton	62 - 87
S-10 Blazer / S-15 Jimmy	--	83 - 94
S-10 pickup	8' bed, excl. Baja	83 - 03
S-15 / Sonoma Pickups	8' bed	88 - 04
Safari	Standard chassis	85 - 05
Suburban	--	92 - 05
Venture	--	97 - 04
<b>Chrysler</b>		
Town & Country	Excl. Stow-n-Go	88 - 07
<b>Dodge</b>		
Caravan	Excl. Stow-n-Go	88 - 07
Dakota	--	86 - 04
Pickups	Full-size, excl. 1-ton	67 - 02
Ramcharger	--	78 - 93

Make / Model	Style	Years
<b>Ford</b>		
Bronco	Full-size	78 - 97
Bronco II	--	85 - 90
Pickups	Excl. step-sides and 1-ton	74 - 97
Ranger	--	83 - 11
E-series vans	Excl. 1-ton	80 - 98
<b>Jeep</b>		
Wagoneer	--	87 - 90
<b>Nissan</b>		
Pickup	6' bed	87 - 94
<b>Oldsmobile</b>		
Bravada	--	91 - 94
Silhouette	--	97 - 05
<b>Plymouth</b>		
Trail Duster	--	74 - 91
Voyager	--	88 - 98
<b>Pontiac</b>		
6000	--	82 - 84
Transport / Montana	--	97 - 05
<b>Toyota</b>		
Pickup	6' bed, excl. T100	87 - 95

2


INCH

## 13903 CLASS 3 MULTI-FIT HITCH

- Provides a 2" x 2" receiver tube opening on the rear of the vehicle
- Provides a comprehensive retail option for pickups when combined with the 13902
- 8,000 lbs. GTW and 800 lbs. TW  
12,000 lbs. WD and 1,200 lbs. WDTW
- Fits all F-150 models from 2006 through 2018
- Features two sets of mounting brackets (only one set will be used, based on the application)
- Robotically welded for superior strength and fit
- Includes mounting hardware
- Limited lifetime warranty



13903



Application-specific side plates included

Make / Model	Years
<b>Ford</b>	
F-150	06 - 18

**2**

INCH

## 13902 CLASS 3 MULTI-FIT HITCH

- Provides a 2" x 2" receiver tube opening on the rear of the vehicle
- Provides a comprehensive retail option for pickups when combined with the 13903
- 8,000 lbs. GTW and 800 lbs. TW  
12,000 lbs. WD and 1,200 lbs. WDTW
- Fits most full-size pickups from Ford, GM and Ram, including the latest models
- Robotically welded for superior strength and fit
- Includes mounting hardware
- [Limited lifetime warranty](#)



13902

Make / Model	Years
<b>Chevrolet / GMC</b>	
Silverado / Sierra 1500	99 - 18
Silverado / Sierra 2500	99 - 18
Silverado / Sierra 3500	01 - 18
<b>Dodge</b>	
Ram 1500	02 - 10
Ram 2500 / 3500	03 - 10

Make / Model	Years
<b>Ford</b>	
F-150	98 - 05
F-150 Heritage	04 - 04
F-250 / F-350 Super Duty	00 - 16
F-450 Super Duty	99 - 16
<b>Ram</b>	
1500 / 2500 / 3500	11 - 18

**2**

INCH

## 13901 CLASS 3 MULTI-FIT HITCH

- Provides a 2" x 2" receiver tube opening on the rear of the vehicle
- 5,000 lbs. GTW and 500 lbs. TW  
7,500 lbs. WD and 750 lbs. WDTW
- Features multiple mounting holes to fit a variety of vehicles
- Requires no drilling on most models
- Robotically welded for superior strength and fit
- Includes mounting hardware
- [Limited lifetime warranty](#)



13901

Make / Model	Years
<b>Chevrolet / GMC</b>	
C1500 / K1500	99 - 99
C2500 / K3500	99 - 00
C3500 HD	01 - 02
Silverado / Sierra 1500	99 - 18
Silverado / Sierra 1500 Classic	07 - 07
Silverado / Sierra 1500 HD	05 - 06
Silverado / Sierra 1500 HD	01 - 03
Silverado / Sierra 1500 HD Classic	07 - 07
Silverado / Sierra 2500	99 - 04
Silverado / Sierra 2500 HD	01 - 14

Make / Model	Years
<b>Chevrolet / GMC (continued)</b>	
Silverado / Sierra 3500	01 - 06
Silverado / Sierra 2500 HD / 3500 HD Classic	07 - 07
Silverado / Sierra 3500 HD	07 - 14
<b>Ford</b>	
F-150	97 - 05
F-150 Heritage	04 - 04
F-250	97 - 99
F-250 / F-350 / F-450 Super Duty	99 - 16

## 2

INCH

# 13900 CLASS 3 MULTI-FIT HITCH

- Provides a 2" x 2" receiver tube opening on the rear of the vehicle
- 5,000 lbs. GTW and 500 lbs. TW
- Adjustable frame to fit a variety of vehicles
- Requires no drilling on most models
- Robotically welded for superior strength and fit
- Includes mounting hardware
- Limited lifetime warranty



13900

Make / Model	Style	Years
<b>Chevrolet / GMC</b>		
Astro	Extended chassis	85 - 05
Blazer	--	92 - 94
Blazer / Jimmy	Full-size	80 - 91
Pickup	Full-size, 8' bed, excl. step-side and 1-ton	87 - 98
Pickup	Full-size, excl. step-side and 1-ton	62 - 87
S-10	Short bed 4x4	98 - 04
S-10	Long bed	83 - 04
S-10	Crew cab	01 - 04
S-15	Short bed 4x4	98 - 00
S-15	Long bed	88 - 04
S-15	Crew cab	01 - 04
Safari	Spare tire may need relocating	85 - 05
Safari	Extended cab	85 - 99
Silverado / Sierra 1500	Classic body, 8' bed	99 - 07
Silverado / Sierra 2500HD / 3500	Full-size, 8' bed, excl. step-side	01 - 07
Silverado / Sierra 2500LD	8' bed	99 - 07
Suburban	--	92 - 06
Tahoe	--	95 - 06
G-Series	Full-size van	78 - 96
Express / Savana	Full-size van	96 - 17
Venture	--	97 - 04
Yukon / Yukon XL	--	92 - 06
<b>Chrysler</b>		
Town & Country	Excl. Stow-n-Go	88 - 07
<b>Dodge</b>		
Caravan	Excl. Stow-n-Go	84 - 07
Dakota	--	86 - 04
Dakota	Quad cab	00 - 01
Pickup	Full-size, excl. 1-ton	62 - 87
Ramcharger	--	78 - 93

Make / Model	Style	Years
<b>Ford</b>		
Aerostar	Extended cab	86 - 97
Bronco	Full-size	78 - 97
Bronco II	--	84 - 90
Escape	--	01 - 04
F-150	Step-sides with 6' bed, spare tire may need relocating	97 - 03
F-150	8' bed	99 - 03
F-250	6' bed	99 - 16
F-250 / F-350	8' bed, excl. 20" spare tire	99 - 16
Pickup	6' and 8' beds, excl. step-sides and 1-ton	74 - 97
Ranger	Excl. 98 - 06 flare side	83 - 06
Ranger	8' bed only, spare tire needs relocating	83 - 11
E-series vans	Excl. 1-ton	80 - 15
Windstar	--	99 - 03
<b>Isuzu</b>		
Hombre	Short bed 4x4	98 - 00
<b>Jeep</b>		
Cherokee XJ	--	84 - 01
Grand Cherokee	--	93 - 98
Liberty	--	02 - 06
<b>Mazda</b>		
Pickup	Excl. 98 - 06 flare side	90 - 06
Tribute	--	01 - 04
<b>Nissan</b>		
Pickup and Frontier	56" bed	87 - 04
Pickup and Frontier	75" bed	87 - 04
<b>Plymouth</b>		
Trail Duster	--	74 - 91
Voyager	--	01 - 03
Voyager	--	84 - 03
<b>Toyota</b>		
Pickup	8' bed, excl. T100	87 - 94
Tundra	--	00 - 06





2  
INCH

## CLASS 5 MULTI-FIT HITCHES

- Provides a 2" x 2" receiver tube opening with 5 1/2" drop (#15510) or 7 1/2" drop (#15511) on the rear of the vehicle
- 15,000 lbs. GTW and 1,500 lbs. TW  
16,000 lbs. WD and 1,600 lbs. WDTW
- Multiple mounting holes to fit a variety of vehicles
- Robotically welded for superior strength and fit
- Includes strong, grade 8 mounting hardware
- Protected by a durable carbide powder coat finish
- [Limited lifetime warranty](#)



Make / Model	Style	Years	Part#
<b>Chevrolet / GMC</b>			
Cab & Chassis	34" frame (O.D.)	88 - 99	15510 or 15511
Pickup	Full-size, excluding short bed	62 - 87	15510 or 15511
<b>Dodge</b>			
Pickup	Full-size	72 - 93	15510 (5 1/2" drop)
Pickup	Full-size	72 - 96	15511 (7 1/2" drop)
<b>Ford</b>			
F-450 Cab & Chassis	2WD only	99 - 07	15510 or 15511
Pickup	Full-size, old body	67 - 99	15510 or 15511



2  
INCH

## UNIVERSAL WELD-ON TRAILER HITCHES

- Adjustable frame fits a variety of vehicles (side plates do not come pre-welded)
- Great for use with utility boxes
- Protected by a durable carbide powder coat finish
- [Limited lifetime warranty](#)



Part#	GTW / TW	Drop	Maximum Width	Minimum Width
15901	15,000 / 1,500 lbs.	3 1/8"	43"	18"
15902	15,000 / 1,500 lbs.	11 1/2"	43"	18"
15903	15,000 / 1,500 lbs.	11 1/2"	60"	18"



Side plates come unattached to allow for easy adjustment



2  
INCH

## BUMPER HITCHES

- Bolts onto the bottom of the truck's step bumper (#19030 and #19031)
- Fits flush to factory bumpers on 1994 - 2002 Dodge trucks (#19050)
- Includes safety chain hookups and mounting hardware
- Limited lifetime warranty



19030



19031



19050

Pkg#	GTW / TW	Bolt Pattern	Years	Fits
19030	5,000 / 500 lbs.	8 1/2" width on center	--	Most factory steel bumpers
19031	5,000 / 500 lbs.	10 1/2" width on center	--	Westin and DMI bumpers
19050	4,000 / 400 lbs.	8" width on center	94 - 02	Dodge pickups with one-piece factory-formed steel step bumper



2  
INCH

## RV BUMPER HITCHES

- Includes safety chain hookups and mounting hardware
- Limited lifetime warranty

Pkg#	GTW / TW	Fits
19100	3,500 / 350 lbs.	4" x 4" channel bumpers
19101	3,500 / 350 lbs.	2" x 4" channel bumpers



19100



19101



2  
INCH

## ADJUSTABLE RV TRAILER HITCHES

- Three-piece, adjustable design fits multiple frame sizes
- Designed for towing a trailer or small vehicle behind an RV
- Limited lifetime warranty



13701



13702



13703

Part#	GTW / TW	WD / WDTW	Fits Frames	Drop
13701	5,000 / 500 lbs.	6,000 / 600 lbs.	Up to 51" wide	2"
13702	5,000 / 500 lbs.	6,000 / 600 lbs.	Up to 51" wide	--
13703	3,500 / 350 lbs.	--	Up to 72" wide	--



# ADJUSTABLE TOW BAR

- Ideal for dingy towing a small vehicle behind an RV
- Adjusts in width from 26" to 41"
- Features a 2" heavy-duty coupler
- Lightweight, only weighs 31 lbs.
- Brackets bolt to the towed vehicle's bumper
- Universal bumper brackets and mounting hardware included



19745



19746



21500



19748



Tow bars adjust to fit different vehicles

Bulk#	Pkg#	Capacity	Ball Diameter	Finish	Dimensions	Description
--	19745	5,000 lbs.	2"	Gloss black	Adjusts from 26" to 41" in width	Adjustable tow bar
19746	--	--	--	Zinc-plated	1/2" diameter / 3" length	Replacement safety pin (new style)
21500	21501	--	--	Zinc-plated	5/8" diameter	Replacement pin & clip (old style)
19748	--	--	--	Gloss black	--	Bumper brackets (new style)



## RV HARNESSES

- Connects a towed vehicle to an RV using a standard 4-way flat trailer plug
- Simple plug-and-play design eliminates the need for cutting or splicing
- Integrated block diodes isolate sensitive vehicle electronics from RV signals
- Uses towed vehicle's existing taillights, brake lights and turn signals
- Includes harness, 4-flat extension, mounting bracket and hardware
- See page 252 for application guide

NEW



58901

58902



## TOWING LIGHTS

- Easily adds tow lights to a vehicle being dinghy towed
- Non-scratch magnetic base protects vehicle finish
- See page 268 for more information

Bulk#	Pkg#	Length	Plug	Description
53200	53204*	20'	4-way flat	Auxiliary towing lights



53204

53200

## 2 INCH FRONT MOUNT ACCESSORIES

- Fits any 2" x 2" receiver tube opening
- Designed for use with front mount hitches
- Can also be used with rear mount hitches when not towing a trailer
- Also see cargo carriers on pages 346 and 347



Part#	Description
31006	Spare tire mount (mounting hardware not included)
31001	Step pad with anti-skid surface
31002	License plate holder
31007	Skid shield
31010	Winch mount
31005	Winch mount handles
31009	Winch mount with handles



Step pad provides easy under the hood access (31001)



Provides protection for the front end and hitch (31007)



Allows a winch to be easily attached to a receiver (31009)



24" height accepts multiple tire sizes (31006)



2 INCH

## FRONT MOUNT HITCHES

- 2" x 2" receiver tube opening
- Up to 5,000 lbs. GTW and 500 lbs. TW / 9,000 lbs. straight line pull
- Provides a convenient mount for a snowplow or hitch accessory
- Allows for easy maneuvering of a trailer into a tight spot
- Tested for safety in accordance with SAE J684
- [Limited lifetime warranty](#)



### Front Mount Hitches

Make / Model	Style	Years	Part#	Foot Notes	GTW / TW (lbs.)	Price Code	Install Time	Main Body
<b>Buick</b>								
Enclave	--	08 - 12	31045	D, ●	3500 / 350	35	30	Exposed
Ranier	--	04 - 07	31055	D, ●	3500 / 350	71	45	Exposed
<b>Cadillac</b>								
Escalade	Excluding Hybrid	07 - 14	31012	D	5000 / 500	37	45	Concealed
	--	00 - 06	31302	D, ●	5000 / 500	55	60	Concealed
<b>Chevrolet</b>								
Avalanche	Excluding Z71	07 - 13	31012	D	5000 / 500	37	45	Concealed
	--	02 - 06	31302	D, ●	5000 / 500	55	60	Concealed
Blazer	4WD, excluding ZR2	95 - 05	31021	●	3500 / 350	29	30	Exposed
	Full-size SUV	92 - 94	31042	●	5000 / 500	41	30	Concealed

D = Minor fascia trim  
● = No drilling required

N = Continued while supplies last  
Applications continued on the following page

## Front Mount Hitches

Make / Model	Style	Years	Part#	Foot Notes	GTW / TW (lbs.)	Price Code	Install Time	Main Body
<b>Chevrolet (continued)</b>								
Colorado	--	15 - 17	31074	D, ●	5000 / 500	41	45	Concealed
	Z71 with front stabilizer bar	10 - 12	31030	D, ●	5000 / 500	29	20	Exposed
	Excl. Z71 with front stabilizer bar	10 - 12	31221	D, ●	5000 / 500	45	20	Concealed
	--	04 - 09	31221	●	5000 / 500	45	20	Concealed
Equinox	--	10 - 13	31032	D	3500 / 350	55	45	Concealed
Express	RV cutaway	03 - 03	31016	--	5000 / 500	25	35	Exposed
	--	96 - 02	31016	--	5000 / 500	25	35	Exposed
Pickup 1500 C / K Series	Old body	88 - 99	31042	●	5000 / 500	41	30	Concealed
Pickup 1500 Silverado	New body	14 - 18	31069	D	5000 / 500	37	45	Concealed
		14 - 18	31012	D	5000 / 500	37	45	Concealed
		07 - 13	31322	D, ●	5000 / 500	47	30	Concealed
	Classic body	99 - 07	31302	D, ●	5000 / 500	55	60	Concealed
Pickup 1500HD Silverado	Classic body	01 - 07	31108	D, ●	5000 / 500	47	30	Concealed
Pickup 2500 / 3500 C Series	Old body and 2WD	88 - 00	31043	--	5000 / 500	47	30	Exposed
Pickup 2500 / 3500 K Series	Old body and 4WD	88 - 00	31042	●	5000 / 500	41	30	Concealed
Silverado 2500 HD	High Country	15 - 15	31071	●	5000 / 500	37	25	Concealed
	LT	15 - 18	31071	●	5000 / 500	37	25	Concealed
	LTZ	15 - 18	31071	●	5000 / 500	37	25	Concealed
	WT	15 - 18	31071	●	5000 / 500	37	25	Concealed
	--	11 - 14	31023	D, ●	5000 / 500	17	30	Concealed
	New body	07 - 10	31109	●	5000 / 500	41	20	Concealed
	Classic body	00 - 07	31108	D, ●	5000 / 500	47	30	Concealed
Silverado 3500 HD	High Country	15 - 18	31071	●	5000 / 500	37	25	Concealed
	LT	15 - 18	31071	●	5000 / 500	37	25	Concealed
	LTZ	15 - 18	31071	●	5000 / 500	37	25	Concealed
	WT	15 - 18	31071	●	5000 / 500	37	25	Concealed
	--	11 - 14	31023	D, ●	5000 / 500	17	30	Concealed
	New body	07 - 10	31109	●	5000 / 500	41	20	Concealed
	Classic body	00 - 07	31108	D, ●	5000 / 500	47	30	Concealed
S-10 Pickup	4WD, excluding ZR2	94 - 04	31021	●	3500 / 350	29	30	Exposed
Suburban	--	15 - 17	31073	D	5000 / 500	37	45	Concealed
	Excluding Hybrid	07 - 14	31012	D	5000 / 500	37	45	Concealed
	--	00 - 06	31302	D, ●	5000 / 500	55	60	Concealed
	Old body and 2WD	92 - 99	31043	--	5000 / 500	47	30	Exposed
		92 - 99	31042	●	5000 / 500	41	30	Concealed
Suburban 2500 Series	--	01 - 06	31108	D, ●	5000 / 500	47	30	Concealed
Tahoe	LS	15 - 17	31073	D	5000 / 500	37	45	Concealed
	LT	15 - 17	31073	D	5000 / 500	37	45	Concealed
	Premier	17 - 17	31073	D	5000 / 500	37	45	Concealed
	LTZ	15 - 16	31073	D	5000 / 500	37	45	Concealed
	--	07 - 14	31012	D	5000 / 500	37	45	Concealed
		00 - 06	31302	D, ●	5000 / 500	55	60	Concealed
		Old body	95 - 99	31042	●	5000 / 500	41	30
Trailblazer	--	02 - 09	31055	D, ●	3500 / 350	71	45	Exposed
Traverse	--	09 - 12	31045	D, ●	3500 / 350	36	30	Exposed
<b>Chrysler</b>								
Aspen	--	06 - 09	31297	D, ●	5000 / 500	69	30	Exposed

D = Minor fascia trim  
● = No drilling required

N = Continued while supplies last  
Applications continued on the following page

## Front Mount Hitches

Make / Model	Style	Years	Part#	Foot Notes	GTW / TW (lbs.)	Price Code	Install Time	Main Body
<b>Dodge</b>								
Dakota	--	08 - 10	31230	D, ●	3500 / 350	75	20	Exposed
		05 - 07	31228	D, ●	5000 / 500	91	30	Exposed
	4WD	00 - 04	31080	●	3500 / 350	63	40	Concealed
	--	98 - 99	31097	D, ●	3500 / 350	55	20	Exposed
Durango	Without OE tow hooks	14 - 17	31033	D	3000 / 300	57	35	Concealed
	Citadel, without OE tow hooks	11 - 13	31033	D	3000 / 300	57	35	Concealed
	Crew, without OE tow hooks	11 - 13	31033	D	3000 / 300	57	35	Concealed
	Express, without OE tow hooks	11 - 11	31033	D	3000 / 300	57	35	Concealed
	Special service, without OE tow hooks	12 - 13	31033	D	3000 / 300	57	35	Concealed
	SXT, without OE tow hooks	13 - 13	31033	D	3000 / 300	57	35	Concealed
	--	07 - 09	31297	D, ●	5000 / 500	69	30	Exposed
		04 - 06	31297	●	5000 / 500	69	30	Exposed
		00 - 03	31080	●	3500 / 350	63	40	Concealed
	98 - 99	31097	D, ●	3500 / 350	55	20	Exposed	
Ram 1500	Laramie, 4WD	09 - 10	31374	D	5000 / 500	41	30	Concealed
	SLT, 4WD	09 - 10	31374	D	5000 / 500	41	30	Concealed
	Sport, 4WD	09 - 10	31374	D	5000 / 500	41	30	Concealed
	ST, 4WD	09 - 10	31374	D	5000 / 500	41	30	Concealed
	TRX4, 4WD	09 - 10	31374	D	5000 / 500	41	30	Concealed
	Excluding Mega cab	06 - 08	31320	D	5000 / 500	47	30	Concealed
	Sport	06 - 07	31321	--	5000 / 500	47	30	Concealed
	--	02 - 05	31320	D, ●	5000 / 500	47	30	Concealed
		02 - 02	31604	--	5000 / 500	63	45	Concealed
		97 - 96	31604	--	5000 / 500	63	45	Concealed
	Laramie	97 - 01	31604	--	5000 / 500	63	45	Concealed
	SS/T 5.9L	97 - 98	31604	--	5000 / 500	63	45	Concealed
	ST	97 - 01	31604	--	5000 / 500	63	45	Concealed
	WS	97 - 01	31604	--	5000 / 500	63	45	Concealed
Ram 1500	Mega cab	06 - 08	31017	D	3500 / 350	53	30	Exposed
Ram 2500	4WD, incl. 2012 with OE winch	10 - 10	31015	D, ●	5000 / 500	49	30	Concealed
	Including Mega cab	03 - 09	31017	D	3500 / 350	53	30	Exposed
Ram 3500	--	10 - 10	31065	D	3500 / 350	45	45	Exposed
	Excluding Laramie	03 - 09	31017	D	3500 / 350	53	30	Exposed
Ram Pickup	--	94 - 02	31604	D, ●	5000 / 500	63	45	Exposed
<b>Ford</b>								
E-150	--	08 - 14	31053	D	5000 / 500	35	30	Exposed
	Including RV cutaway	91 - 07	33055	--	5000 / 500	35	20	Concealed
E-250	--	08 - 14	31053	D	5000 / 500	35	30	Exposed
	Including RV cutaway	91 - 07	33055	--	5000 / 500	35	20	Concealed
E-350 Super Duty	--	08 - 14	31053	D	5000 / 500	35	30	Exposed
	Including RV cutaway	91 - 07	33055	--	5000 / 500	35	20	Concealed
Edge	--	11 - 12	31050	D	3500 / 350	53	30	Concealed
Escape	--	11 - 12	31025	D	3500 / 350	41	40	Exposed
		05 - 10	31650	D	3500 / 350	55	90	Exposed
Excursion	Fog light removal required	00 - 05	31114	●	5000 / 500	75	45	Concealed

D = Minor fascia trim  
● = No drilling required

N = Continued while supplies last  
Applications continued on the following page

## Front Mount Hitches

Make / Model	Style	Years	Part#	Foot Notes	GTW / TW (lbs.)	Price Code	Install Time	Main Body
<b>Ford (continued)</b>								
Expedition	--	09 - 17	31068	D, ●	5000 / 500	45	30	Exposed
	4WD	07 - 08	31368	D, ●	5000 / 500	45	30	Concealed
	4WD with OE tow hooks	03 - 08	31352	D, ●	5000 / 500	45	30	Concealed
		99 - 02	31038	●	5000 / 500	49	45	Concealed
		97 - 98	31049	●	5000 / 500	47	30	Concealed
Explorer	Excluding 2.0L EcoBoost	11 - 16	31052	D	3500 / 350	55	30	Exposed
	--	07 - 10	31545	●	5000 / 500	59	30	Concealed
	Excluding Sport	02 - 06	31540	D	5000 / 500	37	30	Concealed
		97 - 01	31051	--	3500 / 350	53	30	Concealed
Explorer Sport Trac	--	07 - 10	31545	●	5000 / 500	59	30	Concealed
		01 - 06	31029	--	5000 / 500	41	30	Exposed
		01 - 06	31407	●	3500 / 350	33	20	Exposed
F-150	King Ranch	15 - 18	31070	D, ●	5000 / 500	45	45	Concealed
	Lariat	15 - 18	31070	D, ●	5000 / 500	45	45	Concealed
	Limited	16 - 18	31070	D, ●	5000 / 500	45	45	Concealed
	Platinum	15 - 18	31070	D, ●	5000 / 500	45	45	Concealed
	SSV	16 - 18	31070	D, ●	5000 / 500	45	45	Concealed
	XL	15 - 18	31070	D, ●	5000 / 500	45	45	Concealed
	XLT	15 - 18	31070	D, ●	5000 / 500	45	45	Concealed
	--	09 - 14	31068	D, ●	5000 / 500	45	30	Exposed
	4WD EcoBoost only	11 - 13	31057	S, ●	5000 / 500	33	20	Exposed
	Excluding Heritage Edition	04 - 08	31352	D, ●	5000 / 500	45	30	Concealed
	4WD with OE tow hooks	99 - 03	31038	●	5000 / 500	49	45	Concealed
		97 - 98	31049	●	5000 / 500	47	30	Concealed
		92 - 96	31026	--	5000 / 500	53	30	Concealed
F-150 Heritage Edition	4WD	04 - 04	31038	●	5000 / 500	49	45	Concealed
F-250	New body	99 - 03	31038	●	5000 / 500	49	45	Concealed
		97 - 98	31049	●	5000 / 500	47	30	Concealed
	Old body, 4WD	97 - 97	31310	●	5000 / 500	41	30	Concealed
	Old body, 2WD	97 - 97	31311	●	5000 / 500	45	25	Exposed
	4WD	92 - 96	31310	●	5000 / 500	41	30	Concealed
	2WD	92 - 96	31311	●	5000 / 500	45	25	Exposed
F-250 Super Duty	King Ranch	17 - 18	31078	D, ●	5000 / 500	53	30	Concealed
	Lariat	17 - 18	31078	D, ●	5000 / 500	53	30	Concealed
	Platinum	17 - 18	31078	D, ●	5000 / 500	53	30	Concealed
	XL	17 - 18	31078	D, ●	5000 / 500	53	30	Concealed
	XLE	17 - 18	31078	D, ●	5000 / 500	53	30	Concealed
	4WD	11 - 16	31018	D, ●	5000 / 500	57	45	Concealed
	--	08 - 10	31008	D, ●	5000 / 500	37	20	Concealed
	Without blocker beam, fog light removal required	99 - 07	31114	--	5000 / 500	75	60	Concealed
	With blocker beam only	99 - 03	31014	--	5000 / 500	75	45	Concealed
F-350	F-350HD, 4WD	97 - 97	31310	●	5000 / 500	41	30	Concealed
	2WD Diesel	97 - 97	31311	●	5000 / 500	45	25	Exposed
	4WD	92 - 96	31310	●	5000 / 500	41	30	Concealed
	2WD	92 - 96	31311	●	5000 / 500	45	25	Exposed

D = Minor fascia trim  
● = No drilling required

N = Continued while supplies last  
Applications continued on the following page

## Front Mount Hitches

Make / Model	Style	Years	Part#	Foot Notes	GTW / TW (lbs.)	Price Code	Install Time	Main Body	
<b>Ford (continued)</b>									
F-350 Super Duty	King Ranch	17 - 18	31078	D, ●	5000 / 500	53	30	Concealed	
	Lariat	17 - 18	31078	D, ●	5000 / 500	53	30	Concealed	
	Platinum	17 - 18	31078	D, ●	5000 / 500	53	30	Concealed	
	XL	17 - 18	31078	D, ●	5000 / 500	53	30	Concealed	
	XLE	17 - 18	31078	D, ●	5000 / 500	53	30	Concealed	
	4WD	11 - 16	31018	D, ●	5000 / 500	57	45	Concealed	
	--	08 - 10	31008	D, ●	5000 / 500	37	20	Concealed	
	Without blocker beam, fog light removal required	99 - 07	31114	--	5000 / 500	75	60	Concealed	
	With blocker beam only	99 - 03	31014	--	5000 / 500	75	45	Concealed	
F-350 Super Duty Cab & Chassis	With 34" Frame (O.D.)	08 - 10	31008	D, ●	5000 / 500	37	20	Concealed	
		99 - 07	31114	--	5000 / 500	75	60	Concealed	
F-450 Super Duty	--	17 - 17	31078	D, ●	5000 / 500	53	30	Concealed	
		08 - 10	31008	D, ●	5000 / 500	37	20	Concealed	
F-450 Super Duty Cab & Chassis	With 34" Frame (O.D.)	08 - 10	31008	D, ●	5000 / 500	37	20	Concealed	
		99 - 07	31114	--	5000 / 500	75	60	Concealed	
F-550 Super Duty Cab & Chassis	With 34" Frame (O.D.)	08 - 10	31008	D, ●	5000 / 500	37	20	Concealed	
		99 - 07	31114	--	5000 / 500	75	60	Concealed	
Ranger	Will not fit models with front cross member or Canadian built 2WD models	92 - 11	31063	D	3500 / 350	53	30	Concealed	
<b>GMC</b>									
Acadia	--	09 - 12	31045	D, ●	3500 / 350	35	30	Exposed	
Canyon	--	15 - 17	31074	D, ●	5000 / 500	41	45	Concealed	
		Z71 with front stabilizer bar	10 - 12	31030	D, ●	5000 / 500	29	20	Exposed
		Excl. Z71 with front stabilizer bar	10 - 12	31221	D, ●	5000 / 500	45	20	Concealed
		--	04 - 09	31221	●	5000 / 500	45	20	Concealed
Envoy	--	02 - 09	31055	D, ●	3500 / 350	71	45	Exposed	
Jimmy	4WD, excluding ZR2	94 - 01	31021	●	3500 / 350	29	30	Exposed	
Pickup 1500 C / K Series	Old body	88 - 99	31042	●	5000 / 500	41	30	Concealed	
Pickup 1500 Sierra	New body	14 - 18	31069	D	5000 / 500	37	45	Concealed	
		14 - 18	31012	D	5000 / 500	37	45	Concealed	
		07 - 13	31322	D, ●	5000 / 500	47	30	Concealed	
	Classic body	99 - 07	31302	D, ●	5000 / 500	55	60	Concealed	
Pickup 1500HD Sierra	Classic body	01 - 07	31108	D, ●	5000 / 500	47	30	Concealed	
Pickup 2500 / 3500 C Series	Old body and 2WD	88 - 00	31043	--	5000 / 500	47	30	Exposed	
Pickup 2500 / 3500 K Series	Old body and 4WD	88 - 00	31042	●	5000 / 500	41	30	Concealed	
Sierra 2500 HD	Base	15 - 18	31071	●	5000 / 500	37	25	Concealed	
	Denali	15 - 18	31071	●	5000 / 500	37	25	Concealed	
	SLE	15 - 18	31071	●	5000 / 500	37	25	Concealed	
	SLT	15 - 18	31071	●	5000 / 500	37	25	Concealed	
	--	11 - 14	31023	D, ●	5000 / 500	17	30	Concealed	
	New body	07 - 10	31109	●	5000 / 500	41	20	Concealed	
	Classic body	00 - 07	31108	D, ●	5000 / 500	47	30	Concealed	
	Sierra 3500 HD	Base, Denali, SLE	15 - 18	31071	●	5000 / 500	37	25	Concealed
		SLT	15 - 18	31071	●	5000 / 500	37	25	Concealed
11 - 14			31023	D, ●	5000 / 500	17	30	Concealed	
New body		07 - 10	31109	●	5000 / 500	41	20	Concealed	
Classic body		00 - 07	31108	D, ●	5000 / 500	47	30	Concealed	

D = Minor fascia trim  
● = No drilling required

N = Continued while supplies last  
Applications continued on the following page



## Front Mount Hitches

Make / Model	Style	Years	Part#	Foot Notes	GTW / TW (lbs.)	Price Code	Install Time	Main Body
<b>GMC (continued)</b>								
Savana	RV cutaway	03 - 03	31016	--	5000 / 500	25	35	Exposed
	--	96 - 02	31016	--	5000 / 500	25	35	Exposed
Sonoma	4WD, excluding ZR2	94 - 04	31021	●	3500 / 350	29	30	Exposed
Terrain	--	10 - 13	31032	D	3500 / 350	55	45	Concealed
Yukon	--	15 - 17	31073	D	5000 / 500	37	45	Concealed
	Excluding Hybrid	07 - 14	31012	D	5000 / 500	37	45	Concealed
	New body	00 - 06	31302	D, ●	5000 / 500	55	60	Concealed
	Old body	92 - 00	31042	●	5000 / 500	41	30	Concealed
Yukon XL	--	15 - 17	31073	D	5000 / 500	37	45	Concealed
Yukon XL 1500	Excluding Hybrid	07 - 14	31012	D	5000 / 500	37	45	Concealed
	--	00 - 06	31302	D, ●	5000 / 500	55	60	Concealed
Yukon XL 2500	--	01 - 06	31108	D, ●	5000 / 500	47	30	Concealed
<b>Honda</b>								
Pilot	--	12 - 15	31064	--	3500 / 350	37	60	Exposed
		09 - 11	31024	D	3500 / 350	33	60	Exposed
		03 - 08	33328	D, ●	3500 / 350	55	35	Exposed
Ridgeline	--	17 - 17	31082	D	5000 / 500	55	30	Exposed
		05 - 14	33328	D, ●	3500 / 350	55	35	Exposed
<b>Hummer</b>								
H3	--	06 - 10	31270	●	3000 / 300	45	30	Exposed
<b>Hyundai</b>								
Santa Fe	--	10 - 11	31034	D, N	3500 / 350	47	45	Exposed
		07 - 09	31035	N	3500 / 350	49	45	Exposed
<b>Jeep</b>								
Cherokee	Excluding Grand Cherokee	84 - 01	31084	D	3000 / 300	25	30	Exposed
Comanche	--	86 - 92	31084	D	3000 / 300	25	30	Exposed
Commander	4WD	06 - 10	31056	--	3500 / 350	53	45	Exposed
Grand Cherokee	Laredo, Limited, Overland, without OE tow hooks	11 - 17	31033	D	3000 / 300	57	35	Concealed
	Summit, without OE tow hooks	14 - 17	31033	D	3000 / 300	57	35	Concealed
	75th Anniversary, without OE tow hooks	16 - 16	31033	D	3000 / 300	57	35	Concealed
	Overland Summit, without OE tow hooks	12 - 12	31033	D	3000 / 300	57	35	Concealed
	--	05 - 10	31047	D	3000 / 300	49	90	Exposed
	--	02 - 04	31048	--	3500 / 350	49	45	Concealed
Liberty	--	08 - 13	31020	D	3000 / 300	57	20	Concealed
	4WD	02 - 07	31022	--	3500 / 350	35	30	Exposed
Wagoneer	Excluding Grand Wagoneer	84 - 90	31084	D	3000 / 300	25	30	Exposed
Wrangler	With Hard Rock bumper only	07 - 17	31433	●	3500 / 525	47	20	Exposed
	Excl. Rock Hard / 75th Anni. bumpers	07 - 17	31432	D, ●	3500 / 350	47	45	Concealed
	--	97 - 06	31028	--	3500 / 350	45	30	Exposed
	--	87 - 06	31408	D, ●	3500 / 350	25	30	Exposed
<b>Lincoln</b>								
Mark LT	--	06 - 08	31352	D, ●	5000 / 500	45	30	Concealed
Navigator	--	09 - 17	31068	D, ●	5000 / 500	45	30	Exposed
	4WD	07 - 08	31368	D, ●	5000 / 500	45	30	Concealed
<b>Mazda</b>								
Tribute	--	05 - 11	31650	D	3500 / 350	55	90	Exposed

D = Minor fascia trim  
● = No drilling required

N = Continued while supplies last  
Applications continued on the following page

## Front Mount Hitches

Make / Model	Style	Years	Part#	Foot Notes	GTW / TW (lbs.)	Price Code	Install Time	Main Body	
<b>Mercury</b>									
Mariner	--	11 - 11	31025	D	3500 / 350	41	40	Exposed	
		05 - 10	31650	D	3500 / 350	55	90	Exposed	
Mountaineer	--	07 - 10	31545	●	5000 / 500	59	30	Concealed	
<b>Mitsubishi</b>									
Raider	--	08 - 09	31230	D, ●	3500 / 350	75	20	Exposed	
<b>Nissan</b>									
Armada	--	17 - 17	31081	●	5000 / 500	55	30	Exposed	
Frontier	--	05 - 17	31241	●	3500 / 350	37	35	Exposed	
Pathfinder	--	05 - 12	31241	●	3500 / 350	37	35	Exposed	
Titan	4WD	09 - 15	31061	--	5000 / 500	69	45	Exposed	
	--	04 - 08	31199	--	5000 / 500	49	45	Exposed	
Titan XD	--	16 - 17	31077	●	5000 / 500	45	20	Exposed	
Xterra	--	05 - 15	31514	●	3500 / 350	59	35	Exposed	
<b>Ram</b>									
Ram 1500	Big Horn, 4WD	11 - 17	31374	D	5000 / 500	41	30	Concealed	
	Express, 4WD	12 - 17	31374	D	5000 / 500	41	30	Concealed	
	Laramie, 4WD	11 - 18	31374	D	5000 / 500	41	30	Concealed	
	Laramie Limited, 4WD	14 - 15	31374	D	5000 / 500	41	30	Concealed	
	Laramie Longhorn, 4WD	11 - 18	31374	D	5000 / 500	41	30	Concealed	
	Limited, 4WD	15 - 18	31374	D	5000 / 500	41	30	Concealed	
	Lone Star, 4WD	14 - 17	31374	D	5000 / 500	41	30	Concealed	
	Outdoorsman, 4WD	11 - 16	31374	D	5000 / 500	41	30	Concealed	
	Rebel, 4WD	15 - 18	31374	D	5000 / 500	41	30	Concealed	
	SLT, 4WD	11 - 18	31374	D	5000 / 500	41	30	Concealed	
	Special Service, 4WD	14 - 18	31374	D	5000 / 500	41	30	Concealed	
	Sport, 4WD	11 - 18	31374	D	5000 / 500	41	30	Concealed	
	ST, 4WD	--	18 - 18	31374	D	5000 / 500	41	30	Concealed
			11 - 12	31374	D	5000 / 500	41	30	Concealed
Tradesman, 4WD	11 - 18	31374	D	5000 / 500	41	30	Concealed		
Ram 2500	4WD, incl. 2012 with factory winch	11 - 16	31015	D, ●	5000 / 500	49	30	Concealed	
Ram 3500	--	17 - 17	31067	D, ●	5000 / 500	61	30	Both	
	Crew, extended and standard cabs	13 - 16	31067	D, ●	5000 / 500	61	30	Both	
	--	11 - 12	31065	D	3500 / 350	45	45	Exposed	
<b>Suzuki</b>									
Equator	4WD	09 - 12	31241	●	3500 / 350	37	35	Exposed	
<b>Toyota</b>									
4Runner	TRD Off-Road	17 - 17	31076	●	3500 / 350	63	20	Exposed	
	Limited	10 - 17	31054	●	3500 / 350	61	30	Exposed	
	SR5	--	10 - 13	31054	●	3500 / 350	61	30	Exposed
			14 - 17	31076	●	3500 / 350	63	20	Exposed
			14 - 16	31076	●	3500 / 350	63	20	Exposed
	Trail	--	07 - 09	31367	●	3500 / 350	61	30	Exposed
			10 - 13	31367	●	3500 / 350	61	30	Exposed
07 - 14			31367	●	3500 / 350	61	30	Exposed	
FJ Cruiser	--	07 - 14	31367	●	3500 / 350	61	30	Exposed	
Sequoia	--	08 - 17	31198	●	5000 / 500	17	20	Exposed	
		01 - 07	31180	--	5000 / 500	49	40	Exposed	
Tacoma	--	16 - 17	31075	D, ●	3500 / 350	47	30	Exposed	
		05 - 15	31313	●	3500 / 350	75	35	Exposed	
		01 - 04	31013	--	5000 / 500	45	45	Exposed	
Tundra	--	07 - 17	31198	●	5000 / 500	17	20	Exposed	
		00 - 06	31180	--	5000 / 500	49	40	Exposed	

D = Minor fascia trim  
● = No drilling required

N = Continued while supplies last