. . .

	1. Product and Company	Identification	
Product Code:	06193 WERCS		
Product Name:	First Street Stainless Steel Cleaner		
Manufacturer Information:			
Company Name:	Smart and Final 600 Citadel Drive Commerce, CA 90040		
Emergency Contact:	infotrac	(805)355-5053	
Information:	www.smartandfinal.com	(323)869-7500	
Supplier Name and Addres	s:		
Company Name:	Amerifoods Trading Co.		
	P.O. Box 512377		
	Los Angeles, CA 90051-0377		
Information:		(800)427-3443 7600	
Recommended Use:	Polish		
Intended Use:	For sale to, use and storage by service persons only.		
2. Hazards Identification			

Aspiration Toxicity, Category 1 Acute Toxicity: Oral, Category 4 Acute Toxicity: Inhalation, Category 4 Skin Corrosion/Irritation, Category 2



GHS Signal Word:	Danger
GHS Hazard Phrases:	H304 - May be fatal if swallowed and enters airways.
	H302 - Harmful if swallowed.
	H332 - Harmful if inhaled.
	H315 - Causes skin irritation.
GHS Precaution Phrases:	P264 - Wash hands thoroughly after handling.
	P102 - Keep out of reach of children.
	P270 - Do not eat, drink or smoke when using this product.
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear protective gloves, protective clothing, eye protection, face protection.
	P362+364 - Take off contaminated clothing and wash it before reuse.
GHS Response Phrases:	P301+312 - If swallowed: Call a Poison Center or doctor if you feel unwell. P331 - Do
-	NOT induce vomiting.
	P330 - Rinse mouth.
	P304+340 - If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P302+352 - If on skin (or in hair): Wash with plenty of soap and water.
	P305+351+338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
GHS Storage and Disposal Phrases:	P501 - Dispose of contents and container according to the local, city, state and federal regulations.
	P411+235 - Store in cool dry place at room temperature away from direct sunlight.

Inhalation:May cause dizziness, headaches and irritation. Avoid breathing vapors or mists.Skin Contact:Can cause skin irritation and dryness with prolonged skin contact. Avoid any skin contact.			longed skin contact. Avoid any skin
Eye Contact	: May cause eye irritation.		
Ingestion: Toxic by ingestion.			
	3. Composition/Info	rmation on Ir	ngredients
CAS #	Hazardous Components (Chemical Name)	Concentration	
64742-47-8	Hydrotreated light distillate (petroleum)	40.0 -70.0 %	
8042-47-5	Technical white oil* (regulated as mist only)	10.0 -30.0 %	
5989-27-5	(R)-1-Methyl-4-(1-methylethenyl)-cyclohexene	1.0 -3.0 %	
2481-94-9	-94-9 N,N-Diethyl-p-(phenylazo)aniline < 0.001 %		
	4. First A	id Measures	
Emergency	and First Aid		

In Case of Skin Contact:	In case of contact, flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.
In Case of Eye Contact:	In case of contact, immediately flush eyes with plenty of water for a t least 15 minutes. Get medical aid.

difficult, give oxygen. Get medical aid.

In Case of Ingestion:Potential for aspiration if swallowed. Get medical aid immediately. Do not induce<br/>vomiting unless directed to do so by medical personnel. Never give anything by mouth to<br/>an unconscious person. If vomiting occurs naturally, have victim lean forward.Note to Physician:Treat symptomatically and supportively.

-			
	5. Fire Fighting Measures		
Flash Pt:	> 230.00 F Method Used: Cleveland Closed Cup		
Explosive Limits:	LEL: N/A N.E. UEL: N/A N.E.		
Autoignition Pt:	NE		
Suitable Extinguishing Medi	a:CO2, dry foam, water.		
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool.		
Flammable Properties and Hazards:	No data available.		
Hazardous Combustion Products:	No data available.		

Page: 3 Printed: 07/01/2020 Revision: 02/11/2019

6. Accidental Release Measures						
Material Is Released OrSpills/Leaks: AbsorbSpilled:in suitable containerwaterways. Clean u			al protective equipment as indicated in Section 8. rb spill with inert material (e.g. vermiculite, sand or earth), then place er. Avoid runoff into storm sewers and ditches which lead to up spills immediately, observing precautions in the Protective . Remove all sources of ignition. Provide ventilation.			
7. Handling and Storage						
Precautions To Be Taken in Handling:Wash thoroughly a skin, and clothing.Precautions To Be Taken in Keep away from sci			-	adequate ventilation. Av e in a tightly closed conta patible substances.		
	8	. Exposure Co	ontrols/Persona	al Protection		
CAS #	Partial Chemical	Name	OSHA TWA	ACGIH TWA	Other Limits	
64742-47-8	Hydrotreated light	t distillate (petroleum)	No data.	TLV: 200 mg/m3	No data.	
8042-47-5	Technical white o only)	il* (regulated as mist	No data.	No data.	No data.	
5989-27-5	(R)-1-Methyl-4-(1 exene	-methylethenyl)-cycloh	No data.	No data.	No data.	
2481-94-9	N,N-Diethyl-p-(ph	enylazo)aniline	No data.	No data.	No data.	
OSHA's eye and f EN166.Protective Gloves:Wear appropriateOther Protective Clothing:Wear appropriateEngineering ControlsUse adequate ver		OSHA's eye and fa EN166. Wear appropriate p Wear appropriate p	te protective eyeglasses or chemical safety goggles as described by d face protection regulations in 29 CFR 1910.133 or European Standard te protective gloves to prevent skin exposure. te protective clothing to prevent skin exposure. entilation to keep airborne concentrations low.			
(Ventilation etc.): 9. Physical and		and Chemical F	Properties			
pH:NPMelting Point:NEBoiling Point:> 450.00 F		with lemon fragrance.	closed Cup N.E.			

-	vity (Water = 1):	~ 0.815				
Density:		~ 6.80 LB/GA				
Bulk density:	:	NE				
Solubility in	Water:	Insoluble				
Saturated Va	por	NE				
Concentratio	n:					
Octanol/Wate Coefficient:	er Partition	No data.				
VOC / Volum	e:	20.0000 G/L				
Autoignition	Pt:	NE				
Decompositi	on Temperature	: NE				
Viscosity:		NP				
Particle Size:	:	NE				
Heat Value:		NE				
Corrosion Ra	ate:	NE				
		10. Stability and Re	activity			
Stability:		Unstable [ ] Stable [ X ]				
•		ignition sources.				
Instability:						
Incompatibili Avoid:	ty - Materials To	Strong oxidizing agents, Water.				
Hazardous D Byproducts:	ecomposition o	r CO, CO2.				
Possibility of Reactions:	Hazardous	Will occur [ ] Will not occur [ X ]				
	Conditions To Avoid - None. lazardous Reactions:					
		11. Toxicological Inf	ormation			
Toxicologica	I Information:	No data available.				
Carcinogenicity/Other       CAS# 64742-47-8: Not listed by ACGIH, IARC, NTP, or CA Prop 65.         Information:       CAS# 64742-47-8: Not listed by ACGIH, IARC, NTP, or CA Prop 65.						
CAS #	CAS # Hazardous Components (Chemical Name)			IARC	ACGIH	OSHA
64742-47-8	Hydrotreated light distillate (petroleum)		n.a.	n.a.	A4	n.a.
8042-47-5	Technical white oil* (regulated as mist only)		n.a.	n.a.	n.a.	n.a.
5989-27-5	(R)-1-Methyl-4-(2	n.a.	3	n.a.	n.a.	
2481-94-9	04-9 N,N-Diethyl-p-(phenylazo)aniline			n.a.	n.a.	n.a.
12. Ecological Information						


No data available.

Page: 5 Printed: 07/01/2020 Revision: 02/11/2019

13. Disposal Considerations		
Waste Disposal Method:         Dispose of contents and container according to the local, city, state and federal regulations.		
	14. Transport Information	
LAND TRANSPORT (US DOT)	:	
DOT Proper Shipping Nam DOT Hazard Class: UN/NA Number: LAND TRANSPORT (Canadian	ne: Not regulated as a hazardous material.	
TDG Shipping Name: Not Regulated.		
MARINE TRANSPORT (IMDG/IMO):		
IMDG/IMO Shipping Name	e: Not Regulated.	
AIR TRANSPORT (ICAO/IATA	):	
ICAO/IATA Shipping Name	e: Not Regulated.	
15. Regulatory Information		

This material meets the EPA	[X] Yes [ ] No	Acute (immediate) Health Hazard
'Hazard Categories' defined	[ ] Yes [X] No	Chronic (delayed) Health Hazard
for SARA Title III Sections	[ ] Yes [X] No	Fire Hazard
311/312 as indicated:	[ ] Yes [X] No	Sudden Release of Pressure Hazard
	[ ] Yes [X] No	Reactive Hazard

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
64742-47-8	Hydrotreated light distillate (petroleum)	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No
8042-47-5	Technical white oil* (regulated as mist only)	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No
5989-27-5	(R)-1-Methyl-4-(1-methylethenyl)-cyclohexene	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No
2481-94-9	N,N-Diethyl-p-(phenylazo)aniline	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No



Additional Information About No data available.

This Product:

Company Policy or Disclaimer: The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.