TV400-32 Solar Home System

AZ002766 (kit) comprising: AZ002659 (PV Module); AZ002653 (Control Unit); AZ003128 (LED Tube Light); AZ003081 (LED Light); AZ002388 (32" TV); AZ002370 (Torch); AZ002477 (radio); AZ002199 (phone charging cable); AZ000876 (Extension Cable)

Azuri Technologies, Ltd.

Verify online:

Results based on test procedures detailed in IEC TS 62257-9-5 and IEC TS 62257-9-8

Verify online: https://data.verasol.org/products/sek/az-tv400 Valid until: October 31, 2021



Meets the requirements in IEC TS 62257-9-8 for Size B Kits



Mobile charging

Pay-As-You-Go option available



Light point(s)



Plug-and-play



WARRANTY INFORMATION PERFORMANCE DETAILS

A 3-year warranty covering manufacturing defects in the system, a 2-year warranty for the TV, and a 1-year warranty for the radio, torch, and phone charging cable.

				Run time after a typica	Il day of solar charging		
				(assuming 5kWh/m²/day)			
VeraSol Certified?	Included in Kit?	Appliance ^a	Description	Used alone ^b	Used in combination ^c		
yes	included	Main lighting unit	4 light points on highest setting totaling 600 lumens and 4.3 W power	23 hours	11 hours		
yes	included	Torch	1.9 Ah battery, 3.7 V nominal voltage, 79 lumens	110 hours	11 hours		
yes	included	32" Television	32" diagonal (13.8 W power consumption while in-use)	14 hours	5.6 hours		
yes	included	A5 Radio	Portable (1 Ah battery, 3.7 V nominal voltage), with a power consumption of 0.19 W while inuse	520 hours	8.5 hours		
no	not included	Mobile phone	Smart phone (5.7 Wh battery)	23 full charge(s)	2.8 full charge(s)		

Available daily electrical energy ^c (Wh/day)	190
---	-----

(Additional energy may be available for daytime use of appliances.)

Performance measure	Brightness setting: brightest		
Lighting full battery run time ^d for main unit (hours)	23		
Lighting full battery run time of the torch powered by torch battery (hours)	6		
Total lighting service (lumen-hours/solar-day) (includes the both main lighting unit and any lights with internal batteries included with the product)	14000		

^a Only included appliances were tested. Run times and power ratings for appliances sold separately come from manufacturer ratings or standard estimates.

d Lighting full battery run time estimates do not account for mobile phone charging or other auxiliary loads; the run time is defined as the time until the output is 70% of the initial, stabilized output.

LIGHTING DETAILS									
Lamp name	Number of lamps	Number of settings	Setting	Light output (lm)	Lumen efficacy ^e (Im/W)	CRI ^f	CCTa	Distribution type	Lumen maintenance ^h
LED light	2	3	maximum	150	140	81	4100	Wide	99%
LED Tube Light	2	3	maximum	280	120	83	4100	Wide	99%
Torch	1	2	high	79	80	73	6000	Narrow	98%

^e Lumen efficacy is the power consumption at a light point during the light output test.

^b Without any other loads used during the run time

^c Based on an example use profile with all of the appliances listed in the "Used in combination" column used simultaneously.

^fColor Rendering Index. An index of 100 is equivalent to viewing objects in daylight; above 80 is considered good.

g Correlated Color Temperature in degrees Kelvin. Describes color appearance as warm (2700-3000 K), cool (3000-5000 K), or daylight (>5000 K)

^h Percent of the original light output that remains after 2,000 hours of run time

PORTS 2	USB 2.0 type A		Mobile and smart phones, torches, and radios can be charged				
4	Barrel jack						
	•	12 V lighting ports					
2 DURABILITY	3 pole barrel jack		12 V accessory port, can be used for powering TVs				
Overall durability a	and workmanship		Pass				
	· · · · · · · · · · · · · · · · · · ·		Switch test, Drop test, Strain relief test, Physical ingress protection, PV durability tests				
Durability tests passed		Main Unit	Switch test, Drop test, Strain rener test, Physical ingress protection, PV durability tests				
			Water ingress protection not tested, meant for indoor use only.				
		PV module	Has protection from permanent outdoor exposure				
Level of water pro	Level of water protection		Has protection from frequent rain; met IPX3				
		A5 Radio	Has protection from occasional rain; met with appropriate warning label				
		32" Television	Water ingress protection not tested, meant for indoor use only.				
SOLAR DETAILS							
PV module type PV maximum pow			Monocrystalline silicon 84 watts				
			84 watts				
MAIN UNIT BATT			Net and the second of the seco				
Battery replaceabi	lity		Not easily replaceable with common tools.				
Battery chemistry			Lithium iron phosphate				
Battery package ty	/ре		26650 x 4P x 4S				
Battery capacity			13 Ah				
Battery nominal vo	oltage		12.8 V				
Battery status indi-	Battery status indication		Four indicators for function buttons, one indicator for credit and low battery status, one screen for credit, battery state of charge, PV charging intensity and protection status.				
MARKS AND CEI	RTIFICATIONS						
Factory certificatio	n		ISO 9001:2015 (Radio, Control unit, Lights, Torch, PV Module, TV); ISO 14001:2015 (Radio, Control Unit PV Module, LED Light, LED Tube Light); ISO 45001:2015 (PV module)				
PRODUCT DETA	LS						
Manufacturer name			Azuri Technologies, Ltd.				
Product name			TV400-32 Solar Home System				
Product model / ID number			AZ002766 (kit) comprising: AZ002659 (PV Module); AZ002653 (Control Unit); AZ003128 (LED Tube Light); AZ003081 (LED Light); AZ002388 (32" TV); AZ002370 (Torch); AZ002477 (radio); AZ002199 (phone charging cable); AZ000876 (Extension Cable)				
Contact information			info@azuri-technologies.com				
Website			www.azuri-technologies.com				
Dimensions (entire product in package)			Multiple packages. Contact manufacturer for more information.				
Mass			Timulupie packages. Contact manufacturer for more information.				
SSS INFORMATIO	N						
Specs sheet expiration date			October 31, 2021				
Revision			2021.06				