## Sun King Home 200X SK-434 Greenlight Planet



Meets the requirements in IEC TS 62257-9-8 for Size B Kits

Mobile charging

Pay-As-You-Go option available

3

PAYG

Light point(s)

Plug-and-play



A two-year warranty covering manufacturing defects in the system.

## PERFORMANCE DETAILS

				Run time after a typica	Il day of solar charging
				(assuming 5	kWh/m²/day)
VeraSol Certified?	Included in Kit?	Appliance <sup>a</sup>	Description	Used alone <sup>b</sup>	Used in combination <sup>c</sup>
yes	included	Main lighting unit	3 tubelights on (Turbo) totaling 570 lumens and 4W	6.2 hours	5.2 hours
no	not included	Mobile phone	Basic phone (3.7 Wh battery)	7.1 full charge(s)	1.7 full charge(s)

25 Available daily electrical energy<sup>c</sup> (Wh/day)

Performance measure	Brightness setting: Turbo		
Lighting full battery run time <sup>d</sup> for main unit (hours)	6.2		
Total lighting service (lumen-hours/solar-day) (includes the both main lighting unit and any lights with internal batteries included with the product)	3530		

- \*Only included appliances were tested. Run times and power ratings for appliances sold separately come from manufacturer ratings or standard estimates.
- <sup>b</sup> Without any other loads used during the run time
- <sup>c</sup> Based on an example use profile with all of the appliances listed in the "Used in combination" column used simultaneously.
- d Lighting full battery run time estimates do not account for mobile phone charging or other auxiliary loads; the run time is defined as the time until the output is 70% of the initial, stabilized output.

LIGHTING DETAILS									
Lamp name	Number of lamps	Number of settings	Setting	Light output (lm)	Lumen efficacy <sup>e</sup> (Im/W)	CRI <sup>f</sup>	CCT <sup>g</sup>	Distribution type	Lumen maintenance <sup>h</sup>
Tubelight	3	3	Turbo	190	160	82	6025	Wide	100%
		Ŭ	Medium	120	160	-			

<sup>&</sup>lt;sup>e</sup> Lumen efficacy is the power consumption at a light point during the light output test.

<sup>&</sup>lt;sup>f</sup>Color Rendering Index. An index of 100 is equivalent to viewing objects in daylight; above 80 is considered good.

g Correlated Color Temperature in degrees Kelvin. Describes color appearance as warm (2700-3000 K), cool (3000-5000 K), or daylight (>5000 K)

<sup>&</sup>lt;sup>h</sup> Percent of the original light output that remains after 2,000 hours of run time

SPECIAL FEATURES						
PAYG 🜟	Pay-As-You-Go enabled					
PORTS						
1 USB 2.0 type A		Mobile phones can be charged.				
4 Barrel jack	-	12V ports available to power a TV, and three are designated for both powering light points or an battery expansion pack.				
DURABILITY						
Overall durability and workmanship		Pass				
Durability tests passed		Switch test, Strain relief test, Physical ingress protection, PV durability tests				
	Main Unit	Water ingress protection not tested, meant for indoor use only.				
Level of water protection	PV module	Has protection from permanent outdoor exposure				
	Tubelight	Water ingress protection not tested, meant for indoor use only.				
SOLAR DETAILS						
PV module type		Polycrystalline silicon				
PV maximum power		11 watts				
MAIN UNIT BATTERY DETAILS						
Battery replaceability		Easily replaceable with common tools; however, the warranty is void if product is opened.				
Battery chemistry		Lithium-ion				
Specific Li-ion battery chemistry		lithium nickel manganese cobalt oxide				
Battery package type		18650				
Battery capacity		2.55 Ah				
Battery nominal voltage		11.1 V				
Battery status indication		Five indicators on the main unit are for battery state of charge, denoted by either green or red bars.				
PRODUCT DETAILS						
Manufacturer name		Greenlight Planet				
Product name		Sun King Home 200X				
Product model / ID number		SK-434				
Contact information		sales@greenlightplanet.com				
Website		www,greenlightplanet.com				
Dimensions (entire product in package)		16 x 13.5 x 6 cm				
Mass		3030 g				
SSS INFORMATION						
Specs sheet expiration date		December 31, 2023				
Revision		2021.12				