

VeraSol

Standardized Specifications Book

Company Name: JUA Energy Co., Ltd.

Brand Name: JUA Energy

Component Family Name: Home Mate H3 family

Family Expiration Date: September 30, 2026

Verify Online: <https://data.verasol.org/products/sek/jua-h3family>

Contact Information: hill.ren@juaenergy.com

Website: www.juaenergy.com



This VeraSol Standardized Specifications Book presents a **component-level Standardized Specifications Sheet** listing the available components in the product family by component type, each individual component's performance rating, and performance results for each component tested according to the Edition 4 of IEC 62257-9-5. Following the component-level Standardized Specifications Sheet is a **list of the systems** covered by this Specifications Book that use combinations of these components.

NOTICE: Systems or kits developed using components from the component family will each perform differently and have not all been evaluated on a system-level basis. All systems listed in this Specifications Book are regarded to have passed IEC TS 62257-9-8.

Quality Standards Framework Version: 2025

Revision: 2025.06

Component-Level Standardized Specifications Sheet

JUA Energy Co., Ltd.

Home Mate H3 family

Batteries / Control Boxes

Name / Model Number	Battery Chemistry	Nominal Voltage (V)	Battery Capacity Rating (mAh)	Measured Battery Capacity (mAh)
38 Wh battery	Lithium iron phosphate	6.4	6000	5900
56 Wh battery	Lithium iron phosphate	9.6	6000	5800
76 Wh battery	Lithium iron phosphate	6.4	12000	Not tested
110 Wh battery	Lithium iron phosphate	6.4	18000	18000

PV Modules

Name / Model Number	Peak Power at STC Rating (W)	Measured Peak Power at STC (W)
12 W monocrystalline PV module	12	12
20 W monocrystalline PV module	20	Not tested
30 W monocrystalline PV module	30	Not tested
40 W monocrystalline PV module	40	38
50 W monocrystalline PV module	50	48

Light Sources*

Name / Model Number	Luminous Flux Rating (lm)		Measured Luminous Flux (lm)		Measured Lamp Efficacy (lm/W)	
	High	Low	High	Low	High	Low
130 lm lamp	130	Not tested	150	Not tested	120	Not tested
200 lm shaded lamp	200	Not tested	270	Not tested	120	Not tested
300 lm lamp	300	Not tested	440	Not tested	120	Not tested

* Light points and appliances may perform differently when used with different systems.

NOTICE: As indicated, not all components listed on this page were tested according to the Quality Test Method (QTM) in Edition 4 of IEC 62257-9-5. However, based on the satisfactory performance of the tested components in the family, the components that were not tested are regarded to have passed IEC TS 62257-9-8:2020. In addition, all tested components passed an internal inspection, the full array of applicable QTM durability tests, as well as ingress protection testing (where applicable).

List of Covered Systems

JUA Energy Co., Ltd.

Home Mate H3 family

System Name	Number of each component included in each system											
	130 lm lamp	200 lm lamp	300 lm lamp	12 W monocrystalline PV module	20 W monocrystalline PV module	30 W monocrystalline PV module	40 W monocrystalline PV module	50 W monocrystalline PV module	38 Wh main unit	56 Wh main unit	76 Wh main unit	110 Wh main unit
H3-38	2	1	--	1	--	--	--	--	1	--	--	--
H3G-38°	2	1	--	1	--	--	--	--	1	--	--	--
H3-38A	2	1	--	--	1	--	--	--	1	--	--	--
H3G-38A°	2	1	--	--	1	--	--	--	1	--	--	--
H3-56	3	--	1	--	1	--	--	--	--	1	--	--
H3G-56°	3	--	1	--	1	--	--	--	--	1	--	--
H3-76	2	1	--	--	--	1	--	--	--	--	1	--
H3G-76°	2	1	--	--	--	1	--	--	--	--	1	--
H3G-76C°	--	3	--	--	1	--	--	--	--	--	1	--
H3-110	--	3	1	--	--	--	1	--	--	--	--	1
HOME MATE Solar Energy System (H3G-110)° **	--	3	1	--	--	--	1	--	--	--	--	1
H3-110A	--	3	1	--	--	--	--	1	--	--	--	1
H3G-110A°	--	3	1	--	--	--	--	1	--	--	--	1

**Tested as full systems. Individual SSS available on VeraSol website.

° Kit has PAYG function.

NOTICE:

Only the kits denoted with ** were tested as full systems according to Edition 4 of IEC 62257-9-5 and passed IEC 62257-9-8 standards. An Individual Standardized Specification Sheet (SSS) that reports system-level performance is available for these systems at VeraSol.org. Systems that were not tested, but that were developed using components from the component family will perform differently than the system(s) shown in the individual system-level SSS. All systems listed above are regarded to have passed IEC 62257-9-8.

Unless otherwise noted, the following information applies to all listed systems and components:

Warranty Information
A 2-year warranty covering manufacturing defects in the system.

Available Daily Electrical Energy and Port Information

JUA Energy Co., Ltd.
Home Mate H3 family

System Name	Available Daily Electrical Energy (Wh/day)	Includes ports for charging?
HOME MATE Solar Energy System (H3G-110) ^{° **}	120	yes
H3-38	42	yes

**Tested as full systems. Individual SSS available on VeraSol website.

[°] Kit has PAYG function.

NOTICE:

The available daily electrical energy (Wh/day) is calculated for fully tested systems following the energy service calculations as described in IEC/TS 62257-9-5 Ed. 4. For products in a family that are not tested as a full system, estimations of available daily electrical energy (Wh/day) are calculated according to an alternative method using data from the test reports of fully-tested products and components.