VeraSol Standardized Specifications Book

Company Name: StarTimes Software Technology Co., Ltd.

Brand Name: StarTimes

Component Family Name: S50 Family

Date of Standardized

Specifications Book Expiration: August 31, 2025

Verify Online: https://data.verasol.org/products/sek/st-s50family

Contact Information: wangliang@startimes.com.cn

Website: www.startimes.com.cn

This VeraSol Standardized Specifications Book presents a **component-level Standardized Specifications Sheet** listing the available components in the product family by component type, each individual component's performance rating, and performance results for each component tested according to the Edition 4 of IEC 62257-9-5. Following the component-level Standardized Specifications Sheet is a **list of the systems** covered by this Specifications Book that use combinations of these components.

NOTICE: Systems or kits developed using components from the component family will each perform differently and have not all been evaluated on a system-level basis. All systems listed in this Specifications Book are regarded to have passed IEC TS 62257-9-8.

Quality Standards Framework Version: 2024

Revision: 2024.07

Component-Level Standardized Specifications Sheet

StarTimes Software Technology Co., Ltd.
S50 Family

| Battery / Control Box | | | | |
|------------------------|------------------------|------------------------|-------------------------------------|---------------------------------------|
| Name / Model Number | Battery Chemistry | Nominal Voltage (V) | Battery Capacity Rating (mAh) | Measured Battery Capacity (mAh) |
| 4 Ah battery | Lithium iron phosphate | 9.6 | 4000 | 4050 |

| PV Module | | | | |
|----------------------------|---------------------------------|-----------------------------------|--|--|
| Name / Model Number | Peak Power at STC Rating (W) | Measured Peak Power at STC (W) | | |
| 10 W PV module (PV10W) | 10 | 10 | | |
| 11 W PV modules (PV11W) | 11 | not tested | | |
| 15 W PV module (PV15W) | 15 | 13 | | |
| 2x 11 W PV modules (PV11W) | 22 | 23 | | |

| Light Sources* | | | | |
|---------------------|---------------------------|--------------------------------|----------------------------------|--|
| | Luminous Flux Rating (lm) | Measured Luminous Flux (lm) | Measured Lamp Efficacy (Im/W) | |
| Name / Model Number | High | High | High | |
| Hanging Lamp | 130 | 120 | 120 | |

^{*}Light points and appliances may perform differently when used with different systems.

NOTICE: As indicated, not all components listed on this page were tested according to the Quality Test Method (QTM) in Edition 4 of IEC 62257-9-5. However, based on the satisfactory performance of the tested components in the family, the components that were not tested are regarded to have passed IEC TS 62257-9-8:2020. In addition, all tested components passed an internal inspection, the full array of applicable QTM durability tests, as well as ingress protection testing (where applicable).

List of Covered Systems

StarTimes Software Technology Co., Ltd. S50 Family

| Number of each component included in each system | | | | | |
|--|----------------|----------------|----------------|----------------|--------------|
| System Name | 4 Ah main unit | 10 W PV module | 11 W PV module | 15 W PV module | Hanging Lamp |
| S50° ** | 1 | 1 | | | 3 |
| S50A° | 1 | | 1 | | 3 |
| S50B° | 1 | | 2 | | 3 |
| S50C° | 1 | | | 1 | 3 |

^{**}Tested as full systems. Individual SSS available on VeraSol website.

NOTICE:

Only the kits denoted with ** were tested as full systems according to Edition 4 of IEC 62257-9-5 and passed IEC 62257-9-8 standards. An Individual Standardized Specification Sheet (SSS) that reports system-level performance is available for these systems at VeraSol.org. Systems that were not tested, but that were developed using components from the component family will perform differently than the system(s) shown in the individual system-level SSS. All systems listed above are regarded to have passed IEC 62257-9-8.

Unless otherwise noted, the following information applies to all listed systems and components:

Warranty Information

A 2-year warranty for the main unit with the battery and integrated radio, and the included hanging lamps; a 1-year warranty for the included USB charging cables (optional); and a 5-year warranty for the PV module.

[°]Kit has PAYG function

Available Daily Electrical Energy and Port Information

StarTimes Software Technology Co., Ltd. S50 Family

| System Name | Available Daily Electrical Energy (Wh/day) | Includes ports for charging? |
|-------------|--|------------------------------|
| S50°** | 26 | yes |
| S50A° | 32 | yes |
| S50B° | 41 | yes |
| S50C° | 37 | yes |

^{**}Tested as full systems. Individual SSS available on VeraSol website.

NOTICE:

The available daily electrical energy (Wh/day) is calculated for fully tested systems following the energy service calculations as described in IEC/TS 62257-9-5 Ed. 4. For products in a family that are not tested as a full system, estimations of available daily electrical energy (Wh/day) are calculated according to an alternative method using data from the test reports of fully-tested products and components.

[°]Kit has PAYG function