

VeraSol

Standardized Specifications Book

Company Name: Zimpertec GmbH & Co. KG

Brand Name: Zimpertec

Component Family Name: LSX Family

Family Expiration Date: September 30, 2028

Verify Online: <https://data.verasol.org/products/sek/zim-lsxfamily>

Contact Information: info@zimpertec.com

Website: www.zimpertec.com



This VeraSol Standardized Specifications Book presents a component-level Standardized Specifications Sheet listing the available components in the product family by component type, each individual component's performance rating, and performance results for each component tested according to the Edition 5 of IEC 62257-9-5. Following the component-level Standardized Specifications Sheet is a list of the systems covered by this Specifications Book that use combinations of these components.

NOTICE: Systems or kits developed using components from the component family will each perform differently and have not all been evaluated on a system-level basis. All systems listed in this Specifications Book are regarded to have passed IEC TS 62257-9-8.

Quality Standards Framework Version: 2025

Revision: 2025.1

Component-Level Standardized Specifications Sheet

Zimpertec GmbH & Co. KG

LSX Family

Batteries / Control Boxes

Name / Model Number	Battery Chemistry	Nominal Voltage (V)	Battery Capacity Rating (mAh)	Measured Battery Capacity (mAh)
11.5 Ah main unit	Lithium iron phosphate	12.8	11.5	12
23 Ah main unit	Lithium iron phosphate	12.8	23	24

PV Modules

Name / Model Number	Peak Power at STC Rating (W)	Measured Peak Power at STC (W)
50 W PV module (SP050-18P_9_5.5-2.5)	50	51
80 W PV module (SP080-18P_08_5.5-2.5)	80	73

Light Sources^

Name / Model Number	Luminous Flux Rating (lm)	Measured Luminous Flux (lm)	Measured Lamp Efficacy (lm/W)
	on	on	on
3 W lamp(SFLw-12/03CW-06T)	445	380	120
Zimper Lux-Ultra ZL-U 445 lm lamp(ZL-U/ZL-U-TS)	445	380	130
2 W lamp(SFLw-12/02CW-06T)	310	270	140
Zimper Lux-Pro ZL-P 215 lm lamp(ZL-P/ZL-P-TS)	215	190	130

Appliances^

Name / Model Number	Description	Rated Power (W)	Measured Power During Use (W)	Rated Battery Capacity (mAh)	Measured Battery Capacity (mAh)
32" TV	32" diagonal (13 W power consumption while in-use)	13	13	--	--

^ Light points and appliances may perform differently when used with different systems.

NOTICE: As indicated, not all components listed on this page were tested according to the Quality Test Method (QTM) in Edition 5 of IEC 62257-9-5. However, based on the satisfactory performance of the tested components in the family, the components that were not tested are regarded to have passed IEC TS 62257-9-8:2025. In addition, all tested components passed an internal inspection, the full array of applicable QTM durability tests, as well as ingress protection testing (where applicable).

List of Covered Systems

Zimpertec GmbH & Co. KG

LSX Family

Number of each component included in each system									
System Name	11.5 Ah main unit	23 Ah main unit	3 W lamp (SFLw-12/03CW-06T)	Zimper Lux-Ultra ZL-U 445 lm lamp (ZL-U/ZL-U-TS)	2 W lamp (SFLw-12/02CW-06T)	Zimper Lux-Pro ZL-P 215 lm lamp (ZL-P/ZL-P-TS)	50 W PV module (SP050-18P_9_5.5-2.5)	80 W PV module (SP080-18P_08_5.5-2.5)	32" TV
LSX115-K001 **	1	--	--	--	3	--	1	--	--
LSX115-K002	1	--	3	--	--	--	1	--	--
LSX115-K003	1	--	--	--	4	--	1	--	--
LSX115-K004	1	--	--	--	6	--	1	--	--
LSX115-K005	1	--	--	--	--	3	1	--	--
LSX115-K006	1	--	--	3	--	--	1	--	--
LSX230-K001	--	1	--	--	3	--	--	1	--
LSX230-K003	--	1	--	--	4	--	--	1	--
LSX230-K004	--	1	--	--	6	--	--	1	--
LSX230-K005	--	1	--	--	--	3	--	1	--
LSX230-K006	--	1	--	3	--	--	--	1	--
LSX230-K007	--	1	--	--	--	5	--	1	--
LSX230-K008	--	1	--	--	--	6	--	1	1
LSX115-SP050-FLEX	1	--	0-8	0-8	0-8	0-8	1	--	0-1
LSX115-SP080-FLEX	1	--	0-8	0-8	0-8	0-8	--	1	0-1
LSX230-SP050-FLEX	--	1	0-8	0-8	0-8	0-8	1	--	0-1
LSX230-SP080-FLEX	--	1	0-8	0-8	0-8	0-8	--	1	0-1

**Tested as full systems. Individual SSS available on VeraSol website.

NOTICE:

Only the kits denoted with ** were tested as full systems according to Edition 5 of IEC 62257-9-5 and passed IEC 62257-9-8 standards. An Individual Standardized Specification Sheet (SSS) that reports system-level performance is available for these systems at VeraSol.org. Systems that were not tested, but that were developed using components from the component family will perform differently than the system(s) shown in the individual system-level SSS. All systems listed above are regarded to have passed IEC TS 62257-9-8:2025.

Unless otherwise noted, the following information applies to all listed systems and components:

Warranty Information

A 3-year warranty covering manufacturing defects in the system

Available Daily Electrical Energy and Port Information

Zimpertec GmbH & Co. KG

LSX Family

System Name	Available Daily Electrical Energy (Wh/day)	Includes ports for charging?
LSX115-K001**	189	yes
LSX230-K008	247	yes
LSX230-K001	247	yes

**Tested as full systems. Individual SSS available on VeraSol website.

NOTICE:

The available daily electrical energy (Wh/day) is calculated for fully tested systems following the energy service calculations as described in IEC/TS 62257-9-5 Edition 5. For products in a family that are not tested as a full system, estimations of available daily electrical energy (Wh/day) are calculated according to an alternative method using data from the test reports of fully-tested products and components.