

VeraSol

Standardized Specifications Book

Company Name: ShenZhen LEMI Technology Development Co., Ltd.

Brand Name: LEMI

Component Family Name: Soalight Family

Family Expiration Date: October 31, 2028

Verify Online: <https://data.verasol.org/products/sek/sc-slfamily>

Contact Information: 21988186@qq.com

Website: <http://www.lemi.com.cn/>



This VeraSol Standardized Specifications Book presents a component-level Standardized Specifications Sheet listing the available components in the product family by component type, each individual component's performance rating, and performance results for each component tested according to the Edition 5 of IEC 62257-9-5. Following the component-level Standardized Specifications Sheet is a list of the systems covered by this Specifications Book that use combinations of these components.

NOTICE: Systems or kits developed using components from the component family will each perform differently and have not all been evaluated on a system-level basis. All systems listed in this Specifications Book are regarded to have passed IEC TS 62257-9-8.

Quality Standards Framework Version: 2025

Revision: 2025.11

Component-Level Standardized Specifications Sheet

ShenZhen LEMI Technology Development Co., Ltd.

Soalight Family

Batteries / Control Boxes

Name / Model Number	Battery Chemistry	Nominal Voltage (V)	Battery Capacity Rating (mAh)	Measured Battery Capacity (mAh)
6.5 Ah main unit battery	Lithium iron phosphate	3.2	6.5	6.9
8 Ah main unit battery	Lithium iron phosphate	3.2	8	9.3

PV Modules

Name / Model Number	Peak Power at STC Rating (W)	Measured Peak Power at STC (W)
8 W PV module	8	8.8
10 W PV module	10	10

Light Sources^

Name / Model Number	Luminous Flux Rating (lm)				Measured Luminous Flux (lm)				Measured Lamp Efficacy (lm/W)			
	High	Medium	Low	On	High	Medium	Low	On	High	Medium	Low	On
2 W dimmable bulb	300	not tested	not tested	--	380	not tested	not tested	--	250	not tested	not tested	--
3 W dimmable bulb	500	not tested	not tested	--	610	not tested	not tested	--	250	not tested	not tested	--
2 W bulb	--	--	--	300	--	--	--	370	--	--	--	250
3 W bulb	--	--	--	500	--	--	--	620	--	--	--	250
USB lamp	--	--	--	80	--	--	--	110	--	--	--	100

^ Light points and appliances may perform differently when used with different systems.

NOTICE: As indicated, not all components listed on this page were tested according to the Quality Test Method (QTM) in Edition 5 of IEC 62257-9-5. However, based on the satisfactory performance of the tested components in the family, the components that were not tested are regarded to have passed IEC TS 62257-9-8:2025. In addition, all tested components passed an internal inspection, the full array of applicable QTM durability tests, as well as ingress protection testing (where applicable).

List of Covered Systems

ShenZhen LEMI Technology Development Co., Ltd.

Soalight Family

Number of each component included in each system									
System Name	6.5 Ah main unit	8 Ah main unit	8 W PV module	10 W PV module	2 W dimming bulb	3 W dimming bulb	2 W bulb	3 W bulb	USB lamp
LM-Soalight 3208	1	--	1	--	1	1	--	--	--
LM-Soalight 3210 (LM-Soalight 3210-B8.0-b2(1)3(1)) **	--	1	--	1	1	1	--	--	--
LM-Soalight 32 ^{°°°} -B ^{°°} -(a/b)2(°)3(°)	0-1	0-1	0-1	0-1	0-1	0-1	0-1	0-1	0-1

**Tested as full systems. Individual SSS available on VeraSol website.

Kits are labeled LM-Soalight 32^{°°°}-B^{°°}-(a/b)2(°)3(°);

^{°°°} stands for the power of PV module, including 08(8W),10(10W);

^{°°} stands for the capacity of the LiFePO4 battery, including 6.5(6.5Ah), 8.0(8AH);

2 stands for 2W LED bulb, 3 stands for 3W LED bulb;

(°) stands for the quantity of LED bulb;

(a) stands for the bulb without dimming.

(b) standing for the bulb with dimming.

NOTICE:

Only the kits denoted with ** were tested as full systems according to Edition 5 of IEC 62257-9-5 and passed IEC 62257-9-8 standards. An Individual Standardized Specification Sheet (SSS) that reports system-level performance is available for these systems at VeraSol.org. Systems that were not tested, but that were developed using components from the component family will perform differently than the system(s) shown in the individual system-level SSS. All systems listed above are regarded to have passed IEC TS 62257-9-8:2025.

Unless otherwise noted, the following information applies to all listed systems and components:

Warranty Information

A 2-year warranty covering manufacturing defects in the system.

Available Daily Electrical Energy and Port Information

ShenZhen LEMI Technology Development Co., Ltd.

Soalight Family

System Name	Available Daily Electrical Energy (Wh/day)	Includes ports for charging?
LM-Soalight 3208	15	yes
LM-Soalight 3210 (LM-Soalight 3210-B8.0-b2(1)3(1))**	29	yes

**Tested as full systems. Individual SSS available on VeraSol website.

NOTICE:

The available daily electrical energy (Wh/day) is calculated for fully tested systems following the energy service calculations as described in IEC/TS 62257-9-5 Edition 5. For products in a family that are not tested as a full system, estimations of available daily electrical energy (Wh/day) are calculated according to an alternative method using data from the test reports of fully-tested products and components.