

VeraSol

Standardized Specifications Book

Manufacturer: Bboxx Ltd

Component Family Name: bPower60 Family

**Date of Standardized
Specifications Book Expiration:** June 30, 2025

Verify Online: <https://data.verasol.org/products/sek/bb-bpower20family>

Contact Information: c.baker-brian@bboxx.co.uk

Website: www.bboxx.com



This VeraSol Standardized Specifications Book presents a **component-level Standardized Specifications Sheet** listing the available components in the product family by component type, each individual component's performance rating, and performance results for each component tested according to the Edition 4 of IEC 62257-9-5. Following the component-level Standardized Specifications Sheet is a **list of the systems** covered by this Specifications Book that use combinations of these components.

NOTICE: Systems or kits developed using components from the component family will each perform differently and have not all been evaluated on a system-level basis. All systems listed in this Specifications Book are regarded to have passed IEC TS 62257-9-8.

Quality Standards Framework Version: 2023

Revision: 2025.06

Component-Level Standardized Specifications Sheet

Bboxx Ltd

bPower60 Family

Battery / Control Box

Name / Model Number	Battery Chemistry	Nominal Voltage (V)	Battery Capacity Rating (Ah)	Measured Battery Capacity (Ah)
bPower40 6.4 V 6.6 Ah battery (PW-A02)	Lithium iron phosphate	6.4	6.6	6.8
bPower60 6.4 V 9.9 Ah battery (PW-A03)	Lithium iron phosphate	6.4	9.9	9.9
3.7 V 2.4 Ah Battery (radio)	Lithium ion	3.7	2.5	2.5

PV Module

Name / Model Number	Peak Power at STC Rating (W)	Measured Peak Power at STC (W)
10 W PV (SP10)	10	10
20 W PV (SP20)	20	20

Light Sources*

Name / Model Number	Luminous Flux Rating (lm)			Measured Luminous Flux (lm)			Measured Lamp Efficacy (lm/W)		
	High	Medium	Low	High	Medium	Low	High	Medium	Low
1.4 W dimmable bulb (LI0202)	160	110	50	180	--	--	130	--	--
1.3 W dimmable bulb (LI02070101)	170	120	85	180	--	--	130	--	--
1.4 W 12 V Tubelight (LI02060101)	200	140	70	230	--	--	150	--	--
Torch (LI0204)	160	110	50	180	--	--	130	--	--

Appliances*

Name / Model Number	Description	Rated Power (W)	Measured Power During Use (W)	Rated Battery Capacity (Ah)	Measured Battery Capacity (Ah)
Torch (LI0204)	160 lumen torch, Li-ion battery: 2.5Ah, 3.7V.	1.5	1.4	2.5	2.5
Radio (AC0094)	portable Li-ion battery: 2.4Ah, 3.7V.	3	0.72	2.4	2.4
24" Optimized TV (TV00080101)	24" diagonal	16	9.6	--	--

*Light points and appliances may perform differently when used with different systems.

NOTICE: As indicated, not all components listed on this page were tested according to the Quality Test Method (QTM) in Edition 4 of IEC 62257-9-5. However, based on the satisfactory performance of the tested components in the family, the components that were not tested are regarded to have passed IEC TS 62257-9-8:2020. In addition, all tested components passed an internal inspection, the full array of applicable QTM durability tests, as well as ingress protection testing (where applicable).

List of Covered Systems

Bboxx Ltd

bPower60 Family

System Name	Number of each component included in each system									
	1.4 W dimmable bulb	1.3 W dimmable bulb	Tubelight	Torch	Radio	24" TV	10 W PV	20 W PV	bPower40 6.4V 6.6Ah battery (PW-A02)	bPower60 6.4V 9.9Ah battery (PW-A03)
bPower40 Solar Home System (PW-A02 Kit 01)	3	--	--	1	1	--	1	--	1	--
PW-A02 Kit 02	3	--	1	1	1	--	1	--	1	--
PW-A02 Kit 03	--	3	--	1	1	--	1	--	1	--
PW-A02 Kit 04	--	3	1	1	1	--	1	--	1	--
bPower60 Solar Home System (PW-A03 Kit 01) **	3	--	--	1	1	1	--	1	--	1
PW-A03 Kit 02	3	--	1	1	1	1	--	1	--	1
PW-A03 Kit 03	--	3	--	1	1	1	--	1	--	1
PW-A03 Kit 04	--	3	1	1	1	1	--	1	--	1

**Tested as full systems. Individual SSS available on VeraSol website.

NOTICE:

Only the kits denoted with ** were tested as full systems according to Edition 4 of IEC 62257-9-5 and passed IEC 62257-9-8 standards. An Individual Standardized Specification Sheet (SSS) that reports system-level performance is available for these systems at VeraSol.org. Systems that were not tested, but that were developed using components from the component family will perform differently than the system(s) shown in the individual system-level SSS. All systems listed above are regarded to have passed IEC 62257-9-8.

Unless otherwise noted, the following information applies to all listed systems and components:

Warranty Information

A minimum of 3 years warranty for the main units, solar panel and lights, and 1 year warranty for other accessories.

Available Daily Electrical Energy and Port Information

Bboxx Ltd
bPower60 Family

System Name	Available Daily Electrical Energy (Wh/day)	Includes ports for charging?
bPower40 Solar Home System (PW-A02 Kit 01)	34	yes
bPower60 Solar Home System (PW-A03 Kit 01)**	62	yes

**Tested as full systems. Individual SSS available on VeraSol website.

NOTICE:

The available daily electrical energy (Wh/day) is calculated for fully tested systems following the energy service calculations as described in IEC/TS 62257-9-5 Ed. 4. For products in a family that are not tested as a full system, estimations of available daily electrical energy (Wh/day) are calculated according to an alternative method using data from the test reports of fully-tested products and components.