VeraSol Standardized Specifications Book

Manufacturer: fosera Group

Component Family Name: Spark Solar Home System Family

Date of Standardized Specifications Book Expiration: March 31, 2022

Verify Online: https://data.verasol.org/products/sek/fs-sshsfamily

Contact Information: info@fosera.com

Website: www.fosera.com



This VeraSol Standardized Specifications Book presents a **component-level Standardized Specifications Sheet** listing the available components in the product family by component type, each individual component's performance rating, and performance results for each component tested according to the Edition 4 of IEC 62257-9-5. Following the component-level Standardized Specifications Sheet is a **list of the systems** covered by this Specifications Book that use combinations of these components.

<u>NOTICE</u>: Systems or kits developed using components from the component family will each perform differently and have not all been evaluated on a system-level basis. All systems listed in this Specifications Book are regarded to have passed the applicable Lighting Global Quality Standards.

Quality Standards Framework Version: 2020 Revision: 2021.02

Component-Level Standardized Specifications Sheet fosera Group

Spark Solar Home System Family

Battery / Control Box						
Name / Model Number	Battery Chemistry	Nominal Voltage (V)	Battery Capacity Rating (Ah)	Measured Battery Capacity (Ah)		
Spark 10	Lithium iron phosphate	3.2	3.8	3.8		
Spark 20	Lithium iron phosphate	3.2	7.6	not tested		
Spark 30	Lithium iron phosphate	3.2	11.4	11.4		

PV Module

Name / Model Number	Peak Power at STC Rating (W)	Measured Peak Power at STC (W)
4 W module	4	3.8
6 W module	6	not tested
10 W module	10	9

Light Sources*

	Luminous Flux Rating (Im)		Measured Luminous Flux (Im)		Measured Lamp Efficacy (Im/W)	
Name / Model Number	High	Medium	High	Medium	High	Medium
Lamp mini 100	100		94		140	
Lamp mini 150	150	75	141	72	131	126

NOTICE: As indicated, not all components listed on this page were tested according to the Quality Test Method (QTM) in Edition 4 of IEC 62257-9-5. However, based on the satisfactory performance of the tested components in the family, the components that were not tested are regarded to have passed the applicable Lighting Global Quality Standards. In addition, all tested components passed an internal inspection, the full array of applicable QTM durability tests, as well as ingress protection testing (where applicable).

*Light points and appliances may perform differently when used with different systems.

List of Covered Systems fosera Group Spark Solar Home System Family

		Number of each component included in each system						
System Name	Main Unit with 3.8 Ah battery	Main Unit with 7.6 Ah battery	Main Unit with 11.4 Ah battery	4 W PV module	6 W PV module	10 W PV Module	Lamp Mini 100	Lamp Mini 150
Fosera Spark 10**	1			1			2	
Fosera Spark 10- 150	1			1				2
Fosera Spark 10- Multi	1			1			0-3	0-3
Fosera Spark 20		1			1		2	
Fosera Spark 20- 150		1			1			2
Fosera Spark 20- Multi		1			1		0-3	0-3
Fosera Spark 30			1			1	2	
Fosera Spark 30- 150			1			1		2
Fosera Spark 30- Multi			1			1	0-3	0-3
Fosera Spark 30 EEA			1			1		3

**Tested as full systems. Individual SSS available on VeraSol website.

All systems feature either Angaza or Paygee PAYG systems, and an integrated keypad for access.

NOTICE:

Only the Spark 10 was fully tested as a system according to Edition 4 of IEC 62257-9-5. An individual Standardized Specifications Sheets (SSS) that reports system-level performance is available for the Spark 10 at https://data.verasol.org Systems that were not tested, but that were developed using components from the component family will perform differently than the system(s) shown in the individual system-level SSS. All systems listed above are regarded to have passed the applicable Lighting Global Quality Standards.

Unless otherwise noted, the following information applies to all listed systems and components:

Warranty Information

A three-year warranty covers defects in materials or manufacturing

Marks and Certifications

ISO 9001:2015; ISO14001:2015

Available Daily Electrical Energy

fosera Group

Spark Solar Home System Family

System Name	Available Daily Electrical Energy (Wh/day)			
Fosera Spark 10**	11			
Fosera Spark 20	20			
Fosera Spark 30	29			
**Te stad as full sustance, la dividual OCO susilable, en Mana Oslavahaita				

**Tested as full systems. Individual SSS available on VeraSol website.

NOTICE:

The available daily electrical energy (Wh/day) is calculated for fully tested systems following the energy service calculations as described in IEC/TS 62257-9-5 Ed. 4. For products in a family that are not tested as a full system, estimations of available daily electrical energy (Wh/day) are calculated according to an alternative method using data from the test reports of fully-tested products and components.