

VeraSol

Standardized Specifications Book

Manufacturer: Beijing Skyworth Clean Energy Technology Co., LTD

Component Family Name: Sunhome Family

Date of Standardized Specifications Book Expiration: January 31, 2024

Verify Online: <https://data.verasol.org/products/sek/sw-dlfamily>

Contact Information: guixi@skyworth.com

Website: <https://www.skyworth-pv.com/>



This VeraSol Standardized Specifications Book presents a **component-level Standardized Specifications Sheet** listing the available components in the product family by component type, each individual component's performance rating, and performance results for each component tested according to the Edition 4 of IEC 62257-9-5. Following the component-level Standardized Specifications Sheet is a **list of the systems** covered by this Specifications Book that use combinations of these components.

NOTICE: Systems or kits developed using components from the component family will each perform differently and have not all been evaluated on a system-level basis. All systems listed in this Specifications Book are regarded to have passed the applicable Lighting Global Quality Standards or to meet the requirements in IEC 62257-9-8.

Revision: 2022.08

Component-Level Standardized Specifications Sheet

Beijing Skyworth Clean Energy Technology Co., LTD

Sunhome Family

Battery / Control Box

Name / Model Number	Battery Chemistry	Nominal Voltage (V)	Battery Capacity Rating (Ah)	Measured Battery Capacity (Ah)
6 Ah Main Unit battery	Lithium iron phosphate	12.8	6	5.7
12 Ah Main Unit battery	Lithium iron phosphate	12.8	12	not tested
18 Ah Main Unit battery	Lithium iron phosphate	12.8	18	17.7

PV Module

Name / Model Number	Peak Power at STC Rating (W)	Measured Peak Power at STC (W)
20 W PV Module	20	21
30 W PV Module	30	not tested
40 W PV Module	40	not tested
50 W PV Module	50	52

Light Sources*

Name / Model Number	Luminous Flux Rating (lm)	Measured Luminous Flux (lm)	Measured Lamp Efficacy (lm/W)
	NO	NO	NO
3 W Lamp	360	420	150

NOTICE: As indicated, not all components listed on this page were tested according to the Quality Test Method (QTM) in Edition 4 of IEC 62257-9-5. However, based on the satisfactory performance of the tested components in the family, the components that were not tested are regarded to have met the requirements in IEC 62257-9-8. In addition, all tested components passed an internal inspection, the full array of applicable QTM durability tests, as well as ingress protection testing (where applicable).

*Light points and appliances may perform differently when used with different systems.

List of Covered Systems

Beijing Skyworth Clean Energy Technology Co., LTD

Sunhome Family

System Name	Number of each component included in each system							
	6 Ah Main Unit	12 Ah Main Unit	18 Ah Main Unit	3 W Bulb	20 W PV Module	30 W PV Module	40 W PV Module	50 W PV Module
SP-SH20**	1	--	--	3	1	--	--	--
SP-SH20-L	1	--	--	3	1	--	--	--
SP-SH30	--	1	--	3	--	1	--	--
SP-SH40	--	1	--	3	--	--	1	--
SP-SH40-L	--	--	1	3	--	--	1	--
SP-SH50	--	1	--	3	--	--	--	1
SP-SH50-L	--	--	1	3	--	--	--	1

**Tested as full system. Individual SSS available on VeraSol website.

NOTICE:

Only the Sunhome 20-1 SP-SH20 was fully tested as a system according to Edition 4 of IEC 62257-9-5. An individual Standardized Specifications Sheet (SSS) that reports system-level performance is available for the Sunhome 20-1 SP-SH20 at <https://data.verasol.org/products/sek/sps-dl>. Systems that were not tested, but that were developed using components from the component family will perform differently than the system(s) shown in the individual system-level SSS. All systems listed above are regarded to have met the requirements in IEC 62257-9-8.

Unless otherwise noted, the following information applies to all listed systems and components:

Warranty Information

Two year warranty on all kits and components.

Available Daily Electrical Energy and Port Information

Beijing Skyworth Clean Energy Technology Co., LTD

Sunhome Family

System Name	Available Daily Electrical Energy (Wh/day)	Includes ports for charging?
SP-SH20**	74	yes
SP-SH20-L	72	yes
SP-SH30	100	yes
SP-SH40	140	yes
SP-SH40-L	140	yes
SP-SH50	170	yes
SP-SH50-L	180	yes

**Tested as full system. Individual SSS available on VeraSol website.

NOTICE:

The available daily electrical energy (Wh/day) is calculated for fully tested systems following the energy service calculations as described in IEC/TS 62257-9-5 Ed. 4. For products in a family that are not tested as a full system, estimations of available daily electrical energy (Wh/day) are calculated according to an alternative method using data from the test reports of fully-tested products and components. Estimating Wh/day values requires making assumptions about system efficiencies, power consumption, and user behavior. As with any calculation based on multiple assumptions, there is some degree of error in the Wh/day estimate, which may be greater or less than the actual value for a given product.