VeraSol Standardized Specifications Book

Manufacturer: Tozzi Green

Component Family Name: Tozzi Green Family

Date of Standardized Specifications

Book Expiration:

August 31, 2024

Verify Online: https://data.verasol.org/products/sek/tg-family

Contact Information: engineering@tozzigreen.com

Website: www.tozzigreen.com



This VeraSol Standardized Specifications Book presents a component-level Standardized Specifications Sheet listing the available components in the product family by component type, each individual component's performance rating, and performance results for each component tested according to the Edition 4 of IEC 62257-9-5. Following the componentlevel Standardized Specifications Sheet is a list of the systems covered by this Specifications Book that use combinations of these components.

NOTICE: Systems or kits developed using components from the component family will each perform differently and have not all been evaluated on a system-level basis. All systems listed in this Specifications Book are regarded to have passed the applicable Lighting Global Quality Standards or to meet the requirements in IEC 62257-9-8.

Revision: 2022.08

Component-Level Standardized Specifications Sheet

Tozzi Green

Tozzi Green Family

Name / Model Number	Battery Chemistry	Nominal Voltage (V)	Battery Capacity Rating (Ah)	Measured Battery Capacity (Ah)	
30 Ah control unit	Lithium iron phosphate	12.8	30	30	

Name / Model Number	Peak Power at STC Rating (W)	Measured Peak Power at STC (W)
120 W PV module	120	110
180 W PV module	180	170

Light Sources*

Name / Model Number	Luminous Flux Rating	Measured Luminous	Measured Lamp
	(lm)	Flux (Im)	Efficacy (lm/W)
	On	On	On
LED bulb	580	650	130

NOTICE: As indicated, not all components listed on this page were tested according to the Quality Test Method (QTM) in Edition 4 of IEC 62257-9-5. However, based on the satisfactory performance of the tested components in the family, the components that were not tested are regarded to have passed the applicable Lighting Global Quality Standards or the requirements in IEC 62257-9-8. In addition, all tested components passed an internal inspection, the full array of applicable QTM durability tests, as well as ingress protection testing (where applicable).

*Light points and appliances may perform differently when used with different systems.

List of Covered Systems

Tozzi Green Tozzi Green Family

	Number of each component included in each system			
System Name	30 Ah control unit	120 W PV module	LED bulb	180 W PV module
SHS2 Energy Kit 120**	1	1	5	
SHS2 Energy Kit 180	1		5	1

^{**}Tested as full systems. Individual SSS available on VeraSol website.

NOTICE:

Only the SHS2 Energy Kit 120 was fully tested as a system according to Edition 4 of IEC 62257-9-5. Individual Standardized Specifications Sheets (SSS) that report system-level performance are available for the SHS2 Energy Kit 120 at https.data.verasol.org/products/sek/. Systems that were not tested, but that were developed using components from the component family will perform differently than the system(s) shown in the individual system-level SSS. All systems listed above are regarded to have passed the applicable Lighting Global Quality Standards or the requirements in IEC 62257-9-8.

Unless otherwise noted, the following information applies to all listed systems and components:

Warranty Information

Two year warranty on all kits and components

Available Daily Electrical Energy and Port Information

Tozzi Green Tozzi Green Family

	Available Daily Electrical Energy	
System Name	(Wh/day)	Includes ports for charging?
SHS2 Energy Kit 120**	340	yes
SHS2 Energy Kit 180	403	yes

^{**}Tested as full systems. Individual SSS available on VeraSol website.

NOTICE:

The available daily electrical energy (Wh/day) is calculated for fully tested systems following the energy service calculations as described in IEC/TS 62257-9-5 Ed. 4. For products in a family that are not tested as a full system, estimations of available daily electrical energy (Wh/day) are calculated according to an alternative method using data from the test reports of fully-tested products and components. Estimating Wh/day values requires making assumptions about system efficiencies, power consumption, and user behavior. As with any calculation based on multiple assumptions, there is some degree of error in the Wh/day estimate, which may be greater or less than the actual value for a given product.