CAMBRIDGE
ELEVATING



SMART ELEVATORS FOR TODAY'S SMART HOMES

Table Of Contents

Elevating Homes. Defining Possibilities.	1
What Sets us Apart	2
Remote Monitoring	3
Home Automation	4
Elmira Model	5
Heritage Model	7
Cambrian Model	9
Features and Specifications	11
Technical Requirements	12
Personalization Options	13
Custom Cab Styles	14
Fixtures	15
Glass Cab	19
E50	21
Homelifts	23


WE WILL
FIND THE
RIGHT HOME
ELEVATOR
FOR YOU

Elevating Homes.
Defining Possibilities.

Cambridge Elevating began in 1988 as a small shop focused on wheelchair lifts and stair lifts and has since grown into one of North America's leading residential elevator manufacturers. As the company evolved, it recognized that home elevators aren't just about accessibility anymore — they are about lifestyle, ease, and aging with independence. That shift led to a singular focus on residential elevators built for the future.

Today, with a dedicated team and multiple facilities, Cambridge Elevating designs and builds the most sought after custom elevators for homebuilders and homeowners across North America. Guided by its experienced leadership, the company continues to grow while staying true to its mission: be the most responsive to our customers needs.





What Sets Us Apart

No supplier can match the value offered by our exceptional quality, pricing, and unparallelled customer care.

Commercial Grade Quality
Using the same rail systems, car frames, and power units as low-rise commercial models.

Safety Comes Standard
All elevators include light curtains and premium safety features, items not standard across the industry.

Personalization
Industry leading custom design combinations are available for your residential elevator, so it suits both your mobility needs and decor.

Smart Elevators
With options like remote monitoring, home automation integration, and smartphone or virtual assistant control, Cambridge Elevating delivers truly smart elevators designed for modern living.

Remote Monitoring

Saving You Time & Money

Our Residential Elevator Remote Monitoring System is a cutting-edge solution that keeps your elevator running safely and smoothly. It automatically alerts your service provider to issues and maintenance needs, enabling fast response and proactive care.

Homeowners can also receive notifications when predictive maintenance is due, for peace of mind, without the guesswork.

Real-Time Health Status

Predictive Maintenance

Reduce Service Calls And Downtime

60%
Less Downtime

With remote monitoring, homeowners can reduce the number of service calls, and in some cases problems can be resolved over the phone.



Home Automation

Control Your Elevator With Your Smart Phone

Take your home to the next level with Cambridge Elevating's Smart Home Automation. Imagine effortlessly controlling your elevator with a simple voice command, a quick tap on your phone, or integrating it into your entire smart home system.

Whether it's convenience, innovation, or luxury you're after, our cutting-edge technology transforms your home elevator into an experience that's as modern as it is effortless.



Smart Home Automation Features


Easily control your elevator with voice commands via Google, Alexa, or Siri—ideal for hands-free convenience.

Even without a virtual assistant, you can call or send your elevator to any floor using a smartphone app.

Our elevator controller integrates with many home automation systems, making it easy to connect your elevator to lighting, climate, and security controls.

Pairs With Other Smart Home Systems

Our elevator controller integrates with many home automation systems, making it easy to control your elevator like lighting, climate and security controls.





ELMIRA MODEL

Compact & Elegant

The Elmira model features a manual accordion cab gate, a generous 950-pound capacity, and the ability to serve up to 6 floors, making it a versatile choice for a wide range of home designs.

Key Features

- Available in hydraulic or electric drive
- Serves up to 6 floors
- 950lbs capacity
- Up to 40 FPM
- Accordion cab gate hidden by swing landing door
- Smart elevator equipped
- Includes light curtains for added safety

Door System

Manual or Automatic

Accordion cab gate with swing landing door.

Scan To Find Your Size

OVER 50 SIZES AVAILABLE







ELMIRA MODEL: ACCORDION CAB GATE



SOLID / PERFORATED ALUMINUM



SOLID LAMINATE / HARDWOOD



CLEAR / TINTED VISIFOLD



BI-FOLD



HERITAGE MODEL

Sleek & Modern

The Heritage Elevator pairs automatic sliding cab door panels with a manual swing door on each landing, giving you true design freedom without sacrificing convenience or safety.

Fully recessed into your home's architecture, the sliding cab door preserves sight lines and privacy, while the swing landings blend in with surrounding millwork.

Key Features

- Available in hydraulic or electric drive
- Serves up to 6 floors
- 950-1500lbs capacity
- Up to 40 FPM
- Sliding door hidden by swing landing door
- Smart elevator equipped
- Includes light curtains for added safety

Door System

Semi-Automatic

Automatic commercial style sliding cab door panels with swing landing door.

Scan To Find Your Size


OVER 50 SIZES AVAILABLE








HERITAGE MODELS: SEMI-AUTOMATIC CAB DOOR PANELS



BEIGE EPOXY
(STANDARD)



STAINLESS STEEL



GLASS
(ONLY HYDRAULIC)



UNFINISHED WOOD VENEER



CAMBRIAN MODEL

Stylish & Efficient

The Cambrian model stands out visually and practically with its fully automatic, commercial-style sliding door panels on both the cab and each landing. This luxurious feature ensures an effortless and fully accessible rider experience when entering and exiting the elevator cab. The Cambrian is an excellent choice for homeowners seeking passenger elevator performance for their home.

Key Features

- Available in hydraulic or electric drive
- Serves up to 6 floors
- 950-1500lbs capacity
- Up to 40 FPM
- Automatic sliding cab and landing door panels
- Smart elevator equipped
- Includes light curtains for added safety

Door System

Automatic

Automatic commercial-style dual sliding cab and landing door panels.

Scan To Find Your Size

OVER 50 SIZES AVAILABLE







CAMBRIAN MODEL: CAB & LANDING ENTRANCES



BEIGE EPOXY
(STANDARD)



STAINLESS STEEL



GLASS
(ONLY HYDRAULIC)



FRAMELESS
(FINISHED BY CONTRACTOR)

All auto doors feature a 2 or 3 panel design depending on cab width.

Features and Specifications
For Elmira, Heritage and Cambrian Models

Cab Height Choices

- 84"
- 96"
- Custom Height

Cab Door Height Choices

- 78.75"
- 84"
- 96"

Accessory Options


- A stylish set of LED lights available in a range of colors, from cool to warm
- Call button security
- Outdoor call station with button & key
- Touchless handwave with embedded DPI
- Flood switch (ideal in flood plains)
- Scissor gate
- Provisions for automatic swing door
- Additional fixture finish options
- Fire-rated sliding doors
- Painted and or wrapped custom finish door panels
- Machine room-less hydraulic pump

DPI (Digital Position Indicator) Character Display

- Standard 1-2-3-4-5
- Optional B, G, L, M, 2, 3, 4

Additional Features

- Sabbath mode (auto cycles through floors)
- Auto travel (2 stop only)
- Home automation and virtual assistant compatible
- Remote monitoring
- Audible arrival notification
- Auto homing (park elevator at desired floor)
- Hybrid models (Cambrian on one floor and Heritage on another floor)



Technical Requirements

Hydraulic Drive

- 1:2 Roped Hydraulic Drive
- Capacity: 950-1500lbs
- Entrances: 1-3 sides
- Customization Limits: None

Electrical Supply

- A 220-240V, 60 Hz, 30 Amp single phase power source in the machine room to be provided.
- A 110-120V, 60 HZ, 15 Amp single phase power source in the machine room to be provided.
- 220-240V and 110-120V disconnects provided.

Sizing Information

Minimum Overhead: 96" - 120"
Controller with Disconnects

Height - 30.5"
Width - 28"
Depth - 9"

Power Unit

Height - 32"
Width - 30"
Depth - 14"

Pit Depth

8"-12" weight dependant



Electric Drive

- 3-phase, VFD Controlled
- Capacity: 950lbs
- Entrances: 1-2 sides
- Customization Limits: Glass and Stainless Cabs not available with electric drive

Electrical Supply

- A 220-240V, 60 Hz, 30 Amp single phase power source in the machine room to be provided.
- A 110-120V, 60 HZ, 15 Amp single phase power source in the machine room to be provided.
- 220-240V and 110-120V disconnects provided.

Sizing Information

Minimum Overhead: 96" - 130"
Controller with Disconnects

Height - 30.5"
Width - 28"
Depth - 9"

Pit Depth

8"



Personalization Options

With Cambridge Elevating, you can personalize your elevator to match your home. Choose a clean and modern melamine finish, the warmth of wood veneers, or the flexibility of MDF finished by your builder. For a truly custom touch, explore options like glass or stainless steel. Whatever your vision, we have the perfect solution.

FLAT CAB STYLES



MDF UNFINISHED



FLAT MELAMINE




FLAT UNFINISHED VENEER

CAB FINISHES




MDF
(UNFINISHED) STANDARD




WALNUT
Melamine



MAPLE
Melamine



GIBRALTAR
Melamine



PALOMINO
Melamine




ALABASTER
Melamine



WHITE
Melamine

BIRCH
Unfinished Veneer



CHERRY
Unfinished Veneer



MAPLE
Unfinished Veneer



OAK
Unfinished Veneer



WALNUT
Unfinished Veneer

Custom Cab Styles



RAISED ACCENT STRIPE*



SHAKER RECESSED SINGLE PANEL*



RECESSED FOUR PANEL VENEER*



RAISED FOUR PANEL MDF*



STAINLESS STEEL (HYDRAULIC ONLY)



GLASS CAB (HYDRAULIC ONLY)

MDF/Veneer is manufactured and shipped unfinished. To be painted/stained by others.

Fixtures

CALL STATIONS



CALL STATION
(STANDARD)



DIGITAL POSITION INDICATOR



HANDS-FREE "WAVE"



NUMERIC KEYPAD



KEYED

LIGHTING



LOW VOLTAGE LED
(STANDARD)



6 PIN SPOTLIGHT LOW VOLTAGE LED

CAR OPERATING PANELS (C.O.P)



STANDARD



INTEGRATED PHONE



SHORT



RATH PHONE

HAND RAILS



1.5” FLAT



3” FLAT



2” CYLINDER



1.5” FLAT WITH CURVED ENDS



3” FLAT WITH CURVED ENDS



2” CYLINDER WITH CURVED ENDS

FIXTURE COLOUR OPTIONS

Stainless Steel
Standard

Oil Rubbed Bronze

White
Powder Coat

Antique Brass

Black
Powder Coat

Low Light Bronze
Powder Coat

Antique Nickel

Grey
Powder Coat

Beige
Powder Coat


Additional Options



CAB MIRROR



CAB WINDOWS
Hydraulic Only





CUSTOM PAINTED MECHANICAL



SLIDING DOOR PANELS
Can be painted in a powder coat finish or wrapped


SHOWN HERE
CAMBRIAN


SHOWN HERE
HERITAGE



SHOWN HERE
ELMIRA


SHOWN HERE
CAMBRIAN



GLASS CAB

Hydraulic Only





*A handrail spanning the width of each fill glass wall is a code requirement

The Industry's Most Luxurious Elevator

Experience the pinnacle of luxury with a glass home elevator from Cambridge Elevating. Glass panels not only add a touch of elegance but also allows the beauty of natural light to illuminate your space. For modern and contemporary homes, we can colour-match the glass cab frame to the surrounding enclosure, creating a striking centrepiece that's sure to exceed expectations and impress every visitor.

Key Features


- Frame finish in available RAL colors
- Available for Elmira, Heritage & Cambrian models
- 6mm laminated safety glass
- Glass panel sliding doors (optional)
- Custom handrail spans glass wall
- Top cap/bottom skirt (optional)

Cab Frame Finishes


Personalize your dream cab with our array of gorgeous finish options. Using the chart below, select a desired finish for each cab element.

	Glass	Black (Powder Coat)	Stainless Steel	Grey (Powder Coat)	White (Powder Coat)	Low Lights Bronze (Powder Coat)	Melamine/ Veneer
CAB FRAME FINISH		✓	✓	✓	✓	✓	
RETURN WALL MATERIAL	✓	✓	✓	✓	✓	✓	✓
COP WALL MATERIAL	✓	✓	✓	✓	✓	✓	✓
CEILING MATERIAL		✓	✓	✓	✓	✓	✓
TOP CAP/ BOTTOM SKIRT		✓	✓	✓	✓	✓	
HANDRAIL 1.5"/3" Available		✓	✓	✓	✓	✓	


AVAILABLE FINISHES




WALNUT
Melamine




MAPLE
Melamine




GIBRALTAR
Melamine




PALOMINO
Melamine




ALABASTER
Melamine




WHITE
Melamine



WALNUT
Unfinished Veneer




CHERRY
Unfinished Veneer



OAK
Unfinished Veneer

BIRCH
Unfinished Veneer




MAPLE
Unfinished Veneer



MDF
Unfinished

CAB FRAME FINISHES



Black




Low Lights Bronze



Stainless Steel

Grey



White



E50

The Most Affordable Home Elevator In North America

The E50 Electric elevator is valued for its compact footprint and affordability. Its overhead electric motor removes the need for a machine room. With a 50"×50" shaftway, it's ideal for limited spaces.

Key Features

- Counterweight electric drive
- Reduced shaftway cost
- 500lbs capacity (1-2 people)
- Low energy consumption
- Serves up to 4 floors
- Compact 50"×50" footprint

Door System

Semi-Automatic

Automatic bi-fold cab panels with swing landing door.

Technical Specifications

Same Quality. Lower Cost.

- 220VAC, 30A & 120VAC, 15A Single Phase
- 3/4 Hp Counterweight Chain Drive
- Meets Safety: ASME A17.1/CSA B44
- Automatic One-touch Control
- Dual-Illuminated Push Buttons
- Automatic Elevator Homing Parking


50% Energy Savings

80% Lumber Savings

50% Freight Savings

Cab Finishes


MDF (Unfinished)


Walnut Melamine

Maple Melamine


Gibraltar Melamine


Palomino Melamine


Alabaster Melamine


White Melamine

Elevator Fixtures



Call Station


Lighting


Car Operating Panel (COP)


Fixture Finish


Cab Entrance

Bi-Fold Cab Panels







HOMELIFTS
BY CAMBRIDGE ELEVATING

The Most Comfortable Travel Experience Between Two Floors

Designed and constructed with modern technology, a Homelift is a shaftless elevator that is not only attractive and built to last but also incredibly easy to operate. Unlike stairlifts, a Homelift offers the versatility to transport more than just people—it can move laundry, luggage, pets, and more with ease.

Key Features

- Shaftless and doesn't require a pit
- Whisper quiet
- 507lbs capacity
- Traction drive system
- Handrail with controls
- Clear vision panels
- 2 Floors
- Travel time 15-20 seconds

Door System
Manual

Manual cab door.

Technical Specifications



Homelift Models

Homelift 750

Ideal for 1 - 2 people

Cab Size: 33 1/2 " x 29 1/2"
Footprint: 43 1/4 " x 43 1/4"

Homelift 1250

Ideal for a wheelchair user & attendant

Cab Size: 33 1/2" x 49 1/4"
Footprint: 43 1/4" x 63"



Standard Lift Features

- Self levelling base for uneven floors
- In cab diagnostics display
- Easy to operate
- Elegant frame with large vision panels
- Wireless remote controls (x2)
- Step free entrance & non slip flooring
- 16ft/min travel speed
- Continuous touch operation
- LED downlights
- Rear guide rails (space saving installation)

Standard Safety Features

- In-cab telephone
- Handrails (front and both sides)
- Safety sensors
- Emergency lowering system
- Soft starts and stops

Optional Features

- Fold up seat
- Power door operator

Cambridge Elevating provides a 24-month Manufacturer's Limited Product Warranty on Homelifts.

CAMBRIDGE
ELEVATING



HEAD OFFICE, SHOWROOM AND ASSEMBLY FACILITY ADDRESS AND CONTACT INFORMATION:

Head Office/ Showroom
181 Shearson Cres. Cambridge,
ON, N1T 1J3

Assembly Facility
55 Thompson Dr. Cambridge,
ON, N1T 2E4

ceinfo@cambridgeelevating.com
1-800-265-3579
cambridgeelevating.com