



Mindful
Continuing Education

Dialectical Behavior Therapy for Adults with Borderline Personality Disorder



Competing interests

The authors declare that they have no competing interests.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Author details

¹Cork Mental Health Services, Health Service Executive, Block 2, St Finbarr's Hospital, Cork, Ireland. ²National Suicide Research Foundation, Western Gateway Building, University College Cork, Cork, Ireland. ³Department of Epidemiology and Public Health, Western Gateway Building, University College Cork, Cork, Ireland.

Received: 24 May 2017 Accepted: 13 August 2017

Published online: 23 September 2017

References

1. American Psychiatric Association. Diagnostic and statistical manual of mental disorders (DSM 4). 4th ed. Washington, DC: American Psychiatric Press; 2000.
2. Kuo JR, Korszund KE, Linehan MM. Borderline personality disorder. In: Carr A, McNulty M, editors. The handbook of adult clinical psychology: an evidence-based practice approach. London: Routledge; 2006.
3. Jackson HJ, Burgess PM. Personality disorders in the community: a report from the Australian national survey of mental health and wellbeing. *Soc Psychiatry Psychiatr Epidemiol.* 2000;35:531–8.
4. Torgersen S, Kringlen E, Cramer V. The prevalence of personality disorders in a community sample. *Arch Gen Psychiatry.* 2001;58(6):590–6.
5. Coid J, Yang M, Tyrer P, Roberts A, Ullrich S. Prevalence and correlates of personality disorder in great Britain. *Br J Psychiatry.* 2006;188(5):423–31.
6. Government of Ireland. A vision for change: report of the expert group on mental health policy. Dublin: Stationery Office; 2006.
7. Keown P, Holloway F, Kuipers E. The prevalence of personality disorders, psychotic disorders and affective disorders amongst the patients seen by a community mental health team in London. *Soc Psychiatry Psychiatr Epidemiol.* 2002;37(5):225–9.
8. Zimmerman M, Rothschild L, Chelminski I. The prevalence of DSM-IV personality disorders in psychiatric outpatients. *Am J Psychiatry.* 2005; 162(10):1911–8.
9. Pedersen L, Simonsen E. Incidence and prevalence rates of personality disorders in Denmark – a register study. *Nord J Psychiatry.* 2014;68(8):543–8.
10. Linehan MM. Dialectical behaviour therapy for borderline personality disorder. *Theory Method Bull Menninger Clin.* 1987;51(3):261–76.
11. Linehan MM. Cognitive behavioural therapy of borderline personality disorder. New York: Guilford Press; 1993a.
12. Linehan MM. Skills training manual for treating borderline personality disorder. New York: Guilford Press; 1993b.
13. Swales MA, Heard HL. Dialectical behaviour therapy: distinctive features. London: Routledge; 2009.
14. Bohus M, Haaf B, Simms T, Limberger MF, Schmahl C, Unkel C, Lieb K, Linehan MM. Effectiveness of inpatient dialectical behavioural therapy for borderline personality disorder: a controlled trial. *Behav Res Ther.* 2004;42(5):487–99.
15. Linehan MM, Armstrong HE, Suarez A, Allmon D, Heard HL. Cognitive-behavioural treatment of chronically parasuicidal borderline patients. *Arch Gen Psychiatry.* 1991;48(12):1060–4.
16. Verheul R, van den Bosch LMC, Koeter MWJ, de Ridder MAJ, Stijnen T, van den Brink W. Dialectical behaviour therapy for women with borderline personality disorder: 12-month, randomized clinical trial in The Netherlands. *Br J Psychiatry.* 2003;182(2):135–40.
17. Carmel A, Rose ML, Fruzzetti AE. Barriers and solutions to implementing dialectical behaviour therapy in a public behavioural health system. *Admin Pol Ment Health.* 2014;41(5):608–14.
18. Rizvi SL, Steffel LM, Carson-Wong A. An overview of dialectical behaviour therapy for professional psychologists. *Prof Psychol.* 2013; 44(2):73–80.
19. Linehan MM, Schmidt H, Dimeff LA, Craft JC, Kanter J, Comtois KA. Dialectical behaviour therapy for patients with borderline personality disorder and drug-dependence. *Am J Addict.* 1999;8(4):279–92.
20. Clarkin JK, Levy KN, Lenzenweger MF, Kernberg OF. Evaluating three treatments for borderline personality disorder: a multiwave study. *Am J Psychiatry.* 2007;164(6):922–8.
21. Carter GL, Willcox CH, Lewin TJ, Conrad AM, Bendit N. Hunter DBT project, randomised controlled trial of dialectical behaviour therapy in women with borderline personality disorder. *Aust N Z J Psychiatry.* 2010;44(2):162–73.
22. Koons CR, Robins CJ, Tweed JL, Lynch TR, Gonzalez AM, Morse JQ, Bishop GK, Butterfield MI, Bastian AL. Efficacy of dialectical behaviour therapy in women veterans with borderline personality disorder. *Behav Ther.* 2001; 32(2):371–90.
23. Linehan MM, Comtois KA, Murray AM, Brown MZ, Gallop RJ, Heard HL, Korszund KE, Tutek DA, Reynolds SK, Lindenboim N. Two year randomised controlled trial and follow-up of dialectical behaviour therapy vs therapy by experts for suicidal behaviours and borderline personality disorder. *Arch Gen Psychiatry.* 2006;63(7):757–66.
24. McMain SF, Links PS, Gnam WH, Guimond T, Cardish RJ, Korman L, Streiner DL. A randomised trial of dialectical behaviour therapy versus general psychiatric management for borderline personality disorder. *Am J Psychiatry.* 2009;166(12):1365–74.
25. Stoffers JM, Vollm BA, Rucker G, Timmer A, Huband N, Lieb K. Psychological therapies for people with borderline personality disorders (review). *Cochrane Database Syst Rev.* 2012;8:CD005652.
26. Comtois KA, Elwood L, Holdcraft LC, Smith WR, Simpson TL. Effectiveness of dialectical behaviour therapy in a community mental health centre. *Cog Behav Practice.* 2007;14(4):406–14.
27. Blennerhassett R, Bamford L, Whelan A, Janieson S, O'Raghallaigh JW. Dialectical behaviour therapy in an Irish community mental health setting. *Irish J Psychol Med.* 2009;26(2):59–63.
28. Pasieczny N, O'Connor J. The effectiveness of dialectical behaviour therapy in routine public mental health settings: an Australian controlled trial. *Behav Res Ther.* 2011;49(1):4–10.
29. Feigenbaum JD, Fonagy P, Pilling S, Jones A, Wildgoose A, Bebbington PE. A real-world study of the effectiveness of DBT in the UK national health service. *Br J Clin Psychol.* 2012;51(2):121–41.
30. Brassington J, Jrawitz R. Australasian dialectical behaviour therapy pilot outcome study: effectiveness, utility and feasibility. *Australas Psychiatry.* 2006;14(3):313–9.
31. Prendergast N, McCausland J. Dialectical behaviour therapy: a 12 month collaborative program in a local community setting. *Behav Change.* 2007; 24(1):25–35.
32. Flynn D, Kells M, Joyce M. Implementation in national systems: DBT in an Irish context. In: Swales MA, editor. The Oxford handbook of dialectical behaviour therapy. Oxford: Oxford University Press. In-press.
33. Bohus M, Limberger MF, Frank U, Chapman AL, Kühler T, Stieglitz R-D. Psychometric properties of the borderline symptom list (BSL). *Psychopathology.* 2007;40(2):126–32.
34. Beck AT, Epstein N, Brown G, Steer RA. An inventory for measuring clinical anxiety: psychometric properties. *J Consult Clin Psychol.* 1988;56(6):893–7.
35. Bardhoshi G, Duncan K, Erford BT. Psychometric meta-analysis of the English version of the Beck anxiety inventory. *J Coun Develop.* 2016;94(3):356–73.
36. Beck AT, Weissman A, Lester D, Trexler L. The measurement of pessimism: the hopelessness scale. *J Consult Clin Psychol.* 1974;42(6):861–5.
37. Beck AT, Brown G, Berchick RJ, Stewart BL, Steer RA. Relationship between hopelessness and ultimate suicide: a replication with psychiatric outpatients. *Am J Psychiatry.* 1990;147(2):190–5.
38. Beck AT, Steer RA. Manual for the Beck scale for suicide ideation. San Antonio, TX: Psychological Corporation; 1991.
39. Kumar GK, Steer RA. Psychosocial correlates of suicidal ideation in adolescent psychiatric inpatients. *Suicide Life Threat Behav.* 1995;25(3):339–46.
40. Beck AT, Steer RA, Brown GK. Manual for the Beck depression inventory-II. San Antonio, TX: Psychological Corporation; 1996.
41. Storch EA, Roberti JW, Roth DA. Factor structure, concurrent validity, and internal consistency of the Beck depression inventory—second edition in a sample of college students. *Depress Anxiety.* 2004;19(3):187–9.
42. WHOQOL Group. Development of the World Health Organisation WHOQOL-BREF quality of life assessment. *Psychol Med.* 1998;28(3):551–8.
43. Skevington SM, Lotfy M, O'Connell KA, WHOQOL Group. The World Health Organization's WHOQOL-BREF quality of life assessment: psychometric properties and results of the international field trial. A report from the WHOQOL group. *Qual Life Res.* 2004;13(2):299–310.

44. Tang TZ, DeRubeis RJ, Beberman R, Pham T. Cognitive change, critical sessions, and sudden gains in cognitive-behavioural therapy for depression. *J Consult Clin Psychol.* 2005;73(1):168–72.
45. Tadic A, Helmreich I, Mergl R, Hautzinger M, Kohnen R, Henkel V, Hegerl U. Early improvement is a predictor of treatment outcome in patients with mild major, minor or subsyndromal depression. *J Affect Disord.* 2010;120(1–3):86–93.
46. Wilks CR, Korlund KE, Harned MS, Linehan MM. Dialectical behaviour therapy and domains of functioning over two years. *Behav Res Ther.* 2016;77:162–9.
47. Fruzzetti AE, Waltz JA, Linehan MM. Supervision in dialectical behaviour therapy. In: Watkins CE, editor. *Handbook of psychotherapy supervision.* New York: John Wiley & Sons Inc.; 1997. p. 84–100.
48. NICE. Borderline personality disorder: treatment and management. National Clinical Practice Guideline Number 78. London: Stanley L. Hunter (Printers) Ltd; 2009.
49. Hoffman PD, Fruzzetti AE, Buteau E, Neiditch ER, Penney D, Bruce ML, Hellman F, Struening E. Family connections: a programme for relatives of persons with borderline personality disorder. *Fam Proc.* 2005;44(2):217–25.





“This course was developed and edited from the open access article: Standard 12 month dialectical behaviour therapy for adults with borderline personality disorder in a public community mental health setting - Flynn et al. *Borderline Personality Disorder and Emotion Dysregulation* (2017) 4:19 (DOI 10.1186/s40479-017-0070-8), used under the Creative Commons Attribution License.”