

FLEX CEUs



Home Health with Motor Impairment



References: Home Health with Motor Impairment

Reference article:

Vega-Ramírez, F.S. et al. (2017). Analysis of home-based rehabilitation in patients with motor impairment in primary care: a prospective observational study. *BMC Geriatrics*, 17:145, 1-8. DOI 10.1186/s12877-017-0526-0

Most recent references

Elf M, Flink M, Nilsson M, Tistad M, Von Koch L, Ytterberg C. (2017). The case of value-based healthcare for people living with complex long-term conditions. *BMC Health Serv Res*; doi:10.1186/s12913-016-1957-6.

Tomita Y, Arima K, Kanagae M, Okabe T. (2015). Association of physical performance and pain with fear of falling among community-dwelling Japanese women aged 65 years and older. *Med Sept*;94(35):1–4. doi:10.1097/MD.0000000000001449.

McLean G, Guthrie B, Mercer SW, Watt GC. (2015). General practice funding underpins the persistence of the inverse care law: cross-sectional study in Scotland. *Br J Gen Pract*;65(641):e799–805. doi:10.3399/bjgp15X687829.

López-Liria R, Padilla-Góngora D, Catalan-Matamoros D, Rocamora-Pérez P, Pérez-de la Cruz S, Fernández-Sánchez M. (2015). Home-based versus hospital- based rehabilitation program after Total knee replacement. *Biomed Res Int*:1–9. doi:10.1155/2015/450421.

Limón E, Blay C, Ledesma A. (2015). Las necesidades poblacionales, una llamada a la transformación de la atención primaria. *Aten Primaria*;47(2):73-74. doi:http://dx.doi.org/10.1016/j.aprim.2014.08.001.



“This course was developed and edited from the open access article: Analysis of home-based rehabilitation in patients with motor impairment in primary care: a prospective observational study - Vega-Ramírez et al. BMC Geriatrics (2017) 17:145 (DOI 10.1186/s12877-017-0526-0), used under the Creative Commons Attribution License.”