Eaton LPJ-250SPI

Catalog Number: LPJ-250SPI

Eaton Bussmann series LPJ fuse, Low-peak fuse, 250 A, Dual, Class J, With indicator, Bolted blade end x bolted blade end, Time delay|Current-limiting, 10 sec at 500%, 300 kAIC at 600 V|100 kAIC Vdc, Standard

General specifications

Product Name Catalog Number

Eaton Bussmann series LPJ fuse LPJ-250SPI

UPC EAN

051712626422 5027590253079

Product Length/Depth Product Height

4.63 in 0.81 in

Product Width Product Weight

0.81 in 1.5 lb

Warranty Compliances

Not Applicable CE Marked RoHS Compliant



Electrical rating

Amperage Rating

250 A

Interrupt rating

300 kAIC at 600 Vac

100 kAIC Vdc

Response time

10 sec at 500%

Voltage rating

600 Vac, 300 Vdc

Physical details

Fuse type

Time delay

Current-limiting

Number of elements

Dual

Packaging type

Standard

General information

Class

Class J

Connection

Bolted blade end x bolted blade end

Fuse indicator

Non-indicating

With Indicator

Special features

Non-indicating, High in-rush current motor protection

Resources

Catalogs

LPJ-250SPI~INDICATING LPJ-250SP

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LPJ-250SPI

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia