Eaton LP-CC-6

Catalog Number: LP-CC-6

Eaton Bussmann series LP-CC fuse, Current-limiting time-delay fuse, Rejection style, 6 A, Dual, CC, Non-indicating, Ferrule end x ferrule end, 12 sec at 200%, 20 kAIC at 150 Vdc|200 kAIC at 600 V, Melamine tube, Standard, 10

Example Compared Lange Constant Lange Constant Lange Constant LP-CC-6 Bootvac 150Vdc

General specifications

Product Name Eaton Bussmann series LP-CC fuse UPC 051712180344 Product Length/Depth 0.41 in Product Width 0.41 in Warranty Not Applicable Catalog Number LP-CC-6 EAN 5027590448109 Product Height 1.5 in

Product Weight 0.15 lb

Compliances CE Marked RoHS Compliant



Product specifications

Fuse indicator

Non-indicating

Special features

Non-indicating, High in-rush current motor protection

Interrupt rating 20 kAIC at 150 Vdc 200 kAIC at 600 Vac

Number of elements

Dual

Connection Ferrule end x ferrule end

Response time

12 sec at 200%

Quantity

10

Material

Melamine tube

Amperage Rating

6 A

Type Current-limiting time-delay fuse

Class

Class CC

Voltage rating 600 Vac, 150 Vdc

Application Specialized circuits and industrial control

Packaging type

Standard

Resources

Catalogs

LP-CC-6~LOW PEAK CC TIME DELAY

Bussmann series complete full line catalog no. 1007

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Multimedia Bussmann series Fuseology

Specifications and datasheets Eaton Specification Sheet - LP-CC-6

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2023 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia