

Datasheet

RS Stock No: 7976103

A2, 304 Stainless Steel Self-Colour Hexagon Socket Button Head Screws: Metric Thread



Button Head Socket Screws are designed for light duty with a similar thread design as a Socket Cap Screw although the dome shaped head is wider and has a lower profile than a Socket Cap Screw, presenting an aesthetic appearance to an assembly.

- A2 grade 304 Stainless Steel
- Threaded in accordance with ISO 7380 standard
- Used for applications with limited space in high tensile applications.
- Suitable for light fastening applications in most food, facilities maintenance and electronic & domestic applications.
- Typical applications include; Machine tooling, Securing guards and covers, Securing ornamental, fixtures, plus many more engineering applications
- Requires a Hex key / Allen key



ENGLISH

Please view our full range listing below for all A2, 304 Stainless Steel Self-Colour Hexagon Socket Button Head Screws

| Head Shape | Material | Stainless Steel Type | Thread Size | Length | RS Part No. |
|-------------------|-----------------|----------------------|-------------|--------|-------------|
| Hex Socket Button | Stainless Steel | A2, 304 | M3 | 8 mm | 1838597 |
| Hex Socket Button | Stainless Steel | A2, 304 | M3 | 10 mm | 1838604 |
| Hex Socket Button | Stainless Steel | A2, 304 | M3 | 12 mm | 1838610 |
| Hex Socket Button | Stainless Steel | A2, 304 | M4 | 8 mm | 1838626 |
| Hex Socket Button | Stainless Steel | A2, 304 | M4 | 10 mm | 1838632 |
| Hex Socket Button | Stainless Steel | A2, 304 | M4 | 12 mm | 1838648 |
| Hex Socket Button | Stainless Steel | A2, 304 | M4 | 16 mm | 1838654 |
| Hex Socket Button | Stainless Steel | A2, 304 | M5 | 10 mm | 1838660 |
| Hex Socket Button | Stainless Steel | A2, 304 | M5 | 12 mm | 1838676 |
| Hex Socket Button | Stainless Steel | A2, 304 | M5 | 16 mm | 1838698 |
| Hex Socket Button | Stainless Steel | A2, 304 | M5 | 20 mm | 1838705 |
| Hex Socket Button | Stainless Steel | A2, 304 | M5 | 25 mm | 7976092 |
| Hex Socket Button | Stainless Steel | A2, 304 | M6 | 10 mm | 7976096 |
| Hex Socket Button | Stainless Steel | A2, 304 | M6 | 12 mm | 1838711 |
| Hex Socket Button | Stainless Steel | A2, 304 | M6 | 16 mm | 1838727 |
| Hex Socket Button | Stainless Steel | A2, 304 | M6 | 20 mm | 1838733 |
| Hex Socket Button | Stainless Steel | A2, 304 | M6 | 25 mm | 1838755 |
| Hex Socket Button | Stainless Steel | A2, 304 | M6 | 30 mm | 7976106 |
| Hex Socket Button | Stainless Steel | A2, 304 | M6 | 40 mm | 7976109 |
| Hex Socket Button | Stainless Steel | A2, 304 | M8 | 12 mm | 1838761 |
| Hex Socket Button | Stainless Steel | A2, 304 | M8 | 16 mm | 1855794 |
| Hex Socket Button | Stainless Steel | A2, 304 | M8 | 20 mm | 1838777 |
| Hex Socket Button | Stainless Steel | A2, 304 | M8 | 25 mm | 1838783 |
| Hex Socket Button | Stainless Steel | A2, 304 | M8 | 30 mm | 7976103 |
| Hex Socket Button | Stainless Steel | A2, 304 | M8 | 40 mm | 7976112 |
| Hex Socket Button | Stainless Steel | A2, 304 | M8 | 50 mm | 7976115 |

