Product datasheet

Specifications



Front rotary handle C60 / 120 and NC45 / 100 / 125 - black handle

27046

Main

Range Of Product	C60 DPN Vigi
	ProDis
	NC45125
	Clario
	C120
	1
	Multi9
	ISW 2032
	Librio
Product Or Component Type	Rotary handle mechanism
Accessory / Separate Part Type	Control accessories

Complementary

Rotary Handle Mounting Location Front

Product Compatibility	C60	
	ISW	
	C60H-DC	
	C120NA-DC	
	DPN	
	C60CTRL	
	C60 UL489 DC	
	DPN Vigi	
	C60 UL489	
	C60 UL1077	
	C120	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.000 cm
Package 1 Width	19.500 cm
Package 1 Length	22.000 cm
Package 1 Weight	225.000 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	20
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	4.960 kg
Unit Type Of Package 3	P12

Number Of Units In Package 3	160
Package 3 Height	50.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	52.376 kg

Contractual warranty

Warranty

18 months

Sustainability

Green Premium[™] label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations