

FEATURES

- The Rubber is ROHS & WEE Compliant
- This round rubber is a straight forward installation
- Long lifespan
- Versatile usage (commercial and domestic)
- Fine Thread bolt spindle with adjustable height base

RS PRO Cylindrical M12 Zinc Plated Steel Anti-Vibration Mount 120-300 Compression Load 90mm dia. Natural Rubber

RS Stock No.: 126-5970



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

RS Pro anti-vibration rubber feet are suitable for isolating vibration from heavy machinery and also acts as a levelling device for un-even flooring. Also available with stainless steel metal parts for use with food industry machinery.

General Specifications

Foot Shape	Cylindrical
Static Load Capacity	120-300
Material	Natural Rubber
Shore Hardness	75 Shore A
Metalwork	Zinc passivated mild steel
Compression Load	120-300
Compression Deflection	1.5mm
Series	FMM
Foot Colour	Black
Applications	Heavy Machines Industry, Protect The Hardwood Floor

Mechanical Specifications

Thread Size	M12
Diameter	90mm
Foot Height	33mm
Overall Height	153mm

Operation Environment Specifications

Maximum Operating Temperature	+100°C
--------------------------------------	--------

Approvals

Compliance/Certifications	ROHS & WEE Compliant
----------------------------------	----------------------

