

## FEATURES

- Self-adhesive for surface temperature measurement
- Resistant to many oils & chemicals
- Type K thermocouple to ANSI MC96.1

# ANSI SILICONE RUBBER PATCH THERMOCOUPLE TYPE K PFA TWIN TWISTED WITH MINIATURE PLUG 2m

RS Stock No.: 2318463



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has

been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

- *Self-adhesive patch with aluminium foil backing – Type K*
- *Resistant to many oils & chemicals*
- *Range -50°C to +150°C*

## General Specifications

<b>Thermocouple Type</b>	Type K
<b>Temperature Measurement Range</b>	-50°C to +100°C
<b>Construction</b>	Length 40mm x Width 13mm x Height 5mm Rubber patch
<b>Measuring Junction</b>	Thermocouple junction encapsulated in a silicone rubber patch
<b>Standards Met</b>	ANSI MC96.1
<b>Application</b>	Designed for measuring the temperature on a surface

## Mechanical Specifications

<b>Probe Diameter</b>	Length 40mm x Width 13mm x Height 5mm Rubber patch
<b>Termination Type</b>	Miniature Plug
<b>Compensating Cable Length</b>	2m
<b>Cable Insulation</b>	PFA 1/0.2mm

## Approvals

<b>Compliance/Certifications</b>	RoHS Compliant
----------------------------------	----------------

## Similar Products Range

	1m	2m	5m
<b>Miniature Plug Termination Type K</b>	2318462	2318463	2318464
<b>Bare Tails Termination – Type K</b>	2318465	2318466	2318467

RS Components is a leading provider for Automation and Control Gear, below is a selection of best selling products:

**rspro.com**

**Temperature.  
It matters**

**Calibration**

Whether it's existing equipment or a new purchase, you need to have confidence in the accuracy of your measurements.

That's where our calibration service can help.

Purchase new products with confidence.

A certificated calibrated sensor straight out of the box, ready to use.

**RTD Detectors**

Wire-wound type provides greater accuracy and stability but are vulnerable to shock.

Flat film type are resistant to shock and have quicker thermal response times.

Various lengths and diameters available, in class A, B and 1/10th Din.

**Best Sellers**

**ANSI SYSCAL Type K Mineral Insulated Thermocouple**  
RS 181-7296

**IEC SYSCAL Type K Mineral Insulated Thermocouple**  
RS 181-7288

**IEC SYSCAL Type J Mineral Insulated Thermocouple**  
RS 181-7305

**Best Sellers**

**PT1000 Thin Film Detector**  
RS 362-9907  
Allied 70643582

**PT100 Wire Wound Detector**  
RS 611-7839  
Allied 70646151

**PT100 Wire Wound Detector**  
RS 362-9799  
Allied 70643577

**Best Sellers**

**Exposed Junction Thermocouples**

Including exposed junctions with fitted or moulded miniature plug and insulated leads, ideal for test and development applications.  
1, 2, 3, 5 & 10m lengths available in IEC or ANSI colours.

**ANSI Type K Exposed Junction**  
RS 814-0134  
Allied 70656459

**ANSI Type K High Temp Exposed Junction**  
RS 131-4749  
Allied 71080908

**IEC Type K Exposed Junction**  
RS 363-0250  
Allied 70643600

**Best Sellers**



**Fabricated and Specialist Thermocouples**

Styles include; Magnet, Washer, Nozzle, Leaf, Bayonet & Bolt thermocouple. Various lengths and calibration types available.

**Magnet Thermocouple**  
RS 762-1115  
Allied 70651739

**Heavy Duty Thermocouple**  
RS 762-1128  
Allied 70651743

**Rubber Patch Thermocouple**  
RS 290-5036  
Allied 70642886

 <p><b>Thermocouple &amp; PRT Cable</b></p> <p>Thermocouple cables are available in IEC or ANSI colour codes. Insulation types include PFA, PTFE, PVC &amp; Fibreglass. Available spool lengths include 10, 25, 50, 100 and 200m.</p>	<p><b>Best Sellers</b> </p> <p><b>IEC PVC Insulated Flat Pair</b> RS 219-4573 Allied 70641630</p> <p><b>ANSI PFA Insulated Twin Twisted</b> RS 814-0030 Allied 70656106</p> <p><b>IEC Glassfibre Insulated Flat Pair</b> RS 236-3836 Allied 70641730</p>	 <p><b>Thermocouple Connectors</b></p> <p>Range of miniature or standard thermocouple connectors. Available in thermocouple types K, J, T, E, N, RS, B, and copper. IEC, ANSI &amp; JIS colour codes available.</p>	<p><b>Best Sellers</b> </p> <p><b>IEC Thermocouple Plug</b> RS 455-9764 Allied 70644391</p> <p><b>ANSI Thermocouple Socket</b> RS 769-1127 Allied 70652125</p> <p><b>IEC Thermocouple PCB Socket</b> RS 381-7570 Allied 70643749</p>
--	--	---	--

RS Components is a leading provider for Automation and Control Gear, below is a selection of best selling products:

 <p><b>Mineral Insulated Thermocouples</b></p> <p>Available in various calibration types with a variety of terminations. These include; Thermocouple plugs, Terminal heads and Thermocouple cable</p>	<p><b>Best Sellers</b> </p> <p><b>IEC Thermocouple with PTFE Cable</b> RS 397-1236 Allied 70643843</p> <p><b>IEC Thermocouple with Mini Plug</b> RS 397-1488 Allied 70643863</p> <p><b>ANSI Thermocouple with PFA Cable</b> RS 847-1019 Allied 70658112</p>	 <p><b>NEW PRODUCTS</b></p> <p>RS PRO, the own brand of RS Components, offers an unbeatable range of products across all industries with quality you can trust.</p> <p>New products are constantly added to improve the offering of our product range.</p>	<p><b>NEW PRODUCTS</b> </p> <p><b>Brake Pad Temp Sensor</b> RS 200-0601 Allied 72173869</p> <p><b>RTD Temp Sensor Hirschmann Style</b> RS 200-0594 Allied 72173862</p> <p><b>Washer Thermocouple</b> RS 200-0616 Allied 72173882</p>
 <p><b>Sensors with Industrial Terminal Heads</b></p> <p>Industrial sensors housed in a stainless steel sheath and terminal head protection to IP67. Available as a thermocouple or Pt100.</p>	<p><b>Best Sellers</b> </p> <p><b>Type K 300mm Long</b> RS 787-7829 Allied 70653306</p> <p><b>Type K 200mm Long</b> RS 787-7816 Allied 70653303</p> <p><b>Type K 100mm Long</b> RS 787-7804 Allied 70653235</p>	<p><a href="http://www.rspro.com">www.rspro.com</a></p>  <p><a href="http://www.alliedelec.com">www.alliedelec.com</a></p>	

## Best Sellers



**L60 Fine Wire Thermocouple Welder**

The Thermocouple Welder is a compact, simple-to-use instrument designed for thermocouple and fine wire welding. Supplied with foot switch, spare electrodes, pliers & safety glasses, impact clip and pen plate.



**L60 Fine Wire Thermocouple Welder**

RS 363-0351  
Allied 70825788

