

FEATURES

- UL approved Nylon 66 (UV RESISTANT BLACK), 94V-2.
- Color: Black, other special colors are available upon request.
- Feature: Low Smoke and Halogen Free cable tie suitable for various industry, also household DIY and gardening.
- Easily assembled by hand or with pliers, remain securely locked until intentionally released by operating the finger catch.

RS PRO Releasable Cable Tie

RS Stock No.: 2243181



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

ATTRIBUTE 1

- Material: UL approved Nylon 66 (UV RESISTANT BLACK), 94V-2.
- Color: Black, other special colors are available upon request.
- Feature: Low Smoke and Halogen Free cable tie suitable for various industry, also household DIY and gardening.
- Easily assembled by hand or with pliers, remain securely locked until intentionally released by operating the finger catch.

General Specifications

Series	Releasable Cable tie
Type	Releasable
Colour	Black
Material	UV RESISTANT BLACK Nylon 66
Finish	
Application	
Resistant To	
UV Resistant	YES
Minimum Operating Temperature	-40°C
Maximum Operating Temperature	85°C
Fire Behaviour	Self-Extinguishing
Quantity	100

Mechanical Specifications

Length	250mm(10")
Width	7.6mm
Tensile Strength	50lbs/22kgs
Max. Bundle Dia.	65mm
Thickness	1.3±0.25mm

Protection Category

IP Rating

Classification

eCl@ss (10.0.1)

UNSPSC (6.01)

Approvals

Declarations

Standards Met

UL, DNV, RoHS, SVHC, HF, ABS

Similar Products

Stock No.	Brand	Product Name	Colour	Material	Tensile strength
811-1612	RS	Releasable Cable Tie	Natural	Nylon66	50lbs/22kgs
811-1616	RS	Releasable Cable Tie	Natural	Nylon66	50lbs/22kgs

