

FEATURES

- All Fluids compatible
- Mechanical resistance
- Silicon free

RS PRO MALE HOSE ADAPTER (PARALLEL) WITH O-RING

RS Stock No.: 2312544



RS PROfessionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the

leading brands without paying a premium price.



Product Description

The RS PRO male hose adapter (parallel) with o-ring mainly used in compressed air, pneumatic automation, industrial water circuit applications. High performances in pressure and temperatures (+300°C). Available with sharp threads. RoHS and REACH compliant.

General Specifications

Coupling Type	Straight			
Hose Connector Type	Hose Adapter			
Body Material	Brass			
Application	Compressed Air, Pneumatic Automation, Textile,			
	Packaging, Handling			


Mechanical Specifications

Maximum Working Pressure	75bar
Threaded Connection	3/8in BSPP Male
Thread Standard	BSPP
Thread Gender	Male
Connector Gender	Male
Hose Inner Diameter	12mm
Thread Size	3/8in
Length	35.5mm
Wrench Size	19mm



Similar Products

Parameters	2312502	2312503	
Brand	RS PRO	RS PRO	
Coupling Type	Straight	Straight	
Body Material	Brass	Brass	
Maximum Working Pressure	10bar	10bar Male	
Connector Gender	Male		
Hose Inner Diameter	4mm	6mm	
Hose Outer Diameter	11mm	11mm	
Application	Compressed Air, Pneumatic Automation, Textile, Packaging, Handling	Compressed Air, Pneumatic Automation, Textile, Packaging, Handling	



Α	A1	В	С	L	СН	Pack.
12	3/8	20	9	35.5	19	10