

FEATURES

- UL approved Nylon 66, 94V-2, With good tensile strength and insulation, not easy to get aging.
- Color: Standard color is natural, black, other special colors are available upon request.
- Use to bundle wires, cables, wrapping and get gardening neat and tidy.
- Easy to thread.

RS PRO Cable Ties

RS Stock No.: 2243117



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description ATTRIBUTE 1

- Material: UL approved Nylon 66, 94V-2, With good tensile strength and insulation, not easy to get aging.
- Color: Standard color is natural, black, other special colors are available upon request.
- Feature: Use to bundle wires, cables, wrapping and get gardening neat and tidy.
- · Insert tie into the lock of head and pull out easily to bundle it.

General Specifications

Series	
Туре	Non-Releasable
Colour	Natural
Material	Nylon 66
Finish	
Application	
Resistant To	
UV Resistant	No
Minimum Operating Temperature	-40°C
Maximum Operating Temperature	85°C
Fire Behaviour	Self-Extinguishing
Quantity	50

Mechanical Specifications

Length	1168mm(46")
Width	9.0mm
Tensile Strength	175lbs/80kgs
Max. Bundle Dia.	356mm
Thickness	1.8±0.25mm



Protection Category

IP Rating

Classification

eCI@ss (10.0.1)	
UNSPSC (6.01)	

Approvals

Declarations	
Standards Met	UL, RoHS, SVHC, DNV.GL, Lloyd's, CE, VDE, ABS, HF

Similar Products

Stock No.	Brand	Product Name	Colour	Material	Tensile strength
489-2140	RS PRO	Natural cable tie	Natural	Nylon 66	50lbs/22kg
178-490	RS PRO	Natural cable tie	Natural	Nylon 66	40lbs/18kg















