

FEATURES

- All Fluids compatible
- **Mechanical** resistance
- Silicon free

RS PRO MALE HOSE ADAPTER (TAPER)

RS Stock No.: 2312543



RS PROfessionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description

The RS PRO male hose adapter (taper) mainly used in compressed air, pneumatic automation, industrial water circuit applications. High performances in pressure and temperatures (+300°C). Available with sharp threads. RoHS and REACH compliant.

General Specifications

| Coupling Type | Straight |
|---------------|--|
| Body Material | Brass |
| Application | Compressed Air, Pneumatic Automation, Textile, Packaging, Handling |


Mechanical Specifications

| Maximum Working Pressure | 100bar | | | |
|--------------------------|------------------|--|--|--|
| Threaded Connection | 1/2 in BSPT Male | | | |
| Thread Standard | BSPT | | | |
| Thread Gender | Male | | | |
| Connector Gender | Male | | | |
| Hose Inner Diameter | 14mm | | | |
| Thread Size | 1/2in | | | |
| Chamfer Size | 22mm | | | |



Similar Products

| Parameters | 2312502 | 2312503 |
|--------------------------|---|---|
| Brand | RS PRO | RS PRO |
| Coupling Type | Straight | Straight |
| Body Material | Brass | Brass |
| Maximum Working Pressure | 10bar | 10bar |
| Connector Gender | Male | Male |
| Hose Inner Diameter | 4mm | 6mm |
| Hose Outer Diameter | 11mm | 11mm |
| Application | Compressed Air, Pneumatic Automation, Textile, Packaging, Handling | Compressed Air, Pneumatic Automation, Textile, Packaging, Handling |



| Α | A1 | В | С | L | СН | Pack. |
|----|-----|------|----|----|----|-------|
| 14 | 1/2 | 19.5 | 14 | 39 | 22 | 10 |