


ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY.

SPC-F005.DWG

REVISIONS		DOC. NO. SPC-F005	Effective 7/8/02	DCP No. 1308				
DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECK'D	DATE	APPR'VD	DATE
1934	A	Released	JJM	07/29/08	JJM	07/29/08	JJM	07/29/08



- Notes:
1. New product shall be reference to Balcore GR-326 standard.
 2. Insertion loss: $\leq 0.2\text{dB}$ typical (1300nm).
 3. Cable Marking:

Baycon: Plus Corning MMF-50/125 optical fiber cable OFNR(UL) E201648
 8/2006 *****M
 Key Optics: Plus Corning MMF-50/125 optical fiber cable OFNR(UL)
 E241104 8/2006 *****M

SPC #	Length (Meters)
SPC22877	1
SPC22878	2
SPC22879	3
SPC22880	5
SPC22881	10

DISCLAIMER: ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

TOLERANCES: UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
Jason Nash	07/29/08
CHECKED BY:	DATE:
JJM	07/29/08
APPROVED BY:	DATE:
JJM	07/29/08

DRAWING TITLE: Fiber Optic, 50/125 SIMPLEX ST/ST

SIZE	DWG. NO.	ELECTRONIC FILE	REV
A	Ta-905	Ta-905.DWG	A
SCALE:	NTS	U.O.M.: INCHES [mm]	SHEET: 1 OF 1