


No. 6300

"CRYSTALINE" Screwdriver



We have created a colorful grip with a crystalline sparkle. We offer an abundant lineup of shank sizes, including those capable of accessing deeply recessed or narrow areas.



No. 6300

"CRYSTALINE" Screwdriver

Uses cellulose acetate resin with good oil and chemical resistance. Uses raw materials such as wood and cotton (literal meaning of cellulose).

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS


AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS

No. 6300 "CRYSTALINE" Screwdriver PAT.

- Bright quartz "CRYSTALINE" handles. Color coding by ⊕⊖.
- Uses cellulose acetate resin.



No.6300							Inner Ctn.	Outer Ctn.	EDP No.
⊖ 4.5 × 50	4.5	0.6	50	5.0	22.0	138	12	240	121201
⊖ 5.5 × 75	5.5	0.8	75	5.5	22.0	163	12	240	121202
⊖ 6 × 100	6.0	0.9	100	6.0	26.5	205	12	240	121203
⊖ 8 × 150	8.0	1.1	150	8.0	28.5	263	12	120	121205
⊖ 9 × 200	9.0	1.2	200	9.0	28.5	313	6	60	121206
⊖ 10 × 250	10.0	1.2	250	9.0	28.5	363	6	60	121207
⊖ 10 × 300	10.0	1.2	300	9.0	28.5	413	6	60	121208
⊕ 1 × 75	⊕No.1	75	5.0	22.0	163		12	240	121209
⊕ 2 × 100	⊕No.2	100	6.0	26.5	205		12	240	121210
⊕ 3 × 150	⊕No.3	150	8.0	28.5	263		12	120	121211
⊕ 4 × 200	⊕No.4	200	9.0	28.5	313		6	60	121212

No. 6300 "CRYSTALINE" Screwdriver (Long Shank Type) PAT.


- Bright quartz "CRYSTALINE" handle. Marked for ⊕⊖.
- Long shank for fastening in a hard-to-reach space.
- Uses cellulose acetate resin.



No.6300							Inner Ctn.	Outer Ctn.	EDP No.
⊖ 5 × 150	5.0	0.8	150	4.8	22	238	12	120	121213
⊖ 5 × 200	5.0	0.8	200	4.8	22	288	12	120	121214
⊖ 5 × 250	5.0	0.8	250	4.8	22	338	12	120	121215
⊕ 1 × 150	⊕No.1	150	4.8	22	238		12	120	121216
⊕ 1 × 200	⊕No.1	200	4.8	22	288		12	120	121217
⊕ 1 × 250	⊕No.1	250	4.8	22	338		12	120	121218
⊕ 2 × 150	⊕No.2	150	6.0	26.5	255		12	120	121219
⊕ 2 × 200	⊕No.2	200	6.0	26.5	305		12	120	121220
⊕ 2 × 250	⊕No.2	250	6.0	26.5	355		12	120	121221

No. 6900 "CRYSTALINE" Screwdriver (Precision Type) PAT.

- Bright quartz "CRYSTALINE" handle. Marked for ⊕⊖.
- For intense precision work.
- Handle butt is recessed to allow pressing with fingertips for fast turning.
- Uses cellulose acetate resin.



No.6900							Inner Ctn.	Outer Ctn.	EDP No.
⊖ 2.5 × 50	2.5	0.35	50	3	14	101	24	240	121301
⊖ 2.5 × 75	2.5	0.35	75	3	14	126	24	240	121302
⊖ 2.5 × 100	2.5	0.35	100	3	14	151	24	240	121303
⊕ 00 × 50	⊕No.00	50	3	14	101		24	240	121327
⊕ 0 × 75	⊕No.0	75	3	14	126		24	240	121304

No. 6100 "CRYSTALINE" Screwdriver (Thin Shank Type) PAT.

- Bright quartz "CRYSTALINE" handle. Marked for ⊕⊖.
- Thin shank screwdriver. Ideal for working in cramped spaces.
- Uses cellulose acetate resin.



No.6100							Inner Ctn.	Outer Ctn.	EDP No.
⊖ 4 × 50	4.0	0.45	50	4	16	124.5	12	240	121001
⊖ 4 × 75	4.0	0.45	75	4	16	149.5	12	240	121002
⊖ 4 × 100	4.0	0.45	100	4	16	174.5	12	240	121003
⊖ 4 × 150	4.0	0.45	150	4	16	224.5	12	120	121005
⊖ 4 × 200	4.0	0.45	200	4	16	274.5	12	120	121006
⊕ 0 × 75	⊕No.0	75	4	16	149.5		12	240	121323
⊕ 0 × 100	⊕No.0	100	4	16	174.5		12	240	121009
⊕ 0 × 150	⊕No.0	150	4	16	224.5		12	120	121325
⊕ 0 × 200	⊕No.0	200	4	16	274.5		12	120	121326
⊕ 1 × 75	⊕No.1	75	4	16	149.5		12	240	121008
⊕ 1 × 100	⊕No.1	100	4	16	174.5		12	240	121012
⊕ 1 × 150	⊕No.1	150	4	16	224.5		12	120	121013
⊕ 1 × 200	⊕No.1	200	4	16	274.5		12	120	121014
⊕ 2 × 200	⊕No.2	200	4	16	274.5		12	120	121015
⊕ 2 × 250	⊕No.2	250	4	16	324.5		12	120	121016

No. 6200 "CRYSTALINE" Screwdriver (Stubby Type) PAT.

- Bright quartz "CRYSTALINE" handle. Marked for ⊕⊖.
- Ideal for working in cramped spaces.
- Uses cellulose acetate resin.



No.6200							Inner Ctn.	Outer Ctn.	EDP No.
⊖ 6 × 38	6.0	0.9	38	6	30	87.5	12	240	121101
⊕ 1 × 38	⊕No.1	38	6	30	87.5		12	240	121102
⊕ 2 × 38	⊕No.2	38	6	30	87.5		12	240	121103

One point

An Eco-friendly grip made from plant-based ingredients

Cellulose acetate resin, used in many plastic screwdrivers, is once again in the spotlight as an ecologically friendly plant-based polyester resin. Cellulose acetate resin is an outstanding material that is resistant to oil, chemicals, and shock. As the word cellulose implies, the grip is made from wood pulp and cotton. This resin grip is ecologically friendly with a low environment load, and does not upset the CO2 balance when burned.



No. 6603 Long Square Shank Screwdriver PAT.

- 450mm-long square shank. Fully hardened tough special steel.
- Effective with high strength tightening.
- For fastening screws of sanitary appliances, etc.
- Uses cellulose acetate resin.



No.6603

							Outer Ctn. (mm)	EDP No.
⊖ 9 × 450	9.0	1.2	450	8	113	28.5	563	6 122231
⊕ 2 × 450	⊕No.2	450	6	113	28.5	563		6 122232
⊕ 3 × 450	⊕No.3	450	8	113	28.5	563		6 122233

No. 4500 Power Grip Screwdriver

- Plastic handle and tang-thru shank stand up to heavy-duty work.
- Hexagon bolster for strong tightening with a spanner or alike.
- Cellulose acetate resin grip. Ergonomic design.



No.4500

								Inner Ctn. (mm)	Outer Ctn. (mm)	EDP No.
⊖ 5.5 × 75	5.5	0.8	75	5.8	28.0	172	8	6	240	123401
⊖ 6 × 100	6.0	0.9	100	6.4	31.8	204	10	6	120	123402
⊖ 8 × 150	8.0	1.1	150	8.0	35.6	265	12	6	120	123403
⊖ 9 × 200	9.0	1.2	200	9.0	37.0	320	12	6	60	123404
⊕ 1 × 75	⊕No.1	75	5.8	28.0	172	8		6	240	123405
⊕ 2 × 100	⊕No.2	100	6.4	31.8	204	10		6	120	123406
⊕ 3 × 150	⊕No.3	150	8.0	35.6	265	12		6	120	123407
⊕ 4 × 200	⊕No.4	200	9.0	37.0	320	12		6	60	123408

No. B-370 Non-slip tang-thru screwdrivers

- Unique Non-Slip finish that prevents slipping even if oil adheres on the grip.
- Tang-thru type with a large nut. Good for heavy duty work.
- The end of the handle has a color ring facilitates to distinguish the tip difference at a glance.




No.B-370

							Inner Ctn. (mm)	Outer Ctn. (mm)	EDP No.
⊖ 5.5 × 75	5.5	0.8	75	5.5	27.4	183	6	60	267590
⊖ 6 × 100	6.0	0.9	100	6.4	30.7	226	6	60	267591
⊖ 8 × 150	8.0	1.1	150	8.0	36.2	290	6	60	267592
⊕ 1 × 75	⊕No.1	75	5.5	27.4	183		6	60	267593
⊕ 2 × 100	⊕No.2	100	6.4	30.7	226		6	60	267594
⊕ 3 × 150	⊕No.3	150	8.0	36.2	290		6	60	267595

No. 4100 Power Socket Screwdriver

- For fastening and loosening hexagon bolts and nuts.



No.4100

								Inner Ctn. (mm)	Outer Ctn. (mm)	EDP No.
A/F 5 × 115	5	8	18	115	5.0	28.0	212	6	60	123501
A/F 5.5 × 115	5.5	9	18	115	5.0	28.0	212	6	60	123502
A/F 6 × 115	6	9	18	115	5.5	28.0	212	6	60	123503
A/F 7 × 125	7	10	18	125	5.5	28.0	222	6	60	123504
A/F 8 × 125	8	12	20	125	5.5	31.8	229	6	60	123505
A/F 9 × 125	9	12.7	20	125	6.3	31.8	229	6	60	123506
A/F 10 × 125	10	15	20	125	7.0	35.6	240	6	60	123507
A/F 11 × 125	11	15	20	125	7.0	35.6	240	6	60	123508
A/F 12 × 150	12	17	20	150	8.0	35.6	265	6	60	123509
A/F 13 × 150	13	19	20	150	8.0	35.6	265	6	60	123510

No. 4600 POZIDRIV Screwdriver

- High precision black point tip.
- Good for assembly of European and American furniture and skiing equipment.



No.4600

						Inner Ctn. (mm)	EDP No.
PZ1 × 75	PZ No.1	75	5	28	172	6	636011
PZ2 × 100	PZ No.2	100	6	31	204	6	636012
PZ3 × 150	PZ No.3	150	8	35	265	6	636013

No. 5400TX Power Grip TORX Screwdriver

- Champagne gold plating keeping the precise tip quality.
- Cellulose acetate resin grip. Ergonomic design.
- For working with tamper-proof screws (T5 and T6 excluded).



→ See P45 One point

No.5400TX

								Inner Ctn. (mm)	Outer Ctn. (mm)	EDP No.
T 5 × 80	1.42	80	2.5	17.0	155	12	60	122854		
T 6 × 80	1.69	80	2.5	17.0	155	12	60	122855		
T 7H × 80	1.97	80	2.5	17.0	155	12	60	122856		
T 8H × 80	2.3	80	3.0	17.0	155	12	60	122857		
T 9H × 80	2.48	80	3.0	17.0	155	12	60	122858		
T10H × 80	2.72	80	3.0	17.0	155	12	60	122859		
T15H × 80	3.26	80	3.5	28.0	177	6	60	122860		
T20H × 120	3.84	120	4.0	28.0	217	6	60	122861		
T25H × 120	4.4	120	5.0	31.8	224	6	60	122862		
T27H × 120	4.96	120	5.0	31.8	224	6	60	122863		
T30H × 120	5.49	120	6.0	35.6	235	6	60	122864		
T40H × 120	6.6	120	7.0	35.6	235	6	60	122865		

TORX® is a registered trademark of Acument TM Intellectual Properties, LLC (USA). VESSEL has a manufacturing license in Japan and selling same to the world.

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS

AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS

No. B-5400BP Power Grip UltraBall Screwdriver


- Champagne gold plating keeping the precise tip quality.
- Cellulose acetate resin grip. Ergonomic design.
- A knurled shank keeps hands from slipping in fast turning.



No. B-5400BP	Bit	Length (mm)	Shaft Dia. (mm)	Tip Dia. (mm)	Tip Length (mm)	Overall Length (mm)	Outer Ctn.	EDP No.
H 1.5 × 80	1.5	80	2.5	17.0	155	30	267565	
H 2 × 80	2	80	3.0	17.0	155	30	267566	
H 2.5 × 80	2.5	80	3.0	17.0	155	30	267567	
H 3 × 120	3	120	3.5	28.0	217	30	267568	
H 4 × 120	4	120	5.0	31.8	224	30	267569	
H 5 × 120	5	120	6.0	35.6	235	30	267570	
H 6 × 120	6	120	7.0	35.6	235	30	267571	

No. TD-210 3-Point Cross Screwdriver

- 3 sizes in 1 compact handy tool.
- Y-handle fits in the palm of the hand. Delivers powerful fastening strength.



Set content	Package size (mm)	Inner Ctn.	Outer Ctn.	EDP No.
⊕1 / ⊕2 / ⊖6	135×120×20	10	60	251210

No. TX-10 TORX Screwdriver Set

- Provided with bits in a holder.
- Also good for tamper-proof screws.
- New type of bit holder that assuredly holds bits.
- Bit insertion part ● 6.35mm
- Cellulose acetate resin grip. Ergonomic design.



Set content	Package size (mm)	Outer Ctn.	EDP No.
Body length 204mm dia. 31.8mm	235×100×31	10	252020
Bits T10H, T15H, T20H, T25H, T27H, T30H, T40H, ⊕2, ⊕3, ⊖6×25.4mm			

Accessories Bit belt holder

TORX® is a registered trademark of Acument TM Intellectual Properties, LLC (USA). VESSEL has a manufacturing license in Japan and selling same to the world.

No. TD-6310HX Hex Screwdriver Set NEW

- Bit insertion part ● 6.35mm. Magnetized.
- Holds securely short bits. Reliable fastening as the bit does not drop easily.
- Grip made of environmental-friendly plant material.
- Provided with a bit belt for storage.




Set content	Package size (mm)	Outer Ctn.	EDP No.
Body length 213mm dia. 28.5mm	235×100×29	10	247029
Bits ⊖4, ⊖6, ⊕4, ⊕4, ⊕4, H2.5, H3, H4, H5, H6×25.4mm			

Accessories Bit belt holder

No. TD-250Y/ 220B/ 240G 3-Point Screwdriver

- 3 sizes in 1 compact handy tool.
- Y-handle fits in the palm of the hand. Delivers powerful fastening strength.



⊕ No. TD-250Y ● No. TD-220B ● No. TD-240G

Model No.	Set content	Package size (mm)	Inner Ctn.	EDP No.
TD-250Y	⊕1 / ⊕2 / ⊕3	120×95×18	10	251211
TD-220B	H2 / H2.5 / H3	120×95×18	10	251221
TD-240G	H4 / H5 / H6	120×95×18	10	251222

No. TD-6310TX TORX Screwdriver Set NEW

- Bit insertion part ● 6.35mm. Magnetized.
- Holds securely short bits. Reliable fastening as the bit does not drop easily.
- Grip made of environmental-friendly plant material.
- Provided with a bit belt for storage.



Set content	Package size (mm)	Outer Ctn.	EDP No.
Body length 213mm dia. 28.5mm	235×100×29	10	247028
Bits ⊖6, ⊕2, T8H, T10H, T15H, T20H, T25H, T27H, T30H, T40H×25.4mm			

Accessories Bit belt holder

TORX® is a registered trademark of Acument TM Intellectual Properties, LLC (USA). VESSEL has a manufacturing license in Japan and selling same to the world.

No. TD-800 "FAMIDORA 8" Screwdriver 8-Piece Set

- Ergonomic handle that fits in the palm of the hand.
- Color-coded interchangeable driver blades.
- Provided with a screwdriver stand, which is convenient for storage.



Set content		Package size (mm)	Inner Ctn.	Outer Ctn.	EDP No.
Handle	length 100mm dia. 29.5mm				
Driver blades	Φ0, Φ1, Φ2, Φ2.5, Φ4, Φ6, Awl, Pin extractor×128mm				

No. TD-410 "FAMIDORA" Reversible Blade Screwdriver

- Ergonomic handle that fits in the palm of the hand.
- Fully hardened shank. Tough tip.



Set content		Package size (mm)	Inner Ctn.	Outer Ctn.	EDP No.
Handle	length 101.5mm dia. 29mm				
Driver blades	Φ2 / Φ6×150mm				

One point

**Features of the FAMIDORA series
Small handle / Big handle**

Compact design useful as a standing set in households, offices, stores, etc.




Small handle

Big handle

Without big handle, the screwdriver can be used.



In a drawer



In a gap beside a cash register



For mounting hardware



For fastening a sign with screws

No. TD-808 "FAMIDORA W8" Screwdriver Set

- Ergonomic handle that fits in the palm of the hand.
- Reversible blades. Each blade has 2-sized ends.
- Fully hardened alloy steel shank. ● Provided with a transparent case.



Set content		Package size (mm)	Inner Ctn.	Outer Ctn.	EDP No.
Handle	length 100mm dia. 29.5mm				
Driver blades	Φ0/Φ2.5, Φ1/Φ4, Φ2/Φ6, Awl, Pin extractor×120mm				

No. TD-2100 "Dual-Tone" Screwdriver Set NEW

- Set of a handle and interchangeable blades, convenient for repair/disassembly of electric goods, toys, and equipment instruments.
- Octagonal grip effectively transmitting fastening force; made of polypropylene, oil and chemical resistant.
- Blades have a thin non-electrolytic plating layer and fits screws.
- Magnetized tip catching screws. ● Provided with a handy bag.



Set content		Package size (mm)	Inner Ctn.	EDP No.
Handle	length 100mm dia. 30mm			
Driver blades	Φ1, Φ2, Φ4, Φ6×120mm			

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS

AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS