
Printing date 10.05.2018

Version number: 1

Revision: 02.05.2018



Printing date 10.05.2018

Version number: 1

Revision: 02.05.2018

#### Trade name: OPEN GEAR AND WIRE ROPE SPRAY

		(Contd. of page
· Dangerous components:		
CAS: 106-97-8	butane	35-50%
EINECS: 203-448-7	🚸 Flam. Gas 1, H220	
Index number: 601-004-00-0	) 💩 Acute Tox. 3, H331	
RTECS: EJ 4200000	Press. Gas C, H280	
CAS: 64742-89-8	Solvent naphtha (petroleum), light aliph.	25-35%
EINECS: 265-192-2	🚸 Flam. Liq. 2, H225	
Index number: 649-267-00-0	) 🚯 Asp. Tox. 1, H304	
CAS: 74-98-6	propane	5-10%
EINECS: 200-827-9	🚯 Flam. Gas 1, H220	
Index number: 601-003-00-5	Press. Gas C, H280	
RTECS: TX 2275000		
· Additional information: For	the wording of the listed hazard phrases refer to section	16.
· Non-hazardous components		
CAS: 74869-21-9	Lubricating greases (Petroleum Based)	5-10%
EINECS: 278-011-7		
Index number: 649-243-00-2	ζ.	
CAS: 1317-33-5	Molybdenum disulphide	1-5%
EINECS: 215-263-9		
RTECS: QA 4697000		

#### **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Generally the product does not irritate the skin.

• After eye contact: Rinse opened eye for several minutes under running water.

· After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

# **SECTION 6:** Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)

EU

\*

Printing date 10.05.2018

Version number: 1

Revision: 02.05.2018

#### Trade name: OPEN GEAR AND WIRE ROPE SPRAY

(Contd. of page 2)

## **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control	l parameters
---------------	--------------

· Ingredients with limit values that require monitoring at the workplace:			
106-97-8 butane	106-97-8 butane		
WEL (Great Britain)	Short-term value: 1810 mg/m <sup>3</sup> , 750 ppm Long-term value: 1450 mg/m <sup>3</sup> , 600 ppm Carc (if more than 0.1% of buta-1.3-diene)		
AGW (Germany)	Long-term value: 2400 mg/m³, 1000 ppm 4(II);DFG		
64742-89-8 Solvent naphtha (petroleum), light aliph.			
MAK (Germany)	vgl.Abschn.Xb		
74-98-6 propane			
AGW (Germany)	Long-term value: 1800 mg/m <sup>3</sup> , 1000 ppm 4(II);DFG		
1317-33-5 Molybdenum disulphide			
WEL (Great Britain)	Short-term value: 20 mg/m <sup>3</sup> Long-term value: 10 mg/m <sup>3</sup> as Mo		
MAK (Germany)	vgl.Abschn.IIb und XII		

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection:
- Suitable respiratory protective device recommended.

Use suitable respiratory protective device in case of insufficient ventilation.

• Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the (Contd. on page 4)

Printing date 10.05.2018

Version number: 1

Revision: 02.05.2018

(Contd. of page 3)

#### Trade name: OPEN GEAR AND WIRE ROPE SPRAY

application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Not required.

# **SECTION 9: Physical and chemical properties**

• 9.1 Information on basic physical and chemical properties		
· General Information		
· Appearance:		
Form:	Compressed liquefied gas	
Colour:	Black	
· Odour:	Solvent-like	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
• Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. : 0 °C	
· Flash point:	-60 °C	
· Flammability (solid, gas):	Not applicable.	
· Ignition temperature:	365 °C	
· Decomposition temperature:	Not determined.	
• Auto-ignition temperature:	Product is not selfigniting.	
• Explosive properties:	Not determined.	
· Explosion limits:		
Lower:	1.5 Vol %	
Upper:	10.9 Vol %	
· Vapour pressure at 20 °C:	8,300 hPa	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	85.0 %	
VÕC (EC)	75,00 %	
Solids content:	2.0 %	
• 9.2 Other information	No further relevant information available.	

# **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

EU

Printing date 10.05.2018

Version number: 1

Revision: 02.05.2018

(Contd. of page 4)

#### Trade name: OPEN GEAR AND WIRE ROPE SPRAY

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*

• STOT-single exposure Based on available data, the classification criteria are not met.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- *Recommendation: Disposal must be made according to official regulations.*

#### **SECTION 14: Transport information**

· 14.1 UN-Number

· ADR, IMDG, IATA

UN1950

(Contd. on page 6)

EU

EU

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.05.2018

Version number: 1

Revision: 02.05.2018

# Trade name: OPEN GEAR AND WIRE ROPE SPRAY

	(Contd. of page :
· 14.2 UN proper shipping name · ADR	1950 AEROSOLS
·IMDG	AEROSOLS AEROSOLS, flammable
· IATA · 14.3 Transport hazard class(es)	AEROSOLS, Jiammable
· ADR	
· Class · Label	2 5F Gases. 2.1
· IMDG	
· Class	2.1
· Label · IATA	2.1
· Class · Label	2.1 2.1
· 14.4 Packing group · ADR, IMDG, IATA	- Void
14.5 Environmental hazards:	V
· Marine pollutant:	Yes
<ul> <li>14.6 Special precautions for user</li> <li>Danger code (Kemler):</li> </ul>	Warning: Gases.
· EMS Number:	F-D,S-U
· Stowage Code	SW1 Protected from sources of heat.
· Segregation Code	SW22 For AEROSOLS with a maximum capacity of 1 litre Category A. For AEROSOLS with a capacity above 1 litre Category B. For WASTE AEROSOLS: Category C, Clea of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre
Segregation Code	Soos For ALKOSOLS with a maximum capacity of Fitthe Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacit above 1 litre: Segregation as for the appropriat subdivision of class 2. For WASTE AEROSOLS Segregation as for the appropriate subdivision of class 2.
· 14.7 Transport in bulk according to Anno Marpol and the IBC Code	ex II of Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ)	IL
	(Contd. on page

Printing date 10.05.2018

Version number: 1

Revision: 02.05.2018

#### Trade name: OPEN GEAR AND WIRE ROPE SPRAY

	(Contd. of page 6)
$\cdot$ Excepted quantities (EQ)	Code: E0
• • • • •	Not permitted as Excepted Quantity
· Transport category	2
• Tunnel restriction code	D
· IMDG	
· Limited quantities (LQ)	1L
$\cdot$ Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
· UN ''Model Regulation'':	UN 1950 AEROSOLS, 2.1

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms GHS02
- · Signal word Danger

#### · Hazard statements

- H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
- · Precautionary statements
- *P101 If medical advice is needed, have product container or label at hand.*
- P102 Keep out of reach of children.
- P103 Read label before use.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

*P211* Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### · Directive 2012/18/EU

- $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H220 Extremely flammable gas.
H225 Highly flammable liquid and vapour.
H280 Contains gas under pressure; may explode if heated.
H304 May be fatal if swallowed and enters airways.
H331 Toxic if inhaled.

- · Department issuing SDS: Technical Department
- · Contact: Mr Clinton Palmer
- Abbreviations and acromyms:
  ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
  IMDG: International Maritime Code for Dangerous Goods
  IATA: International Air Transport Association
  GHS: Globally Harmonised System of Classification and Labelling of Chemicals
  EINECS: European Inventory of Existing Commercial Chemical Substances
  ELINCS: European List of Notified Chemical Substances
  CAS: Chemical Abstracts Service (division of the American Chemical Society)
  VOC: Volatile Organic Compounds (USA, EU)
  PBT: Persistent, Bioaccumulative and Toxic

EU

Printing date 10.05.2018

Version number: 1

Revision: 02.05.2018

#### Trade name: OPEN GEAR AND WIRE ROPE SPRAY

vPvB: very Persistent and very Bioaccumulative Flam. Gas 1: Flammable gases – Category 1 Aerosol 1: Aerosols – Category 1 Press. Gas C: Gases under pressure – Compressed gas Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1 • \* Data compared to the previous version altered. (Contd. of page 7)

EU