

FS-12PC



FS-12PC CLEAR MOLDED ASPHERICAL POLYCARBONATE FACE SHIELD **Ref.** WELFS12PC_



Product specifications

FS-12PC features a non-proprietary, high quality polycarbonate material that has similar in performance characteristics to Lexan®.

Aspherical design allows optimal freedom of movement in all directions.

Offers wraparound, splash and impact protection.

Universal Hole Pattern on Elvex® face shields, also fit on the more popular headgear brands.

Elvex® face shields fit to our HG-25 and HG-35 headgears.

Material: Molded Aspherical Polycarbonate

COLOR

Clear

SIZE

No size



Product Use - Risks



Shock



Heat



UV / IR



Agriculture / Green areas



Construction / Civil engineering



Second work



Heavy industry



Light industry



Services / Logistics



Hygiene environment



Oil / Gas



Mining



Wind/Energy

Product's highlights & user's benefits						
Industry Leading Thickness: 0.078 inches						
Die cut universal hole pattern fits most competitive headgear options.						
Heat Tolerance: up to 265 degrees						
Dimensions: 8 in. x 12 in. x .078 in.						
UV Protection: 99.9% between 180-380nm						



Certifications and Standards

USA STANDARDS



ANSI Z87.1-2010(+) American National Standards Institute - Occupational and didactic Personal Eye and Face Protection Devices.

.: High Velocity Impact .: High Mass Impact

References Bar code COLOR SIZE Image: Color of the color	Re	ferences					
WELFS12PC 7292946912360 Clear No size 50 -		References	Bar code	COLOR	SIZE	•	À
		WELFS12PC	7292946912360	Clear	No size	50	-