

FEATURES

- 4 PIECES
DEPANELING SET:
3 manual depaneling pliers (blade thickness 1.5-1.8-2.0 mm), designed to separate PCBs in a quick, economic and safe way, obtaining well-finished cut surfaces; the maximum length of the isthmus (tab) should not exceed 3mm. 1 finishing cutter.
- In durable nylon wallet roll
- Ergonomic anti-slip bi-component handle for a safe, light and comfortable grip
- Anti-reflection phosphating surface treatment
- Laser marking
- Made in Italy

RS PRO depaneling pliers set: 3 depaneling pliers, 1 finishing cutter

RS PRO Stock No.: 249-8650



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

- *Made in Italy with special carbon steel and undergo a controlled atmosphere heat treatment.*
- *The anti-reflection phosphating surface treatment ensures an accurate view of the work being carried out.*
- *The tools are joined with grounded holes and surfaces, thereby allowing precise movements.*
- *The anti-slip bi-material dolphin handle is created following ergonomic principles, thus guaranteeing a safe, light, and comfortable grip for the operator even when used constantly for many hours*
- *A set containing 3 manual depaneling tools designed to separate PCBs in a quick, economic, and safe way, obtaining well-finished cut surfaces; the maximum length of the isthmus (tab) should not exceed 3 mm. This set also contain 1 cutter for an additional finishing of the cut edges.*
- *Blade thickness 1.5-1.8-2.0 mm*
- *Maximum PCB thickness 1.6mm*
- *Minimum isthmus distance 11mm*

General Specifications

1 CUTTER	
Cutter Type	Medium head. Flush cut.
Non-Sparking	Yes
Tip Style	Flush cut. Medium head size
Material	Carbon steel
Finish	Anti-reflection phosphating surface treatment, red grip
Overall Length	138 mm
Cutting Force	5.0 kg
Weight	80 g
Steel Thickness	3 mm
Max cut	Ø 1.30mm - 16 awg copper wire
3 DEPANELING PLIERS	
Blade Thickness	1.5-1.8-2.0 mm
Non-Sparking	Yes
Material	Carbon steel
Finish	Anti-reflection phosphating surface treatment, red grip
Overall Length	147mm
Weight	100 g
Steel Thickness	3 mm

Electrical Specifications**ESD Safe**

No

Kit contains

Name	QTY	RSPRO order code
Depaneling pliers 1.5mm blade	1	238-0731
Depaneling pliers 1.8mm blade	1	238-0732
Depaneling pliers 2.0mm blade	1	238-0733
Finishing cutter	1	249-8676



