

FEATURES

- Contact rating 12 A to 16A, 125-250Vac
- Rust and corrosion proof reinforced polymeric construction for arduous use
- Non-skid base pad
- Rated to IP20
- Dark grey in color
- Adjustable strain relief clamp for various cable sizes
- Flame retardant

RS PRO Light Duty Momentary Foot Switch - Polymer Case Material, DP-CO, 15 A @ 250 V ac Contact Current, 250V Contact

RS Stock No.: 116-681



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description ATTRIBUTE 1

RS PRO light duty foot switches which are ideal for a number of applications. They have a light weight polymeric housing with non-skid base pads and the raised ribs on the cover ensure a good grip.

This range of light-duty foot pedal switches includes:

116-906 - Momentary SPDT

116-681 - Momentary DPDT

116-748 - Maintained SPST-NO

General Specifications

Contact Configuration	DP-CO
Switch Operation	Momentary
Case Material	Polymer
Switch Environment	Light Duty
Colour	Dark grey
Applications	Foot switches are commonly used in applications where hands-free control is more practical or safer. They can be found on: Industrial machinery and smaller power tools, Hospital beds, Dentist Chairs, Lamps
Cable Connection	Adjustable strain relief clamp accommodates a wide range of cable sizes.

Electrical Specifications

Contact Voltage Rating (AC)	250V
Contact Voltage Rating (DC)	250V
Contact Current Rating	15A at 250V ac

Mechanical Specifications

Length	101.32mm
Height	27.76mm
Dimensions	101.32mm x 87.27mm x 27.76mm
Width	87.27mm
Weight	0.1kg

Protection Category

IP Rating	IP20
------------------	------

Approvals

Standards Met	EN60529
Compliance/Certifications	RoHS, CE





Size

