





Tools that work for you

ESD SAFE

PicoFinish® Precision Screwdrivers



- > Extra long spinner cap ensures optimum control making handling easier
- > Electrostatic conductive materials protects sensitive electronic components from damage
- > Carefully selected tip sizes fit the most common applications
- > Two handle sizes delivers optimum performance and balance between the full range of precision fasteners
- > Soft grip layer and slim handle provides control with optimal power transmission to the fastener



PicoFinish® Precision Screwdrivers



272 Slotted Screwdriver, With Precision PicoFinish® ESD Safe Dissipative Handle*
Blade high alloy MoV steel.
Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1.

Item No.	mm	Inch	mm	Inch	mm	Inch	List
27270	.8	1/32	40	1.6	0.16	135	5.3 \$11.08
27271	1.0	.039	40	1.6	0.18	135	5.3 \$10.66
27272	1.2	3/64	40	1.6	0.20	135	5.3 \$10.36
27273	1.5	1/16	40	1.6	0.25	135	5.3 \$9.32
27274	2.0	5/64	40	1.6	0.40	142	5.6 \$7.96
27275	2.0	5/64	100	3.9	0.40	202	8.0 \$8.58
27276	2.5	3/32	50	2.0	0.40	152	6.0 \$8.24
27277	2.5	3/32	100	3.9	0.40	202	8.0 \$9.16
27278	3.0	1/8	50	2.0	0.50	152	6.0 \$8.32
27279	3.0	1/8	100	3.9	0.50	202	8.0 \$9.16
27280	3.5	9/64	60	2.4	0.60	162	6.4 \$9.02
27281	4.0	5/32	60	2.4	0.80	162	6.4 \$8.94

*Metric dimensions actual - Inch dimensions approximate



273 Phillips Screwdriver, With Precision PicoFinish® ESD Safe Dissipative Handle*
Blade high alloy MoV steel. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	List
27330	000	40	1.6	2.0	.08	135	5.3 \$11.08	
27331	00	40	1.6	2.0	.08	135	5.3 \$8.54	
27332	0	50	2.0	3.0	.12	152	6.0 \$8.54	
27333	0	100	3.9	3.0	.12	202	8.0 \$9.42	
27334	1	60	2.3	4.0	.16	162	6.4 \$8.78	
27335	1	100	3.9	4.0	.16	182	7.2 \$9.34	

*Metric dimensions actual - Inch dimensions approximate

Surface resistance of handles is 10⁶ - 10⁹ Ohms



27921 Precision PicoFinish® Chip Lifter*
- ESD Safe Blade MoV steel, hardened, corrosion resistant finish. Precision handle high quality plastic, Dissipative material.

Item No.	mm	mm	mm	mm	Inch	List
27921	1	3.5	50	152	6.0	\$11.44



278 TORX® Screwdriver, With Precision PicoFinish® ESD Safe Dissipative Handle*
Blade high alloy MoV steel.
Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1.

Item No.	Size	mm	Inch	mm	Inch	List
27860	T1	40	1.6	135	5.3	\$12.74
27861	T2	40	1.6	135	5.3	\$12.74
27862	T3	40	1.6	135	5.3	\$12.24
27863	T4	40	1.6	135	5.3	\$12.24
27864	T5	40	1.6	135	5.3	\$12.24
27865	T6	40	1.6	142	5.6	\$12.24
27866	T7	40	1.6	142	5.6	\$12.24
27867	T8	40	1.6	142	5.6	\$12.24
27868	T9	50	2.0	152	6.0	\$12.24
27869	T10	50	2.0	152	6.0	\$12.68
27870	T15	60	2.4	162	6.4	\$12.86
27871	T20	60	2.4	162	6.4	\$12.86

*Metric dimensions actual - Inch dimensions approximate



277 Inch Nut Driver, With Precision PicoFinish® ESD Safe Dissipative Handle*
Blade high alloy MoV steel.

Item No.	Inch	mm	Inch	Inch	Inch	Inch	List
27770	3/32	60	2.4	6.4	.16	.16	\$13.86
27771	7/64	60	2.4	6.4	.20	.20	\$13.86
27772	1/8	60	2.4	6.4	.20	.20	\$13.86
27773	9/64	60	2.4	6.4	.21	.24	\$13.86
27774	5/32	60	2.4	6.4	.22	.24	\$13.86
27775	3/16	60	2.4	6.4	.25	.28	\$13.86
27776	7/32	60	2.4	6.4	.30	.32	\$13.86
27777	1/4	60	2.4	6.4	.34	.36	\$13.86

*Metric dimensions actual - Inch dimensions approximate



275 Inch Hex Inch Driver, With Precision PicoFinish® ESD Safe Dissipative Handle*
Blade high alloy MoV steel.
Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1.

Item No.	Inch	mm	Inch	mm	Inch	List
27550	0.028	40	1.6	135	5.3	\$10.48
27551	0.035	40	1.6	135	5.3	\$10.12
27552	0.05	40	1.6	135	5.3	\$9.32
27557	1/16	50	2.0	145	5.7	\$8.04
27554	5/64	50	2.0	152	6.0	\$7.94
27558	3/32	60	2.0	162	6.4	\$8.04
27559	7/64	60	2.4	162	6.4	\$8.04
27560	1/8	60	2.4	162	6.4	\$8.04

*Metric dimensions actual - Inch dimensions approximate



275 Metric Hex Metric Driver, With Precision PicoFinish® ESD Safe Dissipative Handle*

Item No.	mm	mm	Inch	mm	Inch	List
27550	0.7	40	1.6	135	5.3	\$10.48
27551	0.9	40	1.6	135	5.3	\$10.12
27552	1.3	40	1.6	135	5.3	\$9.32
27553	1.5	50	2.0	145	5.7	\$8.28
27554	2.0	50	2.0	152	6.0	\$7.94
27555	2.5	60	2.4	162	6.4	\$8.14
27556	3.0	60	2.4	162	6.4	\$8.18

*Metric dimensions actual - Inch dimensions approximate



277 Metric Nut Driver, With Precision PicoFinish® ESD Safe Dissipative Handle*
Blade high alloy MoV steel.

Item No.	mm	mm	Inch	mm	Inch	Inch	List
27780	1.5	60	2.4	162	2.5	3.0	\$13.74
27781	2.0	60	2.4	162	3.2	4.0	\$13.74
27782	2.5	60	2.4	162	4.0	4.0	\$13.74
27783	3.0	60	2.4	162	5.0	5.0	\$13.74
27784	3.5	60	2.4	162	5.3	6.0	\$13.74
27785	4.0	60	2.4	162	5.5	6.0	\$13.74
27786	4.5	60	2.4	162	6.2	7.0	\$13.74
27787	5.0	60	2.4	162	6.8	7.0	\$13.74
27788	5.5	60	2.4	162	7.6	8.0	\$13.74

*Metric dimensions actual - Inch dimensions approximate



Surface resistance of handles is $10^6 - 10^9$ Ohms

75804 PicoFinish® Precision Handle - ESD Safe Precision handle high quality plastic, Dissipative material. Holds 4mm MicroBits.


Item	—		—
No.	mm	Inch	List
75804	100	4.0	\$9.26



27392 7-Piece PicoFinish® Precision Slotted & Phillips Set with ESD Safe Dissipative Handles Blade high alloy MoV steel, hardened, hard chrome. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item	Slotted:	
No.	1.5, 2.0, 2.5, 3.5mm	
27392	Phillips:	List
	#00, 0, 1	\$60.40

Wiha PicoFinish® Precision ESD Static Dissipative Screwdrivers meet the requirements for tools used in static sensitive areas



Rotating cap

For precise turning & control with fingertip

Molded Precision handle

Impact resistant dissipative material

Tapered handle allows rapid rotation

Blade MoV steel, hardened, hard chrome finish

Tip Precision ground for exact fit, Wiha Chromtop finish

ESD Standard IEC 61340-5-1

Surface resistance of handles is $10^6 - 10^9$ Ohms

In roll-up storage pouch



In roll-up storage pouch



27396 8-Piece PicoFinish® Precision Slotted & Phillips Set, ESD Safe Dissipative Handle Blade high alloy MoV steel, hardened, hard chromed. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1.

Item	Slotted:	
No.	1.5, 2.0, 2.5, 3.0mm	
27396	Phillips:	List
	#000, 00, 0, 1	\$70.78



27394 11-Piece Smartphone ESD Safe PicoFinish® & Standard Precision Set Blade high alloy MoV steel, hardened, hard chromed.

Item	Slotted: 1.5mm	
No.	Phillips: #000, #00, #0	
27394	TORX®: T3, T4, T5, T6	List
	Tweezers: PSF SA ESD Long	
	Flat Tweezers	
	Standard Precision Screwdrivers:	
	Pentalobe: PL1	
List	Y-Type: #000	
\$110.48		



27589 7-Piece PicoFinish® Precision Hex Metric Set, ESD Safe Dissipative Handle Blade MoV steel, hardened, hard chromed. Handle impact resistant, dissipative material.

Item	Hex Metric:	
No.	.7, .9, 1.3, 1.5, 2.0, 2.5, 3.0mm	
27589		List
		\$63.46



ESD standard IEC 61340-5-1

27892 7-Piece PicoFinish® Precision TORX® Set, ESD Safe Dissipative Handle Blade high alloy MoV steel, hardened, hard chromed. Handle manufactured from impact resistant, dissipative material.

Item	TORX® :	
No.	T4, T5, T6, T7, T8, T9, T10	
27892		List
		\$75.46



In roll-up storage pouch



ESD standard IEC 61340-5-1

27792 8-Piece PicoFinish® Precision

Inch Nut Driver Set, with ESD Safe Dissipative Handles Blade MoV steel, hardened, hard chromed. In roll-up pouch

Item	Inch Nut Drivers:	List
No.	3/32, 7/64, 1/8, 9/64,	
27792	5/32, 3/16, 7/32, 1/4"	\$99.78



In roll-up storage pouch



ESD standard IEC 61340-5-1

27789 8-Piece PicoFinish® Precision

Metric Nut Driver Set with ESD Safe Dissipative Handle Blade MoV steel, hardened, hard chromed. In roll-up pouch

Item	Metric Nut Drivers:	List
No.	1.5, 2.0, 2.5, 3.0,	
27789	3.5, 4.0, 5.0, 5.5mm	\$99.78



Surface resistance of handles is 10⁶ - 10⁹ Ohms

45892 26-Piece Precision PicoFinish®

Screwdrivers, Pliers, Precision Micro Bit Set & ESD Safe Tweezers ESD Pliers glare free, black finish, ESD Safe non-slip soft grips. ESD Safe PicoFinish® Slotted & Phillips screwdrivers, MoV tool steel blades. Precision ESD Safe Micro Bit handle holds Micro Bit extension and 4mm Micro bits. Anti-static Tweezers conductive, ESD Safe Hypo allergenic, anti-magnetic stainless.

45892 26 Piece ESD Safe Pliers, Precision PicoFinish® Screwdrivers, Micro Bit Set & ESD Tweezers Set in Canvas Pouch

ESD Safe Pliers & Cutters

- 5.25" Diagonal Cutters
- 4.5" Full Flush Tapered Cutters
- 4.75" Short Snipe Nose Pliers
- 5.75" Long Needle Nose Pliers

ESD Safe Slotted & Phillips Precision Drivers

Slotted: 2.0, 2.5, 3.0, 3.5mm & Phillips: 00, 0, 1

ESD Micro Bit Handle, Micro Bit Extension & 14 Micro Bits 4mm

Hex: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0mm

Torx®: T4, T5, T6, T7, T9, T10

ESD Safe Tweezers: 00 SA ESD -

120mm Heavy Duty Strong, Tapered To Strong Point

List \$274.76



ESD standard IEC 61340-5-1

92093 Master Technicians Bench Top Set

Metal frame. Equipped with 50 precision ESD Safe screwdrivers.

Item	Slotted: .8, 1.0, 1.2, 1.5, 2.0, 2.5, No.	List
92093	3.0, 3.5, 4.0mm	
92093	Phillips: #000, #00, #0, #1	
	TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20	
	Metric Hex: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0mm	
	Inch Hex: 1/16, 3/32, 7/64, 1/8"	
	Metric Nut Drivers: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm	
	Inch Nut Drivers:	
List	1/8, 5/32, 3/16, 1/4"	
\$416.56	3.5mm x 50mm Chip Lifter	

Flyer #99949



32794 11-Piece ESD Safe Precision

PicoFinish® Screwdrivers & Pliers Set Pliers drop-forged for an ideal material structure. Two component non-slip soft grip handle. Blade MoV steel, hardened, hard chromed.

32794 11 pc. ESD Safe PicoFinish®

Screwdrivers, Pliers & Cutters

- 5.25" Diagonal Cutters
- 4.5" Full Flush Tapered Cutters
- 4.75" Short Snipe Nose Pliers
- 5.75" Long Needle Nose Pliers

PicoFinish Precision® Screwdrivers

Slotted: 2.0, 2.5, 3.0 & 3.5mm

Phillips: #00, 0 & 1

List \$263.16

