

FEATURES

- VGA/SVGA/HD15
- F-F Gender Changer
- SPCC Nickel Plated
- Space Saving Design
- Robust Construction

RS PRO D-sub Adapter Female VGA to Female VGA

RS Stock No.: 2650814



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description

From RS PRO, this mini VGA to VGA adaptor is designed to facilitate a connection between two female Video Graphics Array connectors. VGA connectors are often used in computer monitor connections, and so can be used to join two cables together. This 15 pin mini VGA socket to socket adaptor is extra-flat for space-saving applications. With durable and quality construction, this adapter assures excellent connection from either cable to device or cable to cable. Like many VGA connectors, it features integrated thumb screws for a stable and secure connection to VGA plugs

General Specifications

Connector A	VGA/SVGA/HD15	
Connector B	VGA/SVGA/HD15	
Connector A Gender	Female	
Connector B Gender	Female	
Connector A Type	VGA/SVGA/HD15 Female	
Connector B Type	VGA/SVGA/HD15 Female	
Colour	Silver & White	
Housing	SPCC	
Applications	Custom office set ups, PC gaming, Professional multimedia presentation, Free-standing as a cable-to-cable extender, device graphic cards	

Approvals

Declarations	CE UKCA REACH ROHS
Standards Met	CE UKCA REACH ROHS



Specification:

Rating Current: 3 AMP

Insulation Resistance: 1000M Ohm min. at 500V DC


Dielectric Strength: 1000V AC for one minute.

Temperature: -55°C~+105°C


Contact: Brass Gold flash over Nickel Plated


Shell: SPCC Nickel Plated Insulator: PBT+30%GF Blue

Screw: Steel 12L14 Nickel Plated









PIN ASSIGNMENT

HDB15M	HDB15M
1 ———	1
2 ————	2
3	3
4	4
5 ———	5
6 —	6
7 ———	7
14	14
15	15
G ———	G