


## FEATURES

- Straps to keep cable tidy
- Only one piece
- Self –locking fastener
- Essential part with every toolkit
- Variety of length, width and colour

# RS PRO Black Nylon Cable Tie, 550mm x 12.7 mm

RS Stock No.: 811-1675



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

The cable can be pulled through the slot until the preferred loop is achieved and then the excess cable can be cut off. When threaded through the slot, the teeth of the cable form a lock which can't be pulled back through. These standard nylon cable ties should be an essential part of every toolkit. With the RS PRO wide range, there are a variety of lengths, widths and colours to suit all your requirements.

## General Specifications

|                       |                 |
|-----------------------|-----------------|
| <b>Type</b>           | Non-Releasable  |
| <b>Colour</b>         | Black           |
| <b>Material</b>       | Nylon 66        |
| <b>Fire Behaviour</b> | Flame Retardant |
| <b>Quantity</b>       | 100             |

## Mechanical Specifications


|                                |         |
|--------------------------------|---------|
| <b>Length</b>                  | 550mm   |
| <b>Width</b>                   | 12.7mm  |
| <b>Tensile Strength</b>        | 1117.2N |
| <b>Maximum Bundle Strength</b> | 159mm   |

## Approvals

|                      |          |
|----------------------|----------|
| <b>Standards Met</b> | UL 94V-2 |
|----------------------|----------|



Material: UL 94V-2 Nylon 66 Black



| RS Article No | SIZE     | Max. Bundle Dia. | Min Loop Tensile Strength |     | COLOR | Packsize |
|---------------|----------|------------------|---------------------------|-----|-------|----------|
|               |          |                  | lbs                       | kgs |       |          |
| 8111650       | 300x4.8  | 83               | 50                        | 22  | Black | 1000     |
| 8111662       | 368x4.8  | 105              | 50                        | 22  |       |          |
| 8111666       | 203x4.6  | 52               | 50                        | 22  |       |          |
| 8111669       | 380x7.6  | 105              | 120                       | 55  |       |          |
| 8111697       | 250x4.8  | 68               | 50                        | 22  |       |          |
| 8111672       | 610x9.0  | 177              | 175                       | 80  |       | 100      |
| 8111675       | 550x12.7 | 159              | 250                       | 114 |       |          |
| 8111678       | 450x8.0  | 128              | 132                       | 60  |       |          |
| 8111681       | 762x9.0  | 227              | 175                       | 80  |       |          |
| 8111684       | 340x7.6  | 92               | 120                       | 55  |       |          |
| 8111688       | 300x7.6  | 80               | 120                       | 55  |       |          |