

Tape, ESD Antistatic



Specifications

Tape Type : Masking
Tape Backing Material : Polyimide Film
Tape Width - Metric : 12.7mm
Tape Width - Imperial : 0.5"
Tape Length - Metric : 32.918m
Tape Length - Imperial : 108ft.

ESD High Temp Polyimide Tape

Used in applications masking PCB gold features for wave soldering and IR reflow ovens

- Remove leaves little or no residue
- Static charge generation during unwind and peel off stainless steel plate application is 5 volts @ 50% AH
- 1.0 mil thick (0.001" or 0.0356mm) conductive polysiloxide adhesive
- Adhesive surface resistivity 10E3 to 10E4 ohms
- Max temperature 260°C (500°F)
- For best results, apply to board using a rubber roller

Part Number Table

Description	Part Number
Tape, ESD Antistatic, 0.5" x 108Ft	MC23799

Important Notice: This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. DURATOOL is the registered trademark of the Group. © Premier Farnell plc 2012.

www.element14.com
www.farnell.com
www.newark.com
www.cpc.co.uk
www.mcmelectronics.com

