# 18/08/23 V1.0

# HDMI Feedthrough Connector Multicomp PRO





## RoHS Compliant

MP-CP30288

MP-CP30288X

#### Description

MP-CP30288 8K HDMI F-F Black plastic frame, CSK holes MP-CP30288X 8K HDMI F-F Black plastic frame, Ø2.5 PLAIN holes

### Specification


Shielded HDMI	: 2.1 F-F
Voltage Rating	: 40V AC
Current Rating	: 0.5A max
Contact Resistance	: 10mΩ max
Insulation Resistance	: 100MΩ min
Dielectric Withstanding Voltage	: 500V AC
Operating Temperature	: -25°C to +85°C

#### **HDMI** Specification

Version	: Shielded HDMI 2.1	
Supported Video resolution	: 7680 × 4320 60Hz	
HDR Support	: Yes	
HDCP Specification	: 1.4; 2.2	
Chroma Sub Sampling	: 4:4:4	

#### Features

- Fits standard XLR Ø24mm cutout.
- No soldering or punch termination. Use standard cable for each connector style.
- Front or rear mounted.
- Low rear profile •



#### Material

- Insert: ABS UL94 HB
- Frame: Polyamide UL94 V2
- Shell: Gold plated
- Contacts: Gold Plated

#### General

Please note: Functionality is affected by cable quality, length and cable wiring configuration.

#### Part Number Table

Description	Part Number
HDMI Adapter, 8K, Female-Female, CSK Holes	MP-CP30288
HDMI Adapter, 8K, Female-Female, Plain Holes	MP-CP30288X

#### **Dimensions : Millimetres**

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Page <1>

Newark.com/multicomp-pro Farnell.com/multicomp-pro sg.element14.com/b/multicomp-pro

