




ENGLISH

Datasheet

RS Pro Black Hook and Loop, 50mm x 1m

RS Stock No: **890-4174**



Product Details

RS Pro high-bond adhesive hook and loop tape is coated with an extreme acrylic adhesive that is suitable for high and low temperature applications, as well as for UV light and outdoor applications. The tape measures 50 mm x 1 m. The AC1 adhesive system provides high adhesion, excellent tack and shear strength together with excellent moisture and weather resistance. Additionally, it offers very good adhesion to cold, damp surfaces as well as low surface energy products such as PVC and polyethylene. The all round high performance of this AC1 adhesive makes this product highly beneficial in many applications and offers an incomparable alternative when faced with extreme conditions.

Features and Benefits

- High-bond adhesive hook and loop tape
- Coated with an extreme acrylic adhesive
- Suitable for high and low temperature applications
- Measure 50 mm x 1 m



ENGLISH

Specifications:

Colour	Black
Format	Strip
Hook Type	Hook & Loop
Length	1 m
Width	50 mm



AC1 Premium Acrylic Adhesive System

The AC1 adhesive system provides high adhesion, excellent tack and shear strength together with excellent moisture and weather resistance. Additionally it offers very good adhesion to cold, damp surfaces as well as low surface energy products such as PVC and polyethylene's.

The all round high performance of this AC1 adhesive makes this product highly beneficial in many applications and offers an incomparable alternative when faced with extreme conditions.

Adhesive Polyacrylic modified, permanent (solvent free)
Adhesive thickness 0.24mm
Adhesive weight 230g/m²
Carrier PES/PVA Diagonal Scrim
Liner Glassine Paper yellow 90g/m² double sided siliconised
Peel adhesion 34N/25mm
Dynamic shear resistance 0.15N/mm²
Tack 23N/25mm
Service temperature resistance. -40c to 100c