

IECEx Certificate of Conformity

Dipl.-Ing. Yang Wang

INTERNATIONAL ELECTROTECHNICAL COMMISSION **IEC Certification System for Explosive Atmospheres**

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEx TUR 24.0075X** Page 1 of 3 Certificate history:

Issue No: 0 Status: Current

Date of Issue: 2024-12-16

HAEXC Mobile Pte. Ltd. Applicant:

2 Joo Koon Circle, Singapore 629031 Singapore

Equipment: Intrinsically Safe Feature Phone, Model FP103Ex

Optional accessory:

Type of Protection: Equipment protection by intrinsic safety "ib"

Marking: Ex ib IIC T4 Gb

Ex ib IIIC T130°C Db (Ta range: -20°C to +55°C)

Approved for issue on behalf of the IECEx

Certification Body:

Position: **Assigned Certifier**

Signature:

(for printed version)

2024-12-16

(for printed version)

This certificate and schedule may only be reproduced in full.
This certificate is not transferable and remains the property of the issuing body.
The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.

Certificate issued by:

TUV Rheinland Industrie Service GmbH Am Grauen Stein 51105 Cologne **Germany**





IECEx Certificate of Conformity

Certificate No.: IECEx TUR 24.0075X Page 2 of 3

Date of issue: 2024-12-16 Issue No: 0

Manufacturer: HAEXC Mobile Pte. Ltd.

2 Joo Koon Circle, Singapore 629031 **Singapore**

Manufacturing

locations:

HAEXC Mobile Pte. Ltd. 2 Joo Koon Circle,

Singapore 629031

Singapore

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

STANDARDS:

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

IEC 60079-0:2017 Explosive atmospheres - Part 0: Equipment - General requirements

Edition:7.0

IEC 60079-11:2023 Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"

Edition:7.0

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Report:

DE/TUR/ExTR24.0075/00

Quality Assessment Report:

DE/TUR/QAR24.0015/00



IECEx Certificate of Conformity

Certificate No.: IECEx TUR 24.0075X Page 3 of 3

Date of issue: 2024-12-16 Issue No: 0

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

The Intrinsically Safe Feature Phone (model:FP103Ex) is a rugged operated mobile phone. The power of equipment is supplied with chargeable Lithium batteries. The mobile phone has been designed for use in explosion hazardous area of zone 1/21 and zone 2/22.

The Mobile phone support 4G/3G/2G, WLAN, GPS and Bluetooth. There is a 2.83-inch display with touch panel, the two custom keys, volume up/down keys. The mobile phone has one 13 Mega Pixel main camera and 8 Mega Pixel front camera.

Technical data:

Ui=4.35V(powered by Lithium-ion batteries)

Ingress protection: IP64

Ambient temperature: -20°C to +55°C

SPECIFIC CONDITIONS OF USE: YES as shown below:

- 1. The device only be charged outside explosion hazardous areas, using an adapter specifically supplied by the manufacturer for use with the unit.
- 2. Read the instructions before use. Only install TF/SIM cards or replace battery pack outside explosion hazardous areas.
- 3. The rubber plugs of the Type-C USB must be properly installed and closed in hazardous locations. The USB port only can be connected with the USB downloader specifically supplied by the manufacturer.
- 4. The device shall be protected against excessive UV light emission.
- 5. The device must be protected from impact with high impact energy.