



SITE SAFETY


RANGE GUIDE



CONTENTS



SITE AND SAFETY PROTECTION					
SELECTION GUIDE	4				
PRODUCT RANGE			5		
SAFETY BARRIERS		POSTS			
Steel with fixing plate	5	Steel	26		
Steel - to embed	11	Plastic	28		
Plastic	13				
Expandable	14				
PROTECTION BUMPERS		COMPLIMENTARY PRODUCT	rs		
Rubber	15	Mirrors	29		
Steel	16	Anti-Slip	30		
Foam	17	Accessories	31		
Flexible	21				



SITE SAFETY AND PROTECTION



Site Safety and Protection

Security is a key element in the site protection such as warehouses. Due to the interaction between pedestrians, vehicles and goods, there are many risks of accidents such as collisions or falling loads. It is essential to implement protection systems to avoid these risks.

To ensure the safety of people (staff or visitors) and infrastructure (machines, vehicles, racks, etc.), it is essential to identify risk areas and install safety devices to protect the work environment within the company. What protection solutions should be put in place to ensure personnel safety while protecting equipment?

STAFF:

Define traffic path to avoid trolley/ pedestrian accidents.

- Security Barriers
- Safety Mirrors
- · Plastic and Steel Posts
- Anti-slip Protections



EQUIPMENT & BUILDINGS:

Protect equipment from impact from forklifts and vehicles.

- Safety Barriers
- Steel Posts



RACKS AND DOCKS:

Protecting infrastructure and reducing risk in collisions.

• Protection Bumpers



SITE SAFETY SELECTION GUIDE



PROTECTION BUMPERS						
Material	Rubber	Steel	Foam	Flexible		
			TIM			
Protects	Equipment	Equipment Racks & Docks	Equipment Racks & Docks	Equipment Racks & Docks		

Posts Steel Plastic Protects Plastic Plastic Pedestrians





Safety Railings

- Protective bar
- Protects fragile or dangerous installations from shocks
- Epoxy paint
- Phosphating before painting which increases corrosion resistance and improves paint adhesion
- · With mounting plate
- Fasteners not included



STOCK NO 🖟	174-5894	174-5893	174-5892	174-5897	174-5896	174-5890	174-5889
	Ω		\bigcap				
WIDTH	375mm	750mm	1000mm	750mm	1000mm	750mm	1000mm
HEIGHT	350mm	350mm	350mm	600mm	600mm	1200mm	1200mm
		_			_		

HEIGHT	350mm	350mm	350mm	600mm	600mm	1200mm	1200mm
DIAMETER	Ø 76mm						
MATERIAL	Steel						
COLOUR	Yellow	Black, Yellow					
		,	Black, Yellow				
WEIGHT	6.5kg	7.5kg	9kg	10kg	11.5kg	15kg	16.5kg
PLATE DIMENSION	160 × 140 × 10mm						



Safety Railings with Cross Bar

The industrials and manufacturing plants are complex in means of diversity of the protections required. Factories and plants need this special attention and for that they must install equipments specially designed for the security of the workers or for the protection of the machines or installations.



STOCK NO 🗘	840-0629	204-1781	125-2176	125-2179	125-2180
	A			A	
WIDTH	1000mm	1000mm	1000mm	1000mm	1500mm
HEIGHT	1000mm	1000mm	1000mm	1000mm	1000mm
DIAMETER	Ø 40mm	Ø 40mm	Ø 40mm	Ø 40mm	Ø 40mm
MATERIAL	Steel	Galvanised Steel	Steel	Steel	Steel
COLOUR	Black, Yellow	Grey	Red, White	Yellow	Yellow
WEIGHT	6.8 kg	6.8kg	6.8kg	6.8kg	8.5kg
PLATE DIMENSION	150 × 150mm	150 × 150mm	150 × 150mm	150 × 150mm	150 × 150mm



Safety Railing with Cross Bar Continued

The industrials and manufacturing plants are complex in means of diversity of the protections required. Factories and plants need this special attention and for that they must install equipments specially designed for the security of the workers or for the protection of the machines or installations.



STOCK NO 🗘	840-0638	204-1770	204-1782	840-0631	204-1783	204-1771	204-1784
		<u></u>		A		F	
WIDTH	1500mm	2000mm	2000mm	1000mm	1000mm	2000mm	2000mm
HEIGHT	1000mm	1000mm	1000mm	1000mm	1000mm	1000mm	1000mm
DIAMETER	Ø 40mm	Ø 40mm	Ø 40mm	Ø 60mm	Ø 60mm	Ø 60mm	Ø 60mm
MATERIAL	Steel	Steel	Galvanised Steel	Steel	Galvanised Steel	Steel	Galvanised Steel
COLOUR	Black, Yellow	Black, Yellow	Grey	Black, Yellow	Grey	Black, Yellow	Grey
WEIGHT	8.5kg	9.6kg	9.6kg	9.7kg	9.7kg	13.8kg	13.8kg
PLATE DIMENSION	150 × 150mm	150 × 150mm	150 × 150mm	150 × 150mm	150 × 150mm	150 × 150mm	150 × 150mm



Safety Railings with Protective Plate

These barriers will protect equipments in all industrial areas. They are made of steel thickness 3mm, and have a plate with 4 fixing holes. They will definitely improve the safety in your industrial plants.

Fixations are not included.



STOCK NO 🗘	174-5902	174-5904	174-5901	174-5903
HEIGHT	350mm	600mm	350mm	600mm
WIDTH	750mm	750mm	1000mm	1000mm
DIAMETER	Ø 76mm	Ø 76mm	Ø 76mm	Ø 76mm
DEPTH	160mm	160mm	160mm	160mm
MATERIAL	Steel	Steel	Steel	Steel
COLOUR	Black, Yellow	Black, Yellow	Black, Yellow	Black, Yellow
WEIGHT	9.5kg	13kg	11.10kg	15.5kg
PLATE DIMENSION	160 × 140 × 10mm			



Corner Safety Railings

Corner protection guards offer excellent protection for property and machinery against trolleys, forklift trucks.

Fixations are not included.










COLOUR	Black, Yellow	Black, Yellow	Black, Yellow
HEIGHT	350mm	600mm	1200mm
WIDTH	600mm	600mm	600mm
DIAMETER	Ø 76mm	Ø 76mm	Ø 76mm
MATERIAL	Steel	Steel	Steel
WEIGHT	12.5kg	15.5kg	23.5kg
PLATE DIMENSION	160 × 140 × 10mm	160 × 140 × 10mm	160 × 140 × 10mm



Modular Safety Railings

The industrials and manufacturing plants are complex in means of diversity of the protections required. Factories and plants need this special attention and for that they must install equipments specially designed for the security of the workers or for the protection of the machines or installations.





SAFETY BARRIERS STEEL - TO EMBED



Embeddable Railings

RS PRO is proud to introduce this heavy-duty safety barrier. This safety barrier is made from steel, colour coded yellow and black. This barrier is suitable for indoor applications such as restricting access to a specific area, no-go zones and doorways. For outdoor applications, you can find them being used in car parks, as road barriers, impact protection and as railing for steep drops for pedestrians.

The durability of this safety barrier means you can quickly set up permanent area restrictions. This barrier has a featured horizontal crossbar that ensures fantastic impact protection and effective traffic control. This barrier can be attached to the ground with fixings purchased separately or embedded directly into the ground.



STOCK NO (204-1774 204-1773





WIDTH	500mm	1000mm
HEIGHT	1200mm	1200mm
DIAMETER	Ø 40mm	Ø 40mm
MATERIAL	Steel	Steel
COLOUR	Black, Yellow	Black, Yellow
WEIGHT	3.55kg	4.55kg



Embeddable Railing Bases

Suitable for securing safety barriers for indoor applications such as restricting access to a specific area, no-go zones and doorways. For outdoor applications, you can find them being used in car parks, as road barriers, impact protection and as railing for steep drops for pedestrians.

The durability of this safety barrier base means you can quickly set up barriers for area restrictions. This base makes the barriers removable and easy to move quickly and safely. This barrier base is ideal for situations such as a docking area for forklifts as it ensures the ease of removal of barriers whilst protecting workers.



STOCK NO 🔓 204-1777 204-1779 204-1775 204-1780 204-1778 204-1776













FIXING SLEEVE	Single	Single	Single	Double	Double	Double
HEIGHT	300mm	200mm	200mm	200mm	300mm	200mm
DIAMETER	40mm	40mm	40mm	40mm	40mm	40mm
MATERIAL	Galvanised Steel	Galvanised Steel	Steel	Galvanised Steel	Galvanised Steel	Steel
COLOUR	Grey	Grey	Black	Grey	Grey	Black
WEIGHT	1.7kg	1.8kg	1.3kg	2.3kg	3.6kg	2.7kg

SAFETY BARRIERS PLASTIC



Traffic Barrier

When it comes to traffic control look no further than RS PRO. Here we are proud to introduce this extremely durable, heavy-duty, polypropylene safety barrier that can withstand adverse weather conditions and extreme working environments.

The RS PRO traffic barrier's primary purpose is to act as an obstacle, structure, or fencing that prevents pedestrians from accessing restricted areas and provide visibility to potentially dangerous areas. This traffic barrier is fully adaptable, multiple barriers can interconnect via integrated plugs.







HEIGHT	1015mm
LENGTH	2080mm
MATERIAL	рр
COLOUR	Orange
WEIGHT	20.60kg
FEET DIMENSION	600 × 100 × 60mm


SAFETY BARRIERS EXPANDABLE



Barriers

RS PRO expandable barriers are ideal for use as a safety barrier to separate spaces in both commercial and industrial environments. Used to block pedestrian traffic to areas that are temporarily off-limits for cleaning or maintenance or to signal pathways that are closed to vehicle traffic in warehouses.

For easy storage, the barrier folds down to a fraction of its full length.



STOCK NO 🕽	625-0942	174-5891	174-5928	625-1103
ТУРЕ	Folding Barrier	Folding Barrier	Retractable Barrier	Fencing
HEIGHT	1000mm	1600mm	Dimensions of the box = 270mm	1000mm
WIDTH	2400mm	3000mm	Dimensions of the box = 390mm	50m
DEPTH	400mm	400mm	Depth of the box = 120 mm	-
MATERIAL	PP (Polypropylene)	Steel	Polyester	PP
COLOUR	Red, White	Red, White	Orange, White	Orange
DETAIL	Base can be weighted with water.	Four wheels on the foot of the barrier allow for easy movement and brakes on the wheels keep the barrier securely in place while it's in use.	Tape Length: 15m Tape Height: 30cm	Can be used with steel spikes and caps.

PROTECTION BUMPERS RUBBER



Impact Protectors

Impact protectors are vital in a workplace where vehicles are reversing, moving heavy loads or parking in high traffic areas that might result in injury or damage to equipment.

For example, having tools and toolboxes attached to walls or walkways for workers or visitors might provide a risk of being hit by reversing vehicles or not seen by forklifts carrying heavy loads and cause damage. These rubber differences soften potential impact and lessen the chance of injury.





ТУРЕ	Ground Protection
USE	Ideal for trucks and forklifts
MATERIAL	Rubber
HEIGHT	200mm
WIDTH	1000mm
COLOUR	Black
FASTENERS INCLUDED?	Yes - ∅ 16 mm – Long. 240mm

Ground Safety Railings

These protections will protect racks and other fragile equipment in all industrial areas. They are made of steel thickness 3 mm, and have a plate with 2 fixing holes per plate. They will definitely improve the safety in your industrial places.

Concrete fixations are sold separately.



STOCK NO (2) 174-5946 174-5945 174-5947 174-5944



SHAPE	Right Angle	Straight	Straight	Straight
COLOUR	Black, Yellow	Black, Yellow	Black, Yellow	Black, Yellow
HEIGHT	86mm	86mm	86mm	86mm
WIDTH	650mm	400mm	800mm	1200mm
DEPTH	650mm	130mm	130mm	130mm
DIAMETER	Ø 76mm	Ø 76mm	Ø 76mm	Ø 76mm
MATERIAL	Steel	Steel	Steel	Steel
WEIGHT	4.8kg	3.5kg	4.5kg	6.8kg
PLATE DIMENSION	130 × 70 × 10mm			



Wall Protection

From the trusted brand RS PRO, comes a range of black and yellow wall protectors. Manufactured to industry standards these multi-use protectors are a fantastic solution in the protection of personnel and equipment in busy workplaces from damage.



STOCK NO (2) 840-0607 204-1809 840-0619 216-7967 840-0613











SHAPE	Shock Absorber	Straight	Straight	Straight	Straight
WIDTH	150mm	300mm	300mm	300mm	1000mm
LENGTH	1m	1m	5m	5m	1.5m
THICKNESS	80mm	20mm	20mm	20mm	20mm
MATERIAL	EVA	NBR	NBR	NBR	NBR
COLOUR	Black, Yellow	Black, Yellow	Black, Yellow	Red, White, Grey	Black, Yellow
RESISTANCE	Acid, Grease	Petroleum-based products, acid and grease	Petroleum-based products, acid and grease	Petroleum-based products, acid and grease	Petroleum-based products, acid and grease
FEATURES	Double-sided adhesive tape	Double-sided adhesive tape	Double-sided adhesive tape	Double-sided adhesive tape	Double-sided adhesive tape



Edge & Rack Protection

Corner and edge protectors are a quick and easy solution to protecting personnel and equipment in busy workplaces. They can be attached to surfaces providing protection for any collision with an angled edge. With a high visibility black and yellow design, these foam edge protectors are often resistant to acid, oil and grease and so are suitable for use in challenging environments.



STOCK NO (204-1810 724-9779 840-0600 840-0603









SHAPE	Corner	Gutter	Gutter	Gutter
MATERIAL	EVA	EVA	EVA	EVA
COLOUR	Black, Yellow	Black, Yellow	Black, Yellow	Black, Yellow
DIMENSIONS	1000 × 180 × 160mm (L x W x H)	750mm (L)	1000mm (L)	1000mm (L)
DIAMETER	-	Ø 40mm	Ø 100mm	Ø 150mm
OPENING SIZE	-	20 × 8mm	50 × 8mm	75 × 15mm
RESISTANCE	Acid and Grease	Acid and Grease	Acid and Grease	Acid and Grease



Edge & Rack Protection with Tape

Corner and edge protectors are a quick and easy solution to protecting personnel and equipment in busy workplaces. They can be attached to surfaces providing protection for any collision with an angled edge. With a high visibility black and yellow design, these foam edge protectors are often resistant to acid, oil and grease and so are suitable for use in challenging environments.

Supplied with double adhesive-backed tape.



STOCK NO (2) 724-9794 724-9791 204-1808 840-0616 724-9766 840-0596 840-0590















SHAPE	90° Angle	90° Angle	Corner	Corner	Corner	Corner	Corner
MATERIAL	NBR	NBR	EVA	EVA	EVA	EVA	EVA
COLOUR	Black, Yellow	Red, White	Black, Yellow				
DIMENSIONS	70 × 30 × 30mm (L x W x H)	70 × 30 × 30mm (L x W x H)	400 × 150mm (L x W)	730 × 300mm (L x W)	750mm (L)	1000mm (L)	1000mm (L)
THICKNESS/DIAMETER	8mm	8mm	15mm	25mm	Ø 40mm	Ø 100mm	Ø 150mm
OPENING SIZE	N/A	N/A	75 × 75mm	150 × 150 mm	20 × 20mm	50 × 50mm	75 × 75mm
RESISTANCE	Oil and Grease	Oil and Grease	Acid and Grease	Acid and Grease	Acid and Grease	Acid and Grease	Acid and Grease
FEATURES	Double-sided adhesive tape						



Edge & Rack Protection with Tape Continued

Supplied with double adhesive-backed tape.



STOCK NO (2) 724-9788 724-9776 724-9782 724-9785 724-9798 724-9808













SHAPE	Corner	Corner	Corner	Corner	Straight	Straight
MATERIAL	NBR	NBR	NBR	NBR	NBR	NBR
COLOUR	Black, Yellow	Red, White	Black, Yellow	Red, White	Black, Yellow	Black, Yellow
DIMENSIONS	750 × 30 × 30mm (L x W x H)	750 × 30 × 30mm (L x W x H)	5000 × 30 × 30mm (L x W x H)	5000 × 30 × 30mm (L x W x H)	750 × 60 × 10mm (L x W x H)	5000 × 60 × 10 (L x W x H)
THICKNESS	8mm	8mm	8mm	8mm	10mm	10mm
RESISTANCE	Oil and Grease	Oil and Grease	Oil and Grease	Oil and Grease	Acid and Grease	Acid and Grease
FEATURES	Double-sided adhesive tape	Double-sided adhesive tape	Double-sided adhesive tape	Double-sided adhesive tape	Double-sided adhesive tape	Double-sided adhesive tape

PROTECTION BUMPERS FLEXIBLE




Bollards/Posts

This heavy-duty security post from our RS PRO range is a type of safety barrier that cannot be broken or twisted and is produced from polyurethane making it extremely hard-wearing. Ideal for areas where the bollard is likely to get knocked repeatedly at low speeds.

RS PRO has designed these security posts that can be permanently installed with fixings purchased separately to protect an area. With excellent corrosion resistance these bollards are ideal for even harsh environments. They are particularly good in areas where there are slow-moving vehicles and high pedestrian traffic that needs crowd control.





Bases for Bollards/Posts

This security base post from our RS PRO range is a type of base designed for safety barriers to be fixed into the ground and easily removed making the bollards temporary rather than permanent fixtures.

RS PRO has designed these security post bases that can be permanently installed so that the post can be made to be removable, once removed the base can have the box closed meaning there is no hole in the ground. They are particularly good for car parking spaces or loading bays that need access at certain times of days but only by authorised personnel and vehicles.



STOCK NO (204-1816 204-1818





LENGTH	210mm	220mm
WIDTH	170mm	190mm
HEIGHT	240mm	240mm
DIAMETER	Ø 80mm	Ø 100mm
COLOUR	Black	Black



Bollards/Posts with Fixing Plate

This security base post from our RS PRO range is a type of base designed for safety barriers to be fixed into the ground, once affixed, these barriers cannot be removed.

Particularly, these bollards are good for car parking spaces or loading bays that need access at certain times of days but only by authorised personnel and vehicles.





Guards with Fixing Plate

Flexible guards to protect structures. They will protect from vehicle impact and prevent any other damages. Thanks to the polyurethane they are made of, they will recover their original shape after a shock.

Fixations must be ordered separately.



174-6001 STOCK NO 🕽 174-6002









MATERIAL	Polyurethane	Polyurethane
HEIGHT	750mm	1000mm
WIDTH	1200mm	1200mm
DIAMETER	Ø 80mm	Ø 80mm
COLOUR	Black, Yellow	Black, Yellow
DIMENSIONS BASE	150 × 140mm	150 × 140mm



25

Impact Protector

Flexible ground protection guard diameter 80mm. Offers excellent protection for property and machinery against trolleys, forklift trucks.

Fixations are not included.



174-5999 STOCK NO 🕽



ТУРЕ	Flexible Ground Protection with Fixing Plate
MATERIAL	Polyurethane
HEIGHT	120mm
WIDTH	1200mm
DIAMETER	Ø 80mm
COLOUR	Black, Yellow
DIMENSIONS BASE	150 × 140

Barrier Posts

Ideal for areas where the bollard is likely to get knocked repeatedly at low speeds. RS PRO has designed these steel security posts that can be permanently installed with fixings purchased separately to protect an area. With a choice of different coloured reflective strips available. They are particularly good in areas where there are slow-moving vehicles and high pedestrian traffic that needs crowd control.



STOCK NO 🕃	204-1787	204-1785	204-1786	174-5953	204-1788	174-5949
DIAMETER	Ø 89mm	Ø 90mm	Ø 90mm	Ø 90mm	Ø 159mm	Ø 159mm
HEIGHT	800mm	800mm	800mm	1200mm	800mm	1200mm
MATERIAL	Stainless Steel	Steel	Steel	Steel	Stainless Steel	Steel
COLOUR	Grey	Black, Yellow	Chrome	Black, Yellow	Grey	Black, Yellow
PLATE DIMENSION	Ø 170mm	200 × 200mm	200 × 200mm	200 × 200mm	Ø 240mm	285 × 285mm
WEIGHT	3.9kg	7.4kg	7.4kg	10kg	11.5kg	21kg



Steel Barrier & Stanchion Chains

Temporary barriers include bollards, pedestrian barriers, retractable belt barriers, and scissor barriers, plastic work gate barriers, post base, and chain barriers. Temporary barriers are often lightweight and easy to manoeuvre. Temporary barriers are ideal for sectioning off an area that is under maintenance or repair or for crowd control and queue management.









COLOUR	Red, White	Red, White	Red, White
MATERIAL	Steel	Steel	Steel
KIT INCLUDES	6 Post, 12 Hooks, 15m Chain	2 Post, 2m Chain	1 Post, 2 Hook, 2m Chain

POSTS PLASTIC



Plastic Barrier & Stanchion Chains

Temporary barriers include bollards, pedestrian barriers, retractable belt barriers, and scissor barriers, plastic work gate barriers, post base, and chain barriers. Temporary barriers are often lightweight and easy to manoeuvre. Temporary barriers are ideal for sectioning off an area that is under maintenance or repair or for crowd control and queue management.



STOCK NO ♦ 217-5261



COLOUR	Red, White
MATERIAL	Posts = ABS, Chain = Polypropylene
KIT INCLUDES	6 Post, 10m Chain

COMPLIMENTARY PRODUCTS MIRRORS



Mirrors

The dome shaped mirrors which, are also known as "convex" are designed to reflect a wider angle view of an area and exposing more of a view for those viewing the mirror. They are usually fixed to a wall, at an angle with the appropriate bracket. These are available in circular convex, full dome convex, half dome convex, quarter dome and rectangular shape. These type of safety mirrors are often put in places where a person needs to see around a corner, or to view a difficult or blind spot.

Rectangular Outdoor Safety mirrors are typically shatterproof, waterproof and are generally quite robust. They can be mounted to a wall or surface with a security bolt.





STOCK NO 🕽

663-4621

663-4624

663-4589

663-4595

663-4599

663-4609

663-4583

663-4592

















ТУРЕ	Convex Mirror	Convex Mirror	Convex Mirror	Convex Mirror with Reflective tape				
SHAPE	Dome	Half Dome	Circular	Circular	Circular	Circular	Rectangular	Rectangular
DIMENSIONS	Ø 650	Ø 650	Ø 330	450mm	660mm	920mm	610 × 430mm	950 × 670mm
MATERIAL	Polycarbonate	Polycarbonate	Glass	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
COLOUR	-	-	-	Red, White				
SIGHT DISTANCE	6m	6m	5m	7m	12m	20m	10m	20m
INDOOR/OUTDOOR	Indoor	Indoor	Indoor and Outdoor	Outdoor	Outdoor	Outdoor	Outdoor	Outdoor
VISIBILITY	360°	180°	130°	130°	130°	130°	130°	130°

COMPLIMENTARY PRODUCTS ANTI-SLIP



Stair Nosing

RS PRO is proud to introduce a range of stair nosing designed for use in anti-slip floor applications. These high-quality products should always be considered for reducing the risk of accidents in the workplace both commercial and industrial.

Upon inspection, the anti-slip stair nosing has an aluminium frame with an anti-slip surface, aesthetic pleasing and is easy to clean and maintain. RS PRO aluminium stair nosing is commonly used for health and safety and is perfect for high traffic areas, public entrances and stairwells.



STOCK NO ₿	174-5941	174-5943	174-5942	174-5938	174-5940	174-5939
LENGTH	900mm	900mm	900mm	1300mm	1300mm	1300mm
WIDTH	76mm	70mm	76mm	76mm	70mm	76mm
THICKNESS	20mm	30mm	20mm	20mm	30mm	20mm
COLOUR	Black	Grey	Yellow	Black	Grey	Yellow
MATERIAL	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
SURFACE TYPE	Anti-Slip	Anti-Slip	Anti-Slip	Anti-Slip	Anti-Slip	Anti-Slip
FORMAT	Sheet	Sheet	Sheet	Sheet	Sheet	Sheet
FEATURES	Black Quartz	PVC	Fluorescent Quartz	Black Quartz	PVC	Fluorescent Quartz

COMPLIMENTARY PRODUCTS ACCESSORIES



Plastic Link Chain

RS PRO plastic marker chains available in a range of colours. These plastic chains can be used for various applications such as safety barrier systems as well as hanging signs and banners. These barrier chains are ideal to mark a perimeter and identify dangerous areas.



STOCK NO \$\(\) 503-685 125-2182 175-7377 503-679







COLOUR	Black, Yellow	Fluorescent	Green, White	Red, White
LENGTH	25m	25m	25m	25m
MATERIAL	Plastic	Plastic	Plastic	Plastic
LINK LENGTH	50mm	50mm	-	50mm
LINK WIDTH	30mm	-	-	30mm
CHAIN	28 links per metre - total 700 links	28 links per metre - total 700 links	28 links per metre - total 700 links	28 links per metre - total 700 links

RS PRO products are audited against demanding international standards, inspected for durability and consistency and tested by leading engineers.

Only when products have been through this process are they awarded our seal of approval, quality that can be trusted. Confidence in this process is reflected in our long product warranties, proof that our products will consistently deliver the quality you expect for a long time to come.

