

FEATURES

- **Stainless Steel 304 toggle latch and hook**
- **Adjustable pull latch**
- **Polished finish**
- **Hand operated and easy to use toggle and fastener clamp**
- **Draw latch with over centre fastener**

RS PRO Door Latches

RS Stock No.: 3399-195



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

RS PRO stainless steel toggle latches which are suitable for a wide variety of uses where corrosion resistance is necessary i.e. food containers and marine equipment. Toggle latches are a type of mechanical fastener and are also known as over centre fasteners, draw latches, and quick release fasteners and offer secure and easy fastening when locked. The unique cam action design makes the toggle latch strong and reliable and the quick release function means it can open quickly. When choosing a toggle latch you need to consider the maximum load to which it will be subject to as each latch and hook has been designed for a maximum load. RS PRO have a great range of stainless steel and steel toggle latches and door latches to suit large or small-scale applications including high strength latches, lockable, adjustable and non-adjustable options.

[339-9218](#) - Stainless steel adjustable pull latch, length 75 mm, width 26.5 mm, depth 16.5 mm

[339-9195](#) - Stainless steel adjustable pull latch, length 180 mm, width 60 mm, depth 27 mm

General Specifications


Material	Stainless Steel
Finish	Polished
Lockable	Yes
Application	Cases and containers, Enclosures, Industrial machinery, food containers and marine equipment, light duty applications

Mechanical Specifications

Dimensions	180mm x 60mm x 27mm
Depth	27mm
Length	180mm
Width	60mm

Approvals

Compliance/Certifications	ANSI/ESD S20.20:2014 and BS EN 61340-5-1:2007
----------------------------------	---



Part No.	A	B	C	D	E	F	G	H	I	J
3399195	159-185	60	34	22	22	70	27	40	16	20