

## Features

- CAT 6
- UTP PVC
- 100% FULL COPPER
- STRANDED CORE
- 24AWG
- Injection Moulded
- 10 Pack

## RS PRO 0.5mtr CAT 6 UTP PVC Patch Lead – White – 10 Pack

RS Stock No.: 2668485



RS Professionally Approved Products bring to you, professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

The RS Pro range of CAT6 networking cables run at speeds up to 10/100/1000 which is commonly referred to as Gigabit networking speeds.

The internal conductors are made from 24awg 100% Full copper, have a PVC jacket and the outer diameter is 5.5mm. The connectors are RJ45 (8P8C) and the pins are gold plated to help prevent corrosion.

The wiring uses the ANSI/TIA-568B-C wiring which is standard for most networking uses.

The cables are UL certified to CM(UL) C(UL) E213738.

We have a wide variety of colours and lengths.

## General Specifications

<b>CAT</b>	6
<b>Terminated/Unterminated</b>	Terminated
<b>Connector Type</b>	Male RJ45
<b>Connector B</b>	Male Injection Moulded
<b>Connector A</b>	Male Injection Moulded
<b>Shield Type</b>	U/UTP
<b>Outer Sheath Material</b>	PVC
<b>Sheath Colour</b>	White
<b>Conductor Material</b>	Bare Copper
<b>Snagless Connector</b>	No


## Approvals

<b>Compliance/Certifications</b>	CE UKCA ROHS REACH
<b>Standards Met</b>	CE UKCA ROHS REACH

## Similar Products

Parameters	240-6298
<b>Brand</b>	RS PRO

<b>Pack Size</b>	1
<b>Terminated/Unterminated</b>	Terminated
<b>Connector B</b>	Male Injection Moulded
<b>Connector A</b>	Male Injection Moulded
<b>Shield Type</b>	UTP
<b>Outer Sheath Material</b>	PVC
<b>Sheath Colour</b>	White
<b>Conductor Material</b>	Copper
<b>Length</b>	0.5mtr



**MATERIAL LIST:**

NO.	PARTS NAME	SPECIFICATION DESCRIPTION
①	CABLE	U/UTP [24AWG(BC 7/0.183±0.005)*1PR]*4+CROSS+PVC OD:5.5±0.2mm COLOR:Assorted upon request
②	RJ45 CONNECTOR	RJ45,8P8C,TWO FORK GOLD PLATED CONTACTS
③	MOLDING PVC	MOLDING PVC 45P COLOR:Assorted upon request

Marking: CM(UL) C(UL) E213738 4P 24AWG U/UTP CAT6 STRANDED PATCH ISO/IEC 11801 AND ANSI/TIA-568B-C 2

