



Safety Data Sheet

Page 1 of 9

LOCTITE 242 MEDIUM STRENGTH THREADLOCKER known
as 242 Threadlocker 50ML EN/CH/JP

SDS No. : 150233

V001.12

Revision: 05.03.2018

printing date: 16.12.2019

Section 1. Identification of the substance/preparation and of the company/undertaking

Product name: LOCTITE 242 MEDIUM STRENGTH THREADLOCKER known as 242 Threadlocker
50ML EN/CH/JP

Other means of identification: LOCTITE 242 BO50ML EN/CH/JP/KR

Product code: IDH232068

Recommended use of the chemical and restrictions on use

Intended use: Adhesive

Identification of manufacturer, importer or distributor

Importer: PT Henkel Indonesien

Jl. Tegal Rotan Raya No. 78, Bintaro - Tangerang Selatan,

Banten 15413 - Indonesia.

Tel no. +62 21 2758 6900 Fax no. +62 21 7592 4625

**E-mail address of person
responsible for Safety Data
Sheet:** ap-ua-psra.sea@henkel.com

Emergency information: FOR EMERGENCIES ONLY (Spill, major leak, Fire, Exposure, or Accident). Call
CHEMTREC: +1 703-741-5970

Section 2. Hazards identification

GHS Classification:

<u>Hazard Class</u>	<u>Hazard Category</u>	<u>Target organ</u>
Serious eye damage/eye irritation	Category 2	
Specific target organ toxicity - single exposure	Category 3	respiratory tract irritation
Chronic hazards to the aquatic environment	Category 3	

GHS label elements:

Hazard pictogram:



Signal word:

Warning

Hazard statement: H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.

Precaution:

Prevention: P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 Wash hands thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear eye protection/face protection.

Response: P304+P340+P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.

Storage: P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Disposal: P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Section 3. Composition / information on ingredients

Substance or Mixture:
Mixture

Declaration of hazardous chemical:

Hazard component CAS-No.	Content	GHS Classification
Cumene hydroperoxide 80-15-9	1- 10 %	Organic peroxides E H242 Acute toxicity 4; Oral H302 Acute toxicity 3; Inhalation H331 Acute toxicity 4; Dermal H312 Skin corrosion/irritation 1B H314 Specific target organ toxicity - repeated exposure 2 H373 Chronic hazards to the aquatic environment 2 H411
1,4-Naphthalenedione 130-15-4	< 0.1 %	Acute toxicity 3; Oral H301 Acute toxicity 1; Inhalation H330 Skin corrosion/irritation 2; Dermal H315 Serious eye damage/eye irritation 2A H319 Skin sensitizer 1; Dermal H317 Specific target organ toxicity - single exposure 3; Inhalation H335 Acute hazards to the aquatic environment 1 H400 Chronic hazards to the aquatic environment 1 H410

Section 4. First aid measures

Inhalation:	Should not be a problem as product is of low volatility. However, if feeling unwell remove patient to fresh air.
Skin contact:	Rinse with running water and soap. Obtain medical attention if irritation persists.
Eye contact:	Rinse immediately with plenty of running water (for 10 minutes), seek medical attention from a specialist.
Ingestion:	Rinse mouth, drink 1-2 glasses of water, do not induce vomiting, consult a doctor.
Indication of immediate medical attention and special treatment needed:	See section: Description of first aid measures

Section 5. Fire fighting measures

- Suitable extinguishing media:** Carbon dioxide, foam, powder
- Improper extinguishing media:** High pressure waterjet
- Specific hazards arising from the chemical:** In the event of a fire, carbon monoxide (CO), carbon dioxide (CO₂) and nitrogen oxides (NO_x) can be released.
- Special protection equipment and precautions for firefighters:** Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.
- Hazardous combustion products:** Oxides of carbon, oxides of nitrogen, irritating organic vapors.
- Additional fire fighting advice:** In case of fire, keep containers cool with water spray.

Section 6. Accidental release measures

- Personal precautions:** Ensure adequate ventilation.
Avoid contact with skin and eyes.
Wear protective equipment.
- Environmental precautions:** Do not empty into drains / surface water / ground water.
- Clean-up methods:** For small spills wipe up with paper towel and place in container for disposal.
For large spills absorb onto inert absorbent material and place in sealed container for disposal.

Section 7. Handling and storage

- Handling:** Use only in well-ventilated areas.
Avoid skin and eye contact.
See advice in section 8
- Storage:** Store in original containers at 8-21°C (46.4-69.8°F) and do not return residual materials to containers as contamination may reduce the shelf life of the bulk product.

Section 8. Exposure controls / personal protection

Components with specific control parameters for workplace:

Respiratory protection:	Ensure adequate ventilation. An approved mask or respirator fitted with an organic vapour cartridge should be worn if the product is used in a poorly ventilated area Filter type: A (EN 14387)
Hand protection:	Chemical-resistant protective gloves (EN 374). Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374): nitrile rubber (NBR; >= 0.4 mm thickness) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): nitrile rubber (NBR; >= 0.4 mm thickness) This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.
Eye protection:	Safety glasses with sideshields or chemical safety goggles should be worn if there is a risk of splashing. Protective eye equipment should conform to EN166.
Body protection:	Wear suitable protective clothing. Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.
Engineering controls:	Ensure good ventilation/extraction.
Hygienic measures:	Good industrial hygiene practices should be observed. Wash hands before work breaks and after finishing work. Do not eat, drink or smoke while working.

Section 9. Physical and chemical properties

Appearance:	blue liquid
Odor:	mild
Odor threshold (CA):	No data available.
pH:	Not applicable/Not available.
Melting point / freezing point:	No data available.
Specific gravity:	1.1
Boiling point:	> 149 °C (> 300.2 °F)
Flash point:	> 93.3 °C (> 199.94 °F)
	(Tagliabue closed cup)
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Lower explosive limit:	No data available.
Upper explosive limit:	No data available.
Vapor pressure:	< 6.67 mbar
	(; 27 °C (80.6 °F))

Vapor density: No data available.
Density: 1.1 g/cm³
Solubility: No data available.
Partition coefficient: n-octanol/water: No data available.
Auto ignition: No data available.
Decomposition temperature: No data available.
Viscosity: No data available.

VOC content: < 3 %
 (2010/75/EC)

Section 10. Stability and reactivity

Reactivity/Incompatible materials: None if used properly.
Chemical stability: Stable under recommended storage conditions.
Conditions to avoid: Stable under normal conditions of storage and use.
Hazardous decomposition products: None if used for intended purpose.

Section 11. Toxicological information

Oral toxicity: Acute toxicity estimate (ATE) : > 2,000 mg/kg
Method: Calculation method

Inhalative toxicity: Acute toxicity estimate (ATE) : > 20 mg/l
Exposure time: 4 h
Test atmosphere: Vapor.
Method: Calculation method

Dermal toxicity: Acute toxicity estimate (ATE) : > 2,000 mg/kg
Method: Calculation method

Symptoms of Overexposure: EYE: Irritation, conjunctivitis.
RESPIRATORY: Irritation, coughing, shortness of breath, chest tightness.
SKIN: Rash, Urticaria.
Prolonged or repeated contact may cause skin irritation.

Acute oral toxicity:

Cumene hydroperoxide 80-15-9	Value type	LD50
	Value	550 mg/kg
	Species	rat
	Method	not specified
1,4-Naphthalenedione 130-15-4	Value type	LD50
	Value	190 mg/kg
	Species	rat
	Method	not specified

Acute dermal toxicity:

Cumene hydroperoxide 80-15-9	Value type	LD50
	Value	1,200 - 1,520 mg/kg
	Species	
	Method	not specified

Skin corrosion/irritation:

Cumene hydroperoxide 80-15-9	Result	corrosive
	Exposure time	
	Species	rabbit
	Method	Draize Test

Germ cell mutagenicity:

Cumene hydroperoxide 80-15-9	Result	positive
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Cumene hydroperoxide 80-15-9	Result	negative
	Type of study / Route of administration	dermal
	Metabolic activation / Exposure time	
	Species	mouse
	Method	not specified

Repeated dose toxicity:

Cumene hydroperoxide 80-15-9	Result	
	Route of application	inhalation: aerosol
	Exposure time / Frequency of treatment	6 h/d5 d/w
	Species	rat
	Method	not specified

Section 12. Ecological information

Ecotoxicity:

Do not empty into drains / surface water / ground water.

Toxicity:

Cumene hydroperoxide 80-15-9	Value type	LC50
	Value	3.9 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Oncorhynchus mykiss
	Method	OECD Guideline 203 (Fish, Acute Toxicity Test)
Cumene hydroperoxide 80-15-9	Value type	EC 50
	Value	7 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	24 h
	Species	Water flea (Daphnia magna)
	Method	
	Value type	EC50
	Value	18 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Cumene hydroperoxide 80-15-9	Value type	ErC50
	Value	3.1 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Pseudokirchneriella subcapitata
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)

LOCTITE 242 MEDIUM STRENGTH
THREADLOCKER known as 242 Threadlocker 50ML
EN/CH/JP

Cumene hydroperoxide 80-15-9	Value type	EC10
	Value	70 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	30 min
	Species	
	Method	not specified
1,4-Naphthalenedione 130-15-4	Value type	EC50
	Value	0.011 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Dunaliella bioculata
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)

Persistence and degradability:

Cumene hydroperoxide 80-15-9	Result	
	Route of application	no data
	Degradability	0 %
	Method	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
1,4-Naphthalenedione 130-15-4	Result	
	Route of application	no data
	Degradability	0 - 60 %
	Method	OECD 301 A - F

Bioaccumulative potential / Mobility in soil:

Cumene hydroperoxide 80-15-9	Bioconcentration factor (BCF)	9.1
	Exposure time	
	Species	calculation
	Temperature	
	Method	OECD Guideline 305 (Bioconcentration: Flow-through Fish Test)
Cumene hydroperoxide 80-15-9	LogPow	2.16
	Temperature	
	Method	not specified
1,4-Naphthalenedione 130-15-4	LogPow	1.71
	Temperature	
	Method	not specified

Section 13. Disposal considerations

Product

Method of disposal:

Dispose of in accordance with local and national regulations.
Contribution of this product to waste is very insignificant in comparison to article in which it is used

Packaging

Disposal of uncleaned packages:

After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated.

Section 14. Transport information

General information:

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

Section 15. Regulatory information

Regulatory Information: Decree of Minister of Industry No. 23/M-IND/PER/4/2013 concerning the Revision of Decree of Minister of Industry No.87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals
Decree of Minister of Industry No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals

Global inventory status:

Regulatory list	Notification
TSCA	yes
NDSL	yes
KECI (KR)	yes
PICCS (PH)	yes
IECSC	yes
NZIOC	yes

Section 16. Other information

Disclaimer: This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.