



## NT 35/1 Tact

The NT 35/1 Tact is a handy and strong wet/dry vacuum cleaner for commercial applications. It is equipped with the innovative and patented Tact system for fully automated filter cleaning. The NT 35/1 Tact is fully equipped with accessory that can easily be retained in the integrated accessory storage.

### 1 Tact system (Tact Automatic Filter Cleaning System)

- The filter automatically cleans itself with targeted, powerful blasts of air. The procedure is triggered automatically whilst maintaining constant high suction power. Further benefits: low maintenance costs, long filter service life.

### 2 On-board storage

- The large on-board storage space on the casing head ensures that tools and accessories are always stored and close to hand.



## NT 35/1 Tact

- Tact automatic filter cleaning system
- Accessory/suction hose storage
- On-board storage on the casing head

### Technical data

<b>Order no.</b>	1.184-850.0	
<b>EAN code</b>	4039784722675	
<b>Air flow rate</b>	<b>l/s</b>	74
<b>Vacuum</b>	<b>mbar / kPa</b>	254 / 25.4
<b>Container capacity</b>	<b>l</b>	35
<b>Max. rated input power</b>	<b>W</b>	1380
<b>Standard nominal width</b>		35
<b>Sound pressure level</b>	<b>dB(A)</b>	69
<b>Container material</b>		plastic
<b>Number of motors</b>		1
<b>Frequency</b>	<b>Hz</b>	50-60
<b>Voltage</b>	<b>V</b>	220-240
<b>Weight</b>	<b>kg</b>	11.5
<b>Dimensions (L × W × H)</b>	<b>mm</b>	520 × 380 × 580

### Equipment

<b>Suction hose</b>	<b>m</b>	2.5	<b>Maintenance-free suction turbines</b>	<b>piece(s)</b>	1
<b>Filter bag</b>		fleece			
<b>Wet and dry floor nozzle</b>	<b>mm</b>	300			
<b>Crevice nozzle</b>		■			
<b>Automatic switch-off at max. filling quantity</b>		■			
<b>Eco filter system</b>		■			
<b>Flat pleated filter</b>		Paper			
<b>Bend</b>		■			
<b>Protection class</b>		II			
<b>Steering roller stop</b>		■			
<b>Filter cleaning</b>		Tact filter cleaning system			

■ Included in the scope of supply.

# ACCESSORIES FOR NT 35/1 TACT

## 1.184-850.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Flat pleated filter, paper</b>									
Flat pleated filter, paper	1	6.904-367.0	1 piece(s)					Paper flat pleated filter (dust class M) suitable for NT 361, NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/Eco Te/Eco M.	■
<b>Bend, plastic</b>									
Plastic bend	2	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	■
Bend, plastic, electrically conductive	3	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	□
	4	5.032-427.0	1 piece(s)	ID 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	□
Plastic bend	5	5.031-904.0	1 piece(s)	ID 40				Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	□
<b>Crevice nozzles</b>									
Crevice nozzle	6	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	■
	7	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□
	8	6.903-033.0	1 piece(s)	ID 40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	□
	9	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
	10	6.906-240.0	1 piece(s)	ID 35	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	□
<b>Suction tubes, stainless steel</b>									
Suction tube	11	6.902-154.0	1 piece(s)	ID 35	0.5 m			0.5 m long stainless steel suction tube (ID 35) for wet and dry vacuum cleaners. Ideal for frequent wet vacuuming applications and for vacuuming corrosive components.	■
	12	6.902-081.0	1 piece(s)	ID 40	0.5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	□
	13	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	□
<b>Complete suction hoses (clip system)</b>									
Suction hose	14	4.440-626.0	1 piece(s)	ID 35	2.5 m			2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.	■
Suction hose, electrically conductive	15	4.440-653.0	1 piece(s)	ID 35	2.5 m			2.5 m electrically conductive suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without module.	□
Suction hose	16	2.889-133.0	1 piece(s)	ID 35	2.5 m			2.5 m suction hose with new clip fastener, C 35.	□
Hose packaged NW35 2.0m	17	2.889-161.0	1 piece(s)	ID 35	2 m				□
<b>Fleece filter bags (three-ply)</b>									
Fleece filter bags	18	6.907-479.0	5 piece(s)					Fleece filter bag, tear-resistant, dust class M.	■
Adv fleece filter bags	19	6.904-351.0	5 piece(s)					3-ply tear-resistant fleece filter bags (dust class M). For dry pick up, suitable for the following models: NT 361 Eco, Eco TE, TE-A and NT 361 Eco M, NT 35/1 Eco, Eco Te, Eco M. Contents: x5	□
<b>Nozzle kits</b>									
Nozzle kit	20	2.860-116.0	1 piece(s)	ID 35				Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)	□

■ Included in the scope of supply. □ Available accessories.

# ACCESSORIES FOR NT 35/1 TACT

## 1.184-850.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description		
<b>Flat pleated filter, PES</b>										
Flat pleated filter, PES	21	6.904-360.0	1 piece(s)					Flat pleated filter (PES) - BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	<input type="checkbox"/>	
<b>Flat pleated filter, PTFE</b>										
Flat pleated filter, PTFE	22	6.907-455.0	1 piece(s)					Polyester fleece with PTFE coating for single-motor Tact and Ap vacuum cleaners, dust class M. Particularly suitable for very adhesive materials.	<input type="checkbox"/>	
<b>Coarse dirt filter for wet vacuuming</b>										
Coarse dirt filter	23	6.904-287.0	1 piece(s)					Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.	<input type="checkbox"/>	
<b>Fabric filter</b>										
Membrane filter	24	6.904-212.0	1 piece(s)					Polyester needle fleece membrane/fabric filter, washable up to 40°C, suitable for all NT 361 Eco to NT 611 Eco versions as an alternative to a filter bag.	<input type="checkbox"/>	
<b>HEPA, dust class H filter</b>										
HEPA flat pleated filter	25	6.904-242.0	1 piece(s)					HEPA surface filter - dust class H (HEPA 13) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	<input type="checkbox"/>	
<b>Paper filter bags (two-ply)</b>										
Paper filter bags	26	6.904-259.0	5 piece(s)					5 paper filter bags (BIA-C dust class M) with reinforced outer ply (e.g. cement dust). For all NT 361 Eco models (except Eco H).	<input type="checkbox"/>	
<b>Plastic sacks for dust-free disposal</b>										
Plastic sacks for dust-free disposal	27	6.596-886.0	10 piece(s)					PE plastic sack.	<input type="checkbox"/>	
<b>Wet filter bag</b>										
Wet filter bag	28	6.904-171.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry, tear-resistant.	<input type="checkbox"/>	
<b>Bends, stainless steel</b>										
Bend, stainless steel, ID 35	29	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35	<input type="checkbox"/>	
Bend, stainless steel, ID 40	30	6.902-079.0	1 piece(s)	ID 40				Stainless steel and crooked, ID 40	<input type="checkbox"/>	
<b>Bends, metal</b>										
Bend, metal	31	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).	<input type="checkbox"/>	
	32	6.900-276.0	1 piece(s)	ID 40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).	<input type="checkbox"/>	
<b>All-purpose brushes</b>										
All-purpose brush	33	6.903-863.0	1 piece(s)	ID 35	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	<input type="checkbox"/>	
<b>Floor nozzles</b>										
Wet and dry floor nozzle	34	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	<input type="checkbox"/>	

■ Included in the scope of supply. □ Available accessories.

# ACCESSORIES FOR NT 35/1 TACT

## 1.184-850.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
Multi-purpose nozzle, wet/dry	35	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	<input type="checkbox"/>
	36	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	<input type="checkbox"/>
	37	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	<input type="checkbox"/>
	38	6.906-513.0	1 piece(s)	ID 35		360 mm		All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	<input type="checkbox"/>
Floor tool anthracite packaged NW35	39	2.889-173.0							<input type="checkbox"/>
DN 40 wet/dry floor nozzle	40	6.907-408.0	1 piece(s)	ID 40		360 mm		Multi-purpose nozzle (ID 40), plastic, 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0).	<input type="checkbox"/>
<b>Rubber tool</b>									
Rubber nozzle, ID 40	41	4.763-057.0	1 piece(s)	40				Rubber.	<input type="checkbox"/>
<b>Rubber suction tools, nose 45°</b>									
Rubber suction tool, nose 45°	42	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
	43	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
<b>Combi-nozzles, dry</b>									
Combi-nozzle, dry	44	6.906-511.0	1 piece(s)	ID 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	<input type="checkbox"/>
	45	6.906-639.0	1 piece(s)	ID 35		262 mm		Plastic with stainless steel soleplate, switchable. Only CV and NT vacuum cleaners.	<input type="checkbox"/>
<b>Pipe dusting nozzles</b>									
Pipe brush 35/100	46	6.903-035.0	1 piece(s)	ID 35				Plastic, pipe diameter 100 mm	<input type="checkbox"/>
Pipe brush 35/200	47	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	<input type="checkbox"/>
<b>Suction brushes</b>									
Suction brush	48	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	<input type="checkbox"/>
<b>Turbo nozzles</b>									
Turbo upholstery nozzle	49	2.860-113.0	1 piece(s)	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	<input type="checkbox"/>
Turbo floor nozzle	50	2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	<input type="checkbox"/>
<b>Suction tubes, plastic</b>									
Suction tube	51	6.900-384.0	1 piece(s)	ID 35	0.5 m			Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.	<input type="checkbox"/>
Suction tube, DN 61	52	6.900-224.0						Plastic	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.



# ACCESSORIES FOR NT 35/1 TACT

## 1.184-850.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Suction tubes, metal</b>									
Suction tube	53	6.900-275.0	1 piece(s)	ID 40	0.5 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	<input type="checkbox"/>
Set suction tube chromed NW35 550mm	54	2.889-191.0							<input type="checkbox"/>
<b>Extension tube, metal</b>									
Extension tube, metal, ID 35	55	6.904-276.0	1 piece(s)	35	250 mm			Extension tube, ID 35, chrome-plated metal. For extending a suction tube from 0.5 m to 0.75 m length.	<input type="checkbox"/>
<b>Repair kits</b>									
Repair kit, C 35	56	2.639-682.0	1 piece(s)	ID 35				Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	<input type="checkbox"/>
<b>Suction hoses (clip system)</b>									
Suction hose	57	6.906-241.0	1 piece(s)	35	4 m			4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.	<input type="checkbox"/>
	58	6.906-275.0	1 piece(s)	35	2.5 m			2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	<input type="checkbox"/>
	59	6.906-500.0	1 piece(s)	35	4 m			4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	<input type="checkbox"/>
	60	6.906-321.0	1 piece(s)	40	4 m			4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	<input type="checkbox"/>
	61	6.906-714.0	1 piece(s)	40	4 m			With bayonet and clip connection.	<input type="checkbox"/>
	62	6.906-546.0	1 piece(s)	40	4 m			Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	<input type="checkbox"/>
	63	6.906-877.0	1 piece(s)	40	10 m			Suction hose with bayonet coupling, electrically conductive.	<input type="checkbox"/>
Suction hose (clip system), C 35, 10 m	64	6.906-242.0	1 piece(s)	C- 35	10 m			Electrically conductive 10 m suction hose with bayonet adaptor and C 40 clip adaptor. Without manifold or connection bushing.	<input type="checkbox"/>
<b>Suction hoses (without connectors)</b>									
Suction hose, DN 32 and 35 (without connectors)	65	6.389-838.0		32	10 m			Standard (not T 201 with ESB 28).	<input type="checkbox"/>
<b>Suction hoses complete</b>									
Suction hose, complete, 120°C	66	4.440-339.0	1 piece(s)	ID 35	2.5 m			Temperature-resistant to 120 °C.	<input type="checkbox"/>
Suction hose, complete	67	4.440-446.0	1 piece(s)	ID 27	3.5 m			Electrically non-conductive suction hose (3.5 m) with DN 27 adapter for power tools at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.	<input type="checkbox"/>
	68	4.440-461.0	1 piece(s)	ID 27	7 m			Electrically non-conductive suction hose (7 m) with DN 27 power tool adapter at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.	<input type="checkbox"/>
Suction hose, oil-resistant, with cone connection	69	2.889-144.0	1 piece(s)	ID 50	4 m			Suction hose, 4 m long, oil-resistant. With new bayonet fastener and cone connection to bend.	<input type="checkbox"/>
<b>Connecting sleeves</b>									
Connecting adaptor, ID 27, electrically conductive.	70	4.453-006.0	1 piece(s)	ID 27				For connecting 2 suction hoses, thread on both sides, electrically conductive.	<input type="checkbox"/>
Adaptor, ID 32/35, with internal thread	71	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adaptor with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# ACCESSORIES FOR NT 35/1 TACT

## 1.184-850.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
Connecting adapter, ID 40, with internal thread	72	6.900-286.0	1 piece(s)	ID 40				Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.	<input type="checkbox"/>
Connecting sleeve, ID 61, with female thread	73	6.902-078.0	1 piece(s)	ID 61				For connecting 2 suction hoses, thread on both sides	<input type="checkbox"/>
<b>Extension hoses (clip system)</b>									
Extension hose	74	6.906-237.0	1 piece(s)	ID 32	2.5 m			Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system.	<input type="checkbox"/>
Extension hose, electrically conductive	75	6.906-277.0	1 piece(s)	ID 32	2.5 m			for all C-32 and C-35 hoses, electrically conductive.	<input type="checkbox"/>
<b>Y-adapter kit</b>									
Y-adapter kit	76	2.637-217.0	1 piece(s)	ID 35				Plastic distributor - suitable for NT vacuum cleaners.	<input type="checkbox"/>
<b>Connection adapter C ID (clip to cone), electrically conductive</b>									
Connection adapter C DN 35	77	5.407-112.0	1 piece(s)	ID 35				C 35 hose connector for DN 35 accessory, electrically conductive.	<input type="checkbox"/>
Connection adapter C DN 40	78	5.407-109.0	1 piece(s)	ID 40				Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
	79	5.407-111.0	1 piece(s)	ID 40				C 40 hose connector for DN 40 accessory, electrically conductive.	<input type="checkbox"/>
<b>Connection adapter for power tools, clip-on, electrically conductive</b>									
Connection adapter for power tools, C 35, electrically conductive	80	5.453-048.0	1 piece(s)	ID 35				Inside Ø 25.4 mm, outside Ø 34.6 mm/ 38 mm, electrically conductive. Only NT vacuums.	<input type="checkbox"/>
Connection Adaptor for power tools, C 35, electrically conductive	81	5.453-049.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>
Connection adapter for power tools, C 35, electrically conductive	82	5.453-050.0	1 piece(s)	ID 35				Inside Ø 27 mm, outside Ø 36.5 mm/38.8 mm, electrically conductive. Only NT vacuums.	<input type="checkbox"/>
Connection Adaptor for power tools, C 35, electrically conductive	83	5.453-051.0	1 piece(s)	ID 35				Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.	<input type="checkbox"/>
	84	5.453-052.0	1 piece(s)	ID 35				Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>
<b>Adapter for electric power tools, screwable</b>									
Adaptor for electric power tools, screwable, ID 35	85	2.639-129.0	1 piece(s)	ID 35				Adaptable three-step plastic sleeve for power tools. Designed to thread onto a DN 35 industrial suction hose. With fitting instructions.	<input type="checkbox"/>
Adapter for electric power tools, screwable, ID 35	86	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	<input type="checkbox"/>
	87	5.453-026.0	1 piece(s)	ID 35				Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm.	<input type="checkbox"/>
	88	6.902-059.0	1 piece(s)	ID 35				Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.	<input type="checkbox"/>
	89	6.902-095.0	1 piece(s)	ID 35				2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.	<input type="checkbox"/>
<b>Expansion pieces (tube -&gt; nozzle)</b>									
Adapter ID 35 - 40 (tube -> nozzle)	90	6.902-084.0	1 piece(s)	ID 35				From DN 35 to DN 40: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.	<input type="checkbox"/>
<b>Reducing sleeves</b>									
Reducer	91	5.407-108.0	1 piece(s)	ID 40				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# ACCESSORIES FOR NT 35/1 TACT

## 1.184-850.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Reducers (tube -&gt; nozzle)</b>									
Reducer	92	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	<input type="checkbox"/>
Reducer from ID 35 to ID 32	93	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>
<b>Reduction/expansion adapter kit</b>									
Set of reducers / adapter sleeves	94	2.860-117.0	1 piece(s)					DN 40/35, DN 35/32 (tube -> nozzle), plastic.	<input type="checkbox"/>
<b>Target-group-specific accessory kits for vacuum cleaners</b>									
Universal kit for industrial and commercial use	95	2.637-595.0		ID 35				Accessory kit for industrial and commercial use.	<input type="checkbox"/>
Heating boiler cleaning kit	96	2.638-852.0		ID 35				Accessory kit for vacuuming and cleaning boilers, oil stoves, etc.	<input type="checkbox"/>
Construction kit	97	2.637-352.0		ID 40				Building and ancillary trade accessory kit.	<input type="checkbox"/>
Professional cleaning kit	98	2.637-353.0		ID 40				Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0).	<input type="checkbox"/>
Horse kit, electrically conductive	99	2.637-248.0		ID 40				Target group-specific accessory kit for horse and pony breeders or owners	<input type="checkbox"/>
Wet and dry vacuuming kit, ID 40, electrically conductive	100	2.638-147.0		ID 40				Wet and dry vacuum cleaner kit, electrically conductive, DN 40.	<input type="checkbox"/>
<b>Modification kit, non-conductive media</b>									
ABS non-conductive media	101	2.641-560.0	1 piece(s)					For switching off when vacuuming non-conductive fluids such as oils and greases.	<input type="checkbox"/>
<b>Other</b>									
Drilling dust nozzle	102	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
CS 40 Me	103	2.863-026.0	1 piece(s)					The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.



# ACCESSORIES FOR NT 35/1 TACT

## 1.184-850.0



		Order no.	Length	Colour	Quantity	Price	Description	
<b>Miscellaneous</b>								
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm <sup>2</sup> . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	<input type="checkbox"/>

■ Included in the scope of supply.    □ Available accessories.

# ACCESSORIES FOR NT 35/1 TACT

## 1.184-850.0



		Order no.	Quantity	ID	Length / width	Price	Description	
<b>Other nozzles</b>								
Rubber suction nozzle, 45°	1	6.902-106.0	1 piece(s)	ID 61	220 mm		Angled 45°, for suction of machines, oil-resistant	<input type="checkbox"/>

Included in the scope of supply.
  Available accessories.