# Eaton JJS-40

# Catalog Number: JJS-40

Eaton Bussmann series JJS fuse, Current-limiting, Small footprint, VFD line protection, 40 A, Class T, Non-indicating, Ferrule end x ferrule end, 200 kAIC at 600 V, Standard, 10, 600 V

## General specifications



Eaton Bussmann series JJS fuse

UPC

051712628402

**Product Height** 

0.81 in

**Product Weight** 

0.5 lb

Compliances
CE Marked

RoHS Compliant

Catalog Number

JJS-40

Product Length/Depth

1.56 in

**Product Width** 

0.81 in

Warranty

Not Applicable



## Electrical rating

Amperage Rating

40 A

Interrupt rating

200 kAIC at 600 Vac

Voltage rating

600 V

## Physical details

Packaging type

Standard

#### General information

Class

Class T

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Non-indicating

#### Resources

#### Catalogs

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - JJS-40

Technical data sheets

JJS-40~TRON FAST ACTING FUSE CLASS T

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia