


# Timing Pulleys HTD8M-30

8mm pitch for 30mm wide belt  
Centre drilled or Pilot Bore  
in Steel or Cast Iron with Zinc plated Steel Flanges



## Dimensions

Mat'l	Code	No. Teeth	Type	Op	De	Df	Dm	F	L	Bore	No. Flanges
St.	P22-8M-30F	22	1F	56.02	54.65	60	43	38	48	12	2
St.	P24-8M-30F	24	1F	61.12	59.75	66	45	38	48	12	2
St.	P26-8M-30F	26	1F	66.21	64.85	70	48	38	48	13	2
St.	P28-8M-30F	28	1F	71.30	70.08	75	50	38	48	15	2
St.	P30-8M-30F	30	1F	76.39	75.13	82.5	55	38	48	15	2
St.	P32-8M-30F	32	1F	81.49	80.16	87	60	38	48	15	2
St.	P34-8M-30F	34	1F	86.58	85.22	91	66	38	48	15	2
St.	P36-8M-30F	36	1F	91.67	90.30	97	70	38	48	15	2
St.	P38-8M-30F	38	1F	96.77	95.39	102	75	38	48	15	2
St.	P40-8M-30F	40	1F	101.86	100.49	106	75	38	48	15	2
St.	P44-8M-30F	44	1F	112.05	110.67	120	75	38	48	15	2
St.	P48-8M-30F	48	1F	122.23	120.86	128	75	38	48	15	2
St.	P56-8M-30F	56	2F	142.60	141.23	150	90	38	48	15	2
St.	P64-8M-30F	64	2F	162.97	161.60	168	90	38	48	15	2
St.	P72-8M-30F	72	2F	183.35	181.97	182	95	38	48	15	2
C.I.	P80-8M-30	80	3	203.72	202.35	-	100	38	48	15	-
C.I.	P90-8M-30	90	3	229.18	227.81	-	100	38	48	15	-
C.I.	P112-8M-30	112	4	285.21	283.83	-	100	38	48	18	-
C.I.	P144-8M-30	144	4	366.63	365.22	-	100	38	48	20	-
C.I.	P168-8M-30	168	4	427.81	426.44	-	100	38	48	20	-
C.I.	P192-8M-30	192	4	488.92	487.55	-	100	38	48	20	-