

## FEATURES

- Versatile and easy to fit
- Can be screwed into place and removed manually
- Hexagonal shaped versions can be tightened using a wrench
- Lock PCB securely into place
- Nylon insulation material reduces the risk of electrical short circuits and is also lightweight and durable.
- Versions with nickel plated brass threaded inserts for resistance to corrosion

## RS PRO Nylon Round Standoff Female/Female, 13mm, M3 x M3

RS Stock No.: 653-9330



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

From RS Pro a range of high-quality standoffs made from solid nylon or with metal threaded inserts and a nylon insulation material. These versatile standoffs are designed to mount and secure your PCB as well as elevating your PCB from other components such as the inside of a computer chassis or another PCB, similar to spacers. They are also ideal for improving airflow space around components when the equipment becomes hot. These stand-offs are available in a range of different heights and threads sizes to suit a wide range of applications.

## General Specifications


|                    |  |
|--------------------|--|
| <b>Gender Type</b> | Female/Female  |
| <b>Material</b>    | Nylon  |
| <b>Body Shape</b>  | Round  |
| <b>Finish</b>      | Plain  |
| <b>Application</b> | Office machinery, Telecommunications equipment, Consumer electronics, Audio visual equipment |

## Mechanical Specifications

|                         |         |
|-------------------------|---------|
| <b>Body Length</b>      | 13mm    |
| <b>Thread Size</b>      | M3 x M3 |
| <b>Thread Size A</b>    | M3      |
| <b>Thread Size B</b>    | M3      |
| <b>Outside Diameter</b> | 8mm     |

## Approvals

|                                  |         |
|----------------------------------|---------|
| <b>Compliance/Certifications</b> | EN61340 |
|----------------------------------|---------|



**TYPE 1**

**TYPE 2**