

## FEATURES

- UL approved Nylon 66 (UV RESISTANT BLACK), 94V-2.
- Color: Black, other special colors are available upon request.
- Feature: Low Smoke and Halogen Free cable tie suitable for various industry, also household DIY and gardening.
- Max. operating temperature up to 85°C.
- Application: One piece self-lock cable tie save the time and make effective for installation.
- UV resistant cable tie: for outdoor use with UV feature.
- Easy to thread.

## RS PRO UV Resistant Cable Ties

RS Stock No.: 2243173



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description ATTRIBUTE 1

- Material: UL approved Nylon 66 (UV RESISTANT BLACK), 94V-2.
- Color: Black, other special colors are available upon request.
- Carbon black was added for greater resistance to ultra violet in outdoor usage.
- Feature: Low Smoke and Halogen Free cable tie suitable for various industry, also household DIY and gardening.
- Prolong useful life of cable tie under sunshine/outdoor application.
- Max. operating temperature up to 85°C
- UV resistant cable tie: for outdoor use with UV feature.
- Application: One piece self-lock cable tie save the time and make effective for installation.

## General Specifications

<b>Series</b>	UV Resistant Cable Tie
<b>Type</b>	Non-Releasable
<b>Colour</b>	Black
<b>Material</b>	Nylon 66
<b>Finish</b>	
<b>Application</b>	
<b>Resistant To</b>	
<b>UV Resistant</b>	Yes
<b>Minimum Operating Temperature</b>	-40°C
<b>Maximum Operating Temperature</b>	85°C
<b>Fire Behaviour</b>	Self-Extinguishing
<b>Quantity</b>	50

## Mechanical Specifications

<b>Length</b>	610mm(24")
<b>Width</b>	7.6mm
<b>Tensile Strength</b>	120lbs/55kgs
<b>Max. Bundle Dia.</b>	177mm
<b>Thickness</b>	1.8±0.25mm

## Protection Category

IP Rating

## Classification

eCl@ss (10.0.1)

UNSPSC (6.01)

## Approvals

Declarations

Standards Met

UL, RoHS, SVHC, DNV.GL, Lloyd's, CE, VDE, ABS, HF

## Similar Products

Stock No.	Brand	Product Name	Colour	Material	Tensile strength
811-1482	RS PRO	UV Resistant cable tie	Black	Nylon 66	18lbs/8kg
811-1486	RS PRO	UV Resistant cable tie	Black	Nylon 66	40lbs/18kg

