

## FEATURES

- Body – zinc plated steel
- Plunger – stainless steel
- Lifting ring – stainless steel
- Thread size – M6 to M12
- Comes as standard with lift ring and locking nut

## RS PRO M12 Index Plunger

RS Stock No.: 237-564



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

### Product Description ATTRIBUTE 1

These Basic Indexing Plungers with pull/lift ring from our own RS PRO brand are designed with simple finish with very small dimensions.

### General Specifications

<b>Type</b>	Index Plunger
<b>Body Material</b>	Body – zinc plated steel, Plunger – stainless steel, Lifting ring – stainless steel
<b>Thread Size</b>	M12
<b>Applications</b>	Designed for applications where high precisions indexing is not required

### Mechanical Specifications

<b>Ball Diameter</b>	8mm
<b>Length</b>	24mm


### Operation Environment Specifications

<b>Operating Temperature</b>	Upto 250°C
------------------------------	------------

### Approvals

<b>Compliance/Certifications</b>	RoHS
----------------------------------	------

## Ball &amp; Spring Plungers



Part No.	A	B	C	Thread size	Plunger diameter (mm)
237671	14	12	4	M6	4
237750	18	16	5	M8	5
237687	24	20	6	M10	6
237564	30	24	8	M12	8